







Orders 0 to 1 pounds, \$5.50 added to total.
 Orders 1 to 2 pounds, \$7.50 added to total.
 Orders 2 to 5 pounds, \$9.50 added to total.
 Orders 5 to 11 pounds, \$11.50 added to total.
 Orders 11 to 15 pounds, \$15.90 added to total.
 Orders 15 to 40 pounds, \$27.90 added to total.
 Orders 40 to 50 pounds, \$37.50 added to total.

<p><u>CAT , 712, 4 inch Ext Spkr, 10 Watts Power, 8 ohm impedance, with Noise Canceling switch. 6 ft. cord with 3.5mm plug</u></p>		<p>\$ 9.95</p>
<p><u>CAT , 724P, 5 Watt Power, 8 ohm impedance speaker with 6 ft. cord and 3.5mm 18 plug. Mounting hardware is included</u></p>		<p>\$ 7.95</p>
<p><u>CAT , 726SPKR, This speaker one of the best tailored sound HAM Radio speakers Ive ever used. 3.5 five watt, 8 ohm</u></p>		<p>\$11.95</p>
<p><u>CAT , CAMZWAF, MINI Black and White CMOS CAMERA WITH AUDIO 6 IR LEDS and Power ADAPTER</u></p>		<p>\$39.95</p>
<p><u>CAT , PA5, PORTABLE PUBLIC ADDRESS SYSTEM 5W, 4 OHM with Mic-Headset</u></p>		<p>\$34.95</p>
<p><u>CAT , SPKR35, The Ideal speaker for 2-way radio communications speech reproduction.</u></p>	 <p>3.5" EXTENSION SPEAKER MYLAR CONE 8 OHM 6' CORD 3.5 MM PLUG WITH MOUNTING BRACKET AND HARDWARE</p>	<p>\$ 6.95</p>









<u>CAT , VTTESTL, Multi Purpose LED tester.</u>		\$ 9.95
<u>CAT , VTSET27, 14 piece tool set</u>		\$11.95
<u>CAT , 34558, Speaker-Mic Replacement Cable For TNC to HT interfacing standard MicEarphone 2.5mm 3.5mm molded plug with standard HT spacing.</u>		\$ 4.95
<u>CAT , 107E, High fidelity transformer, low-level, 300 Hz to 50 KHz. Impedance is 600 ohms to 4 ohm. 600 ohms. Compact design.</u>	 <p>4 ohm to 600 ohm</p> <p>AUDIO TRANSFORMER</p> <p>107E</p> <p>Primary: 600 Ohms CT Secondary: 4 Ohms CT Unbalance D.C. 6mA Max Frequency @ 150 Milliwatts (+/- 1.5 db, 300Hz - 50KHz)</p> <p>Wiring diagram showing terminals 1, 2, 3, 4, 5, 6 with 4 Ohm and 600 ohms CT labels.</p>	\$ 1.49
<u>CAT , 108M, 8 conductor curly, microphone cable, 10 feet long, when extended.</u>		\$ 4.95
<u>CAT , 13D, 13 pin DIN male plug wired to all 13 pins, Cable is 6 ft.</u>	 <p>Standard 13 pin DIN "MALE" with all pins wired.</p> <p>WIRE COLORS</p> <ul style="list-style-type: none"> 1 BROWN 2 RED 3 ORANGE 4 YELLOW 5 GREEN 6 BLUE 7 PURPLE 8 GREY 9 WHITE 10 BLACK 11 Brown/White 12 Red/White 13 Orange/White <p>Diagram labels: Solder Side, METAL SHELL, DATA "SAFE", FOIL SHIELD, BUX COMM (C) 1995-2006</p>	\$ 7.95
<u>CAT , 13DFIL, Standard 13 pin DIN Inline Jack Mates 13 pin DIN male. Used as accessory jack for data IO to many Icom Amateur Transceivers.</u>		\$ 2.99

<u>CAT , 13DMP, Standard 13 pin DIN Plug Accessory plug to interface data IO to many Kenwood and Icom transceivers.</u>		\$ 1.99
<u>CAT , 25MONO, Quarterinch, mono plug is often used for head phone connections and external speaker plug.</u>		\$ 0.99
<u>CAT , 25MP, 2.5mm Mono Plug</u>		\$ 0.45
<u>CAT , 25MPX3, 2.5mm Mono Plug, 3 for .99 cents</u>		\$ 0.99
<u>CAT , 25SMIC, The quarter inch stereo plug is used as Microphone input and PTT for Atlas, Swan, Collins, Drake, Heath, and other radios.</u>		\$ 0.99
<u>CAT , 25SP, 2.5mm Stereo Plug</u>		\$ 0.65
<u>CAT , 25SPX3, 2.5mm Stereo Plug, 3 for .99 cents</u>		\$ 0.99
<u>CAT , 3535ST, 6` CABLE with 3.5mm or 1/8` STEREO PHONE PLUGS</u>		\$ 1.90
<u>CAT , 35MFSTX2, Sound card six ft male to female stereo extender cables</u>		\$ 2.95
<u>CAT , 35MP, 3.5mm Mono Plug fits one eighth inch jacks.</u>		\$ 0.65

<u>CAT , 35MPX3, 3.5mm Mono Plug 18inch 35MP, 3 for .99</u>		\$ 0.99
<u>CAT , 35PCBJAK, 3.5mm Stereo jack. they may also be used to make inline jacks for soundcard applications.</u>		\$ 0.75
<u>CAT , 35SP, 3.5mm Stereo Plug 1, 8th inch</u>		\$ 0.75
<u>CAT , 35SPX3, 3.5mm Stereo Plug 1 8th inch 35SP 3 for .99</u>		\$ 0.99
<u>CAT , 4C25MML, Right Angle, 4 circuit, 2.5mm Plug and Cable</u>		\$ 4.95
<u>CAT , 4C25MMS, STRAIGHT 4 circuit, 2.5mm Plug and Cable</u>		\$ 4.95
<u>CAT , 4CYXJACK, 3.5 mm, 4 Conductor INLINE JACK, mates 4 circuit plug.</u>		\$ 1.79
<u>CAT , 4CYXPLUG, 3.5mm 4 Conductor INLINE PLUG, mate for 4 circuit jack.</u>		\$ 1.79
<u>CAT , 4D, 5 ft cable, wired to 4 pin DIN male connector. Pin 4 is bare-shield-ground.</u>		\$ 4.95
<u>CAT , 4M, Curly cord extends to more than SIX 6 feet. Shielded cable with 4 wires, plus shield-drain wires</u>		\$ 4.95

<p><u>CAT , 4PDFIL, Standard 4 pin DIN In line Jack. Mates 4 pin male plug, for many interface applications.</u></p>		<p>\$ 2.49</p>
<p><u>CAT , 4PDM, Standard 4 pin DIN Plug Used as RTTY and CAT accessory plug IO on some transceivers for RTTY interfacing.</u></p>		<p>\$ 0.99</p>
<p><u>CAT , 5D, 5 pin DIN cable prewired with all 5 pins connected. Used to interface RASCAL to PC sound card, also mates 5 pin DIN TNC radio ports.</u></p>		<p>\$ 4.95</p>
<p><u>CAT , 5PDFIL, 5 pin DIN InLine Female.</u></p>		<p>\$ 1.99</p>
<p><u>CAT , 6MDN, Male, 6 pin mini DIN, 5 ft, for most transceivers that have ISO standard data inputoutput jacks.</u></p>		<p>\$ 2.95</p>
<p><u>CAT , 6MDNMM, 6 pin mini DIN male to 6 pin mini DIN male</u></p>		<p>\$ 7.89</p>
<p><u>CAT , 6PDIP, SOCKET for 6 pin OptoIsolator, 4 for .99</u></p>		<p>\$ 0.99</p>
<p><u>CAT , 6PDMDIN, 6 pin mini DIN Plug Used as accessory plug to interface data input and output on many transceivers.</u></p>		<p>\$ 1.99</p>









<u>CAT , 7D, With 5 ft shielded cable, wired to 7 pin DIN male connector. 6 ft</u>		\$ 4.95
<u>CAT , 7PDM, Standard 7 pin DIN Plug used as CAT interface plug on some transceivers for Computer Aided Tuning CAT IO</u>		\$ 1.99
<u>CAT , 8D, With 6 ft cable, wired with 8 pin male DIN attached, All 8 pins have wires, and wires are color coded.</u>		
<u>CAT , 8DFIL, In line, 8 pin DIN female, mates 8 pin male plug, for Icom, and other many interface applications.</u>		\$ 1.99
<u>CAT , 8FTCURLY, 8 foot long, 8 conductor, low impedance curly microphone cable</u>		\$ 1.99
<u>CAT , 8M, SIX 6 foot shielded cable with all 8 wires attached to the 8 pin screwon microphone connector.</u>		\$ 5.95
<u>CAT , 8PDM, Standard 8 pin DIN Plug, accessory plug to interface data IO on many ICOM transceivers. e.g. PSK31 IO, a</u>		\$ 1.49
<u>CAT , 8PINHDR, 8 PIN ConnectorJack. We cut off 3 pins and make a perfectfit connector for our AEA PK232 RAD 1 or RAD</u>		\$ 0.99
<u>CAT , 9M25F, DB9 Male to DB25 Female Adapter.</u>		\$ 1.99
<u>CAT , AIK100, 100 watt amplifier installation kit. Complete with</u>	100 watt amplifier installation kit. Complete with wire, connectors, cable tubing and much more.	\$ 7.95

<u>wire, connectors, cable tubing and much more.</u>		
<u>CAT , AIK150, 150 watt amplifier installation kit.</u>	150 watt amplifier installation kit	\$ 8.95
<u>CAT , BC088, 4 pin Mini DIN Plug MALE</u>		\$ 0.99
<u>CAT , BC089, SIX pin Mini DIN Plug MALE</u>		\$ 0.99
<u>CAT , BC104, 3-PIN XLR PANEL-MOUNT JACK, NICKEL-PLATED</u>		\$ 1.95
<u>CAT , BC105, 3-PIN XLR PANEL-MOUNT PLUG, NICKEL-PLATED</u>		\$ 1.95
<u>CAT , BPAIR, Binding Posts Pair, One RED and One BLACK with mtng hardware</u>		\$ 1.97
<u>CAT , C2R, RightAngle, 2 pin screwon microphone connector. The solution to those tight places.</u>		\$ 2.95
<u>CAT , C3R, RightAngle, 3 pin screwon microphone connector. The solution to those tight places.</u>		\$ 2.95
<u>CAT , C4R, RightAngle, 4 pin screwon microphone connector. The solution to those tight places.</u>		\$ 2.95










<u>CAT , C5R, RightAngle, 5 pin screwon microphone connector.</u> <u>The solution to those tight places.</u>		\$ 2.95
<u>CAT , C6R, RightAngle, 6 pin screwon microphone connector.</u> <u>The solution to those tight places.</u>		\$ 2.95
<u>CAT , C7R, RightAngle, 7 pin screwon microphone connector.</u> <u>The solution to those tight places.</u>		\$ 2.95
<u>CAT , C8R, RightAngle, 8 pin screwon microphone connector.</u> <u>The solution to those tight places.</u>	 2, 3, 4, 5, 6, 7, & 8 PIN IN STOCK	\$ 2.95
<u>CAT , CA006, 3.5mm, STEREO PLUG WITH STRAIN RELIEF, GOLDPLATED</u>		\$ 0.60
<u>CAT , CA008, 2.5mm Stereo Inline PHONE JACK</u>		\$ 0.30
<u>CAT , CA008M, 2.5mm MONO Inline PHONE JACK</u>		\$ 0.30
<u>CAT , CA009, 3.5mm Inline MONO PHONE JACK</u>		\$ 0.30
<u>CAT , CA010, 3.5mm BLACK PLASTIC STEREO PHONE PLUG</u>		\$ 0.30

<u>CAT , CA013, 2.5mm MONO PANEL-MOUNT JACK 3 for .99</u>		\$ 0.99
<u>CAT , CA014, 2.5mm SUB-MINI PHONE JACK, PC MT</u>		\$ 0.99
<u>CAT , CA016, Enclosed pc mount jack for 2.5mm sub-miniature phone plug. Normally-open switch.</u>		\$ 0.99
<u>CAT , CA033, MONO PANEL- MOUNT JACK, CLOSED CIRCUIT</u>		\$ 0.99
<u>CAT , CA040, QUARTER INCH, MONO PANEL-MOUNT JACK, CLOSED CIRCUIT</u>		\$ 0.99
<u>CAT , CA042, QUARTER INCH, STEREO PANEL-MOUNT JACK, CLOSED CIRCUIT</u>		\$ 0.99
<u>CAT , CA047B, NICKELPLATED RCA PANELMOUNT PLUG BLACK</u>		\$ 0.40
<u>CAT , CA047G, NICKELPLATED RCA PANELMOUNT JACK GREEN</u>		\$ 0.40
<u>CAT , CA047R, NICKELPLATED RCA PANELMOUNT JACK</u>		\$ 0.40

<u>CAT , CA047W, NICKELPLATED RCA PANELMOUNT PLUG WHITE</u>		\$ 0.40
<u>CAT , CA047Y, NICKELPLATED RCA PANELMOUNT PLUG YELLOW</u>		\$ 0.40
<u>CAT , CA054B, RCA PHONO InLine JACK BLACK</u>		\$ 0.40
<u>CAT , CA054G, RCA PHONO InLine JACK GREEN</u>		\$ 0.40
<u>CAT , CA054R, RCA PHONO InLine JACK RED</u>		\$ 0.40
<u>CAT , CA054W, RCA PHONO InLine JACK WHITE</u>		\$ 0.40
<u>CAT , CA054Y, RCA PHONO InLine JACK YELLOW</u>		\$ 0.40
<u>CAT , CA055B, NICKEL PANEL MOUNT RCA JACK BLACK</u>		\$ 0.40
<u>CAT , CA055R, NICKELPLATED RCA PANELMOUNT JACK RED</u>		\$ 0.40
<u>CAT , CA055W, NICKELPLATED RCA PANELMOUNT JACK WHITE</u>		\$ 0.40

<u>CAT , CA055Y, NICKELPLATED RCA PANELMOUNT JACK YELLOW</u>		\$ 0.40
<u>CAT , CA056B, GOLDPLATED RCA PANELMOUNT JACK BLACK JACK CA056B</u>		\$ 0.50
<u>CAT , CA056R, GOLDPLATED RCA PANELMOUNT JACK</u>		\$ 0.50
<u>CAT , CA066, 1 X 4 PIN PHONO MOUNTED RCA JACKS</u>		\$ 0.89
<u>CAT , CA067, 2 x 2P NICKEL- PLATED RCA JACKS</u>		\$ 0.89
<u>CAT , CA069, 4 x 2P NICKEL- PLATED RCA JACKS 3.0 x 1.4</u>		\$ 0.99
<u>CAT , CA070, 1 X 2P GOLD- PLATED RCA JACKS</u>		\$ 0.69
<u>CAT , CA075, 2Pin DIN PLUG, BLACK, SCREW CONNECTION.</u>		\$ 0.99
<u>CAT , CA076, 2Pin DIN JACK, BLACK, SCREW CONNECTION.</u>		\$ 0.99

<u>CAT , CA082, 5 pin DIN Plug</u> <u>Used as accessory port I/O on some transceivers for PSK31 and SSTV sound card interfacing.</u>		\$ 0.99
<u>CAT , CA083, 6 PIN, 240° DIN PLUG BLACK</u>		\$ 1.19
<u>CAT , CA084, Used as accessory port I/O on some transceivers for PSK31 and SSTV sound card interfacing.</u>		\$ 0.99
<u>CAT , CA085, INLINE, 6 PIN, 240° DIN JACK BLACK</u>		\$ 1.19
<u>CAT , CA087, 6P, 240° DIN PANELMOUNT JACK</u>		\$ 0.99
<u>CAT , CA092, 3-PIN XLR JACK, NICKEL-PLATED - SHORT TYPE</u>		\$ 2.95
<u>CAT , CA093, 3-PIN XLR PLUG, NICKEL-PLATED - SHORT TYPE</u>		\$ 2.95
<u>CAT , CA094, 3-PIN XLR JACK, female NICKEL-PLATED</u>		\$ 2.95
<u>CAT , CA095, 3-PIN XLR PLUG, NICKEL-PLATED</u>		\$ 2.95

<u>CAT , CA096, 3-PIN XLR JACK, NICKEL-PLATED - LONG TYPE</u>		\$ 2.95
<u>CAT , CA100BL, 3-PIN XLR JACK, NICKEL-PLATED - BLUE</u>		\$ 2.95
<u>CAT , CA100G, 3-PIN XLR JACK, NICKEL-PLATED - GREEN</u>		\$ 2.95
<u>CAT , CA100R, 3-PIN XLR JACK, NICKEL-PLATED - RED</u>		\$ 2.95
<u>CAT , CA100Y, 3-PIN XLR JACK, NICKEL-PLATED - YELLOW</u>		\$ 2.95
<u>CAT , CA101G, 3-PIN XLR PLUG, NICKEL-PLATED - GREEN</u>		\$ 2.95
<u>CAT , CA101R, 3-PIN XLR PLUG, NICKEL-PLATED - RED</u>		\$ 2.95
<u>CAT , CA101Y, 3-PIN XLR PLUG, NICKEL-PLATED - YELLOW</u>		\$ 2.95
<u>CAT , CA102, XLR 4 pin in-line female jack. May also be used as XLR cable end plug.</u>		\$ 2.95

<u>CAT , CA103, 4-PIN XLR PLUG, NICKEL-PLATED</u>		\$ 2.95
<u>CAT , CA108, 4-PIN XLR PANEL-MOUNT JACK, NICKEL-PLATED</u>		\$ 2.95
<u>CAT , CA109, XLR 4 pin panel mount male, with solder connections</u>		\$ 2.95
<u>CAT , CA119, RIGHT-ANGLE PHONO- RCA PLUG - BLACK</u>		\$ 0.99
<u>CAT , CA120, Three, 3 different sizes, ONE of each typesize DC power connectors</u>	 <p>DC Power Connectors For CELL Phones, for Handi-Talkies and TNC's</p> <p>BUXcomm(c)</p> <p>CA121 REPLACEMENT 2.1MM I.D. CA123 REPLACEMENT 2.5MM I.D. CA124 REPLACEMENT 1.35MM I.D.</p>	\$ 0.99
<u>CAT , CA121, 2.1mm DC power connectors 3 of one size</u>	 <p>DC Power Connectors For CELL Phones, for Handi-Talkies and TNC's</p> <p>BUXcomm(c)</p> <p>CA121 REPLACEMENT 2.1MM I.D. CA123 REPLACEMENT 2.5MM I.D. CA124 REPLACEMENT 1.35MM I.D.</p>	\$ 0.99
<u>CAT , CA123, 2.5mm DC power connectors, 3 of one size</u>	 <p>DC Power Connectors For CELL Phones, for Handi-Talkies and TNC's</p> <p>BUXcomm(c)</p> <p>CA121 REPLACEMENT 2.1MM I.D. CA123 REPLACEMENT 2.5MM I.D. CA124 REPLACEMENT 1.35MM I.D.</p>	\$ 0.99

<p><u>CAT , CA124, Three 3 of one size DC power connectors, 1.3mm</u></p>		<p>\$ 0.99</p>
<p><u>CAT , CAA19, DUAL 3.5mm PHONE STEREO JACKS TO 3.5mm PHONE STEREO PLUG ADAPTER.</u></p>		<p>\$ 0.79</p>
<p><u>CAT , CAT5E10FT, 10 feet long, Category 5 Cable Unshielded Twisted Pair</u></p>		<p>\$ 4.95</p>
<p><u>CAT , CAT5EPC, CAT 5e Patch Cable High quality 10 feet long, Black, with RJ45 connectors molded on to each end.</u></p>		<p>\$ 4.95</p>
<p><u>CAT , CAT5ES10FT, 10 feet long, Category 5 Cable, Shielded and Enhanced</u></p>		<p>\$ 4.95</p>
<p><u>CAT , CBC2, Microphone connector, female</u></p>		<p>\$ 1.95</p>

<u>CAT , CBC3, Microphone connector, female</u>		\$ 1.95
<u>CAT , CBC4, Microphone connector, female</u>		\$ 1.95
<u>CAT , CBC5, Microphone connector, female</u>		\$ 1.95
<u>CAT , CBC6, Microphone connector, female</u>		\$ 1.95
<u>CAT , CBC7, Microphone connector, female</u>		\$ 1.95
<u>CAT , CBC8, Microphone connector, female</u>		\$ 1.95
<u>CAT , CE2, INLINE MALE EXTENDER</u>		\$ 2.95
<u>CAT , CE3, INLINE MALE EXTENDER</u>		\$ 2.95
<u>CAT , CE4, INLINE MALE EXTENDER</u>		\$ 2.95
<u>CAT , CE5, INLINE MALE EXTENDER</u>		\$ 2.95
<u>CAT , CE6, INLINE MALE EXTENDER</u>		\$ 2.95

<u>CAT , CE7, INLINE MALE EXTENDER</u>		\$ 2.95
<u>CAT , CE8, INLINE MALE EXTENDER</u>		\$ 2.95
<u>CAT , CM2BR, BANANA PLUG SCREW CONNECTION hex- screw HOLE - BLACK and RED PAIR</u>		\$ 0.99
<u>CAT , CM3B, BINDING POST BLACK</u>		\$ 0.50
<u>CAT , CM3R, BINDING POST RED</u>		\$ 0.50
<u>CAT , CM9B, BANANA PLUG SCREW CONNECTION BLACK</u>		\$ 0.50
<u>CAT , CM9R, BANANA PLUG SCREW CONNECTION RED</u>		\$ 0.50
<u>CAT , CMC2, CHASSI MOUNT, MALE</u>		\$ 1.95
<u>CAT , CMC3, CHASSI MOUNT, MALE</u>		\$ 1.95

<u>CAT , CMC4, CHASSI MOUNT, MALE</u>		\$ 1.95
<u>CAT , CMC5, CHASSI MOUNT, MALE</u>		\$ 1.95
<u>CAT , CMC6, CHASSI MOUNT, MALE</u>		\$ 1.95
<u>CAT , CMC7, CHASSI MOUNT, MALE</u>		\$ 1.95
<u>CAT , CMC8, CHASSI MOUNT, MALE</u>		\$ 1.95
<u>CAT , CURLY5, Black, microphone cord or PSKSSTV interface cable, extends to over 5 feet. 5 wires, 4 colors, plus Shield.</u>		\$ 1.49
<u>CAT , EX4, Four pin male, to 4 pin female, Microphone Curly Extension Cable</u>		\$11.95

<p><u>CAT , EX8C, Microphone 8 pin Extension with Curly Cable</u></p>		<p>\$12.95</p>
<p><u>CAT , HEDR40, 40 PAIR PIN BreakAway Headers. These headerjumper pins come in 40 pair lengths,and can be broken apart for smaller sections.</u></p>		<p>\$ 0.99</p>
<p><u>CAT , HIQCURLY, HighQuality cable is made of heavy duty materials, designed to withstand heavy use in commercial applications.</u></p>		<p>\$ 4.99</p>
<p><u>CAT , MDIN6JAK, 6 PIN MINI DIN JACK Same type female connector used as IO on most late model transceivers. PCB pins,</u></p>		<p>\$ 0.99</p>
<p><u>CAT , PJ25, .25 inch Plug and Jack, may be wired Stereo, or Mono</u></p>		<p>\$ 4.95</p>
<p><u>CAT , RJ12CBL, 6 conductor curlycable with RJ12 attached. Yaesu 2800 etc</u></p>		<p>\$ 5.95</p>


<p><u>CAT , RJ45HD5, Molded RJ45 with 8 wires connected. This is high quality, double shielded cable with RJ45 already attached.</u></p>		<p>\$ 1.99</p>
<p><u>CAT , RJ45P, RJ45 Plugs, 4 for 99 cents</u></p>		<p>\$ 0.99</p>
<p><u>CAT , RJ45SW12, Switch between your RJ45 Mic and RASCAL GLX, Two INPUTS with one input to your transceiver.</u></p>	<p style="text-align: center;">BUXCOMM (C) 2002</p> 	<p>\$14.97</p>
<p><u>CAT , SBPOST, Sold only in pairs, banded, 1 RED, and 1 BLACK. These are heavyduty, solid brass binding posts</u></p>		<p>\$ 2.99</p>
<p><u>CAT , SCABLE, Shielded, twin cable, two, 3.5mm stereo connectors with ferrite choke. Sound card interface uses only.</u></p>		<p>\$ 0.99</p>
<p><u>CAT , SCARTE, 21-PIN SCART PLUGS - FEMALE Often employed as Antenna Rotor connect, disconnect, point.</u></p>		<p>\$ 3.99</p>

<p><u>CAT , SCARTM, 21-PIN SCART PLUGS - MALE</u> Often employed as Antenna Rotor connect, disconnect, point.</p>		<p>\$ 3.99</p>
<p><u>CAT , SOCHOK, NOISESUPPRESSOR,</u> Snaptogether, Ferrite Choke. Reduces or prevents noise ingress into your equipment.</p>		<p>\$ 2.97</p>
<p><u>CAT , VX, YAESU handheld transceivers with 4 circuit, 3.5mm IO jack.</u></p>		<p>\$19.95</p>
<p><u>CAT , VX4, 4 circuit, 3.5mm Plug and Coiled Cable For YAESU VX1, VX5, FT10, FT40, FT50, and more.</u></p>		<p>\$ 4.95</p>
<p><u>CAT , VXS, Four conductor, 4 circuit, 3.5mm Plug and straight Cable</u></p>		<p>\$ 5.95</p>
<p><u>CAT , XFMR115, 600 600 ohm PHONE DATA, HIGH QUALITY, TRANSFORMER</u></p>		<p>\$ 1.99</p>
<p><u>CAT , XFMR115X10, 600 600 ohm PHONEDATA, HIGH QUALITY, TRANSFORMER .</u></p>		<p>\$16.95</p>

<p><u>CAT , XFMR1K8, 1000 ohm to 8 ohm, Minature audio transformer.</u> <u>Used in PSK31 transceiver to soundcard interfaces.</u></p>		<p>\$ 4.99</p>
<p><u>CAT , XFMR6K6, 600 ohm to 600 ohm audio coupling transformer, 1 to 1 ratio, 2 for 3.99</u></p>		<p>\$ 3.99</p>
<p><u>CAT , XLRF, 3 pin XLR female audio connector used for microphone inputs in amateur radio, broadcast Radio TV stations</u></p>		<p>\$ 1.95</p>
<p><u>CAT , XLRM, 3 pin XLR male audio connector used for microphone inputs in amateur radio, broadcast Radio TV stations</u></p>		<p>\$ 2.95</p>
<p><u>CAT , XLRMF20, XLR male to female, 20 ft extension cable with double shielding, 3 pin XLR M to F</u></p>		<p>\$14.95</p>
<p><u>CAT , YCONN, Stereo Y connector also works great with MONO applications too. Use for External Speaker spliting.</u></p>		<p>\$ 0.99</p>
<p><u>CAT , 3001, Powdered Iron Composition doughnut recommended for High Power BALUN construction.</u></p>		<p>\$ 1.95</p>
<p><u>CAT , 6110, Ferrite bobbins 1. inch the perfect size for Mini 8 Coax. Use a stack of them to build your next Current baluns.</u></p>		<p>\$ 0.99</p>

<p><u>CAT , 6118, Ferrite bobbins are over 1 inch. Two lengths of RG58 can pass thru this ferrite ID to enable added choke.</u></p>		<p>\$ 0.99</p>
<p><u>CAT , 3001X10, Powdered Iron Composition doughnut recommended for High Power BALUN construction. 10 for 14.99</u></p>		<p>\$14.99</p>
<p><u>CAT , 6110X20, These Ferrite bobbins are over 1 inch, and are the perfect size for Mini 8 Coax. Use a stack of them for current BALUNs.</u></p>		<p>\$17.97</p>
<p><u>CAT , 6118X20, 20 Ferrite bobbins, each 1 inch. Two lengths of RG58 can pass thru this ferrite ID to enable added</u></p>		<p>\$17.97</p>
<p><u>CAT , AE11, 2500 WATT 1 to 1 current High Performance, Heavy Duty, BALUN PoweRated 2.5kw PEP, 1 kw RMS.</u></p>		<p>\$34.95</p>

CAT , AE41, 2500 WATT 4 to 1
current High Performance, Heavy
Duty, BALUN PowerRated 2.5kw
PEP, 1 kw RMS.




\$34.95


CAT , VBALUN, BUX VBALUN
De-Coupling transformer.
Although speed for upper VHF
region, many are being used into
UHF



\$19.95

<p><u>CAT , BLAKROW, Legal Limit balun for use with Windoms, OCF dipoles, doublets, and antennas with 200 ohm feed points.</u></p>		<p>\$29.95</p>
<p><u>CAT , BUXUNUN, 52 ohm, SO239 unbalanced input. Unbalanced output to PL259 160 meters to 6 meters</u></p>		<p>\$19.95</p>
<p><u>CAT , FALCON, QUAD Ferrite bobbins, FALCON 6 to 1 balun, 50 ohm unbalanced input, 300 ohm balanced output.</u></p>		<p>\$29.95</p>
<p><u>CAT , MM11, BUX COMM MasterMatch 11 Baluns are ideal for dipoles, Slopers, Inverted Vees and center feedpoint, RV antennas.</u></p>		<p>\$19.95</p>


<p><u>CAT , MM41, BUX COMM</u> <u>MasterMatch 41 Baluns are ideal</u> <u>for windoms and OCF antennas</u></p>		<p>\$19.95</p>
<p><u>CAT , MOBALUN, MoBALUN</u> <u>1.8 MHz to 154 MHz current,</u> <u>Broadband 43 HF/VHF design,</u> <u>Heavy Duty, Lightweight</u> <u>construction.</u></p>		<p>\$24.90</p>
<p><u>CAT , PEWE11, MasterMatch,</u> <u>PEWE11 is rated at 250 watts SSB</u> <u>and CW. Ferrite-Toroid Current</u> <u>design. Great for QRP</u></p>		<p>\$16.95</p>
<p><u>CAT , PEWE41, MasterMatch,</u> <u>PeWe41 is rated at 250 watts SSB</u> <u>and CW. Toroid Current design.</u> <u>Great for QRP to 250 watt</u></p>		<p>\$16.95</p>
<p><u>CAT , RXBALUN, Our</u> <u>RxBALUN? bridges the impedance</u> <u>gap, and enables an unbalance to</u> <u>balanced match between coax and</u> <u>antenna.</u></p>		<p>\$14.97</p>

<p><u>CAT , SDAB, Works great with SCREWDRIVER and EndFed Mobile antennas</u></p>		<p>\$19.95</p>
<p><u>CAT , DBLCOMBO, Our DBLSPCL antenna with the addition of our decoupling balun UNUN SAVE , BUX UNUN included</u></p>		<p>\$62.95</p>
<p><u>CAT , T1313, DUAL COIL on toroid doughnut. Each winding measures 1.313 mHy.</u></p>		<p>\$ 1.49</p>
<p><u>CAT , T1630, DUAL COIL Wrapped on toroid doughnut. Each winding is 1.68 mHy.</u></p>		<p>\$ 0.99</p>
<p><u>CAT , TOR19, Ferrite bobbins are used in RF coupling stages and to make interstage matching transformers.</u></p>		<p>\$ 0.30</p>
<p><u>CAT , TOR19X20, Ferrite bobbins are used in RF coupling stages and to make interstage matching transformers for many HAM Radio projects.</u></p>	 <p> OD = 0.500 in. / 12.7 mm ID = 0.303 in. / 7.70 mm Ht = 0.190 in. / 4.83 mm </p>	<p>\$ 5.00</p>

<p><u>CAT , TOR30, Ferrite bobbins are .75x.5 OD, and are the perfect size for stacking on RG8XMini 8 Coax.</u></p>		<p>\$ 0.30</p>
<p><u>CAT , TOR30X20, Ferrite bobbins are .5 OD inches, and are the perfect size for stacking on RG8XMini 8 Coax.</u></p>		<p>\$ 5.00</p>
<p><u>CAT , TOR7338, Toroid, 0.73 O.D x. 0.3 3/4 I.D. 0.41 high. Thicker walls, stack`em on your coax for RF immunity.</u></p>		<p>\$ 0.99</p>
<p><u>CAT , TOROID43, TOROID43 Electro-Stat, Teflon coated, powdered Iron toroids are used to construct high power baluns.</u></p>		<p>\$ 1.99</p>
<p><u>CAT , VBALUN, BUX VBALUN De-Coupling transformer. Although spec'd for upper VHF region, many are being used into UHF</u></p>		<p>\$19.95</p>

<p><u>CAT , HIQ6JMPR, Ultra low loss, 98 percent shield. Belden clear RG-8X, Amphenol PL-259s. High quality, six (6) ft. coax jumper, perfect for transceiver to tuner, or transceiver to the Linear.</u></p>		<p>\$ 4.95</p>
<p><u>CAT , BUX516X10 Dacron Rope, UV resistant. Guy vertical antennas, etc, 5/16 inch diameter Dacron Rope, 1770+ lb pull</u></p>		<p>\$ 3.95</p>
<p><u>CAT , BUX516X50 Dacron Rope, UV resistant. Guy vertical antennas, etc, 5/16 inch diameter Dacron Rope, 1770+ lb pull</u></p>		<p>\$11.95</p>
<p><u>CAT , BUX516X100 Dacron Rope, UV resistant. Guy vertical antennas, etc, 5/16 inch diameter Dacron Rope, 1770+ lb pull</u></p>		<p>\$19.95</p>
<p><u>CAT , BUX516X500 Dacron Rope, UV resistant. Guy vertical antennas, etc, 5/16 inch diameter Dacron Rope, 1770+ lb pull</u></p>		<p>\$95.95</p>

CAT , 20634, This 20 thru 6 meters HF Windom THIS IS NOT A KIT.
This antenna is completely assembled, ready to connect your coax, and erect.




\$39.95

CAT , 20634X50, This HF WINDOM THIS IS NOT A KIT.
This antenna is completely assembled, ready to connect your coax, and erect. Includes 50 feet RG8X




\$59.95

CAT , 20634X100, This HF WINDOM THIS IS NOT A KIT.
This antenna is completely assembled, ready to connect your coax, and erect. Includes 100 feet RG




\$79.95

CAT , 40670, 40 thru 6 meter WINDOM, THIS IS NOT A KIT.
This antenna is completely assembled, ready to connect your coax, and erect.




\$49.95

CAT , 40671, Without coax feedline with 6 to 1 BALUN order number 40671














\$59.95








CAT , 166260, 160 thru 6 meter WINDOM THIS IS NOT A KIT.
This antenna is completely assembled, ready to connect your coax, and erect.









\$79.95

<p>CAT , 166261, With 6 to 1 BALUN WINDOM without coax Model 166261</p>		<p>\$89.95</p>
<p>CAT , 806136, This HF WINDOM THIS IS NOT A KIT. This antenna is completely assembled, ready to connect your coax, and erect.</p>		<p>\$59.95</p>
<p>CAT , 806137, with 6 to 1 BALUN WINDOM without coax Model 806137</p>		<p>\$69.95</p>
<p>CAT , 1606G5RV, CAT 160605G5 The overall length is 205ft 160 through 6 meters also covers 30, 24, 17 and 12 met</p>		<p>\$59.95</p>
<p>CAT , 1606G5RVL, CAT 160605G5X50 The overall length is 205ft 160 through 6 meters also covers 30, 24, 17 and 12</p>		<p>\$79.95</p>
<p>CAT , 166260W100, 160 thru 6 meter WINDOM is completely assembled, with 100 ft RG8X coax with connectors installed.</p>		<p>\$129.95</p>
<p>CAT , 166261W100, With 6 to 1 BALUN with One Hundred ft. RG8X coax and connectors, 166261W100?</p>		<p>\$139.95</p>






<p>CAT , 220JPOL, Direct fed, 220 - 225 MHz J-Pole rugged construction, to withstand heavy Ice-Loads. More gain than a</p>		<p>\$39.95</p>
<p>CAT , 220JPOLVB, Direct fed, 220 - 225 MHz J-Pole, Similar to 140 to 150 MHz J-Pole. Price INCLUDES `VBALUN` Direct</p>		<p>\$49.95</p>
<p>CAT , 3EGG, Used as antenna end insulators, and for breaking up resonant or HotTower guy wires.</p>		<p>\$ 1.99</p>
<p>CAT , 2MGP, Two meter Advanced Design ground plane with & 34Colinear effect& 34 mounting,</p>		<p>\$19.95</p>

<p><u>CAT , 8010ABD, 80 thru 10 meter All Band Dipole</u></p>	 <p>Diagram of CAT 8010ABD antenna system. It shows a 67.5 ft dipole antenna connected to a 6 to 1 balun. The balun is connected to a 10 ft coax cable. The diagram includes labels for the antenna elements, balun, and coax cable. A note indicates that the coax is not required if a transceiver is used.</p>	<p>\$39.95</p>
<p><u>CAT , 8010ABD100, All Band Dipole, 100 feet RG8X THIS IS NOT A KIT. This antenna is completely assembled, ready to connect your coax, and erect. with connectors installed</u></p>	 <p>Diagram of CAT 8010ABD100 antenna system. It shows a 67.5 ft dipole antenna connected to a 6 to 1 balun. The balun is connected to a 10 ft coax cable. The diagram includes labels for the antenna elements, balun, and coax cable. A note indicates that the coax is not required if a transceiver is used.</p>	<p>\$77.95</p>
<p><u>CAT , 8010ABD50, All Band Dipole, 50 feet RG8X THIS IS NOT A KIT. This antenna is completely assembled, ready to connect your coax, and erect. with connectors installed</u></p>	 <p>Diagram of CAT 8010ABD50 antenna system. It shows a 67.5 ft dipole antenna connected to a 6 to 1 balun. The balun is connected to a 10 ft coax cable. The diagram includes labels for the antenna elements, balun, and coax cable. A note indicates that the coax is not required if a transceiver is used.</p>	<p>\$58.95</p>
<p><u>CAT , 806136W100, 80 thru 6 meter Windom THIS IS NOT A KIT. This antenna is completely assembled, ready to connect your coax, and erect. with one hundred ft. 100 feet RG8X,</u></p>	 <p>Diagram of CAT 806136W100 antenna system. It shows a 132 ft Windom antenna connected to a 6 to 1 balun. The balun is connected to a 10 ft coax cable. The diagram includes labels for the antenna elements, balun, and coax cable. A note indicates that the coax is not required if a transceiver is used.</p>	<p>\$95.95</p>
<p><u>CAT , 806136W50, 80 thru 6 meter Windom THIS IS NOT A KIT. This antenna is completely assembled, ready to connect your coax, and erect. with Fifty ft. 50 feet of RG8X coax, with connectors attached.</u></p>	 <p>Diagram of CAT 806136W50 antenna system. It shows a 132 ft Windom antenna connected to a 6 to 1 balun. The balun is connected to a 10 ft coax cable. The diagram includes labels for the antenna elements, balun, and coax cable. A note indicates that the coax is not required if a transceiver is used.</p>	<p>\$79.95</p>
<p><u>CAT , 806137W100, Windom with 6 to 1 BALUN, THIS IS NOT A KIT. This antenna is completely assembled, ready to connect your coax, and erect. with One Hundred ft. RG8X coax, 806137W100</u></p>	 <p>Diagram of CAT 806137W100 antenna system. It shows a 132 ft Windom antenna connected to a 6 to 1 balun. The balun is connected to a 10 ft coax cable. The diagram includes labels for the antenna elements, balun, and coax cable. A note indicates that the coax is not required if a transceiver is used.</p>	<p>\$105.95</p>
<p><u>CAT , 806137W50, WINDOM 80 thru 6 meters with 6 to 1 BALUN, with Fifty ft. RG8X coax, model 806137W50</u></p>	 <p>Diagram of CAT 806137W50 antenna system. It shows a 132 ft Windom antenna connected to a 6 to 1 balun. The balun is connected to a 10 ft coax cable. The diagram includes labels for the antenna elements, balun, and coax cable. A note indicates that the coax is not required if a transceiver is used.</p>	<p>\$89.95</p>

<p><u>CAT , BUXLOOP, FullWave LOOP THIS IS NOT A KIT. This antenna is completely assembled, ready to connect your coax, and erect. with insulators, BALUN, assembled, ready to hang and attach your coax.</u></p>		<p>\$99.95</p>
<p><u>CAT , BUXLOOP100, Assembled, FullWave LOOP complete, with 100 feet of RG8X coax</u></p>		<p>\$139.95</p>
<p><u>CAT , BUXLOOP50, Assembled, FullWave LOOP complete, with Fifty ft. RG8X coax</u></p>		<p>\$119.95</p>
<p><u>CAT , BUXUBOLT, BUX U-Bolt, Complete with all parts, nuts, washers, saddle clasp, and flatbar.</u></p>		<p>\$ 3.49</p>
<p><u>CAT , CIA, Center Insulator with Suspension Eyebolt</u></p>		<p>\$ 1.95</p>
<p><u>CAT , CIAX3, Center Insulator and two end insulators</u></p>		<p>\$ 2.95</p>

<p><u>CAT , CS104, For all type of outdoor antenna connections, BALUNS, Coax connectors, coax bulkhead entry panels and mo</u></p>	 <p>Hand MOLDABLE PLASTIC COAX-SEAL SEALS COAX FITTINGS FROM MOISTURE AND CORROSION</p> <ul style="list-style-type: none"> • Stays Flexible At Any Temperature • Permanent-Long COAX Life ... Provides Years of Protection • Insures Low SWR • Forms and Seals Over Odd Shaped and Cutoff COAX Flange • Fast Easy Seal for All Antenna Connectors • Non-Contaminating • Non-Conductive 	<p>\$ 2.95</p>
<p><u>CAT , CX201, HeavyDuty, Die cast aluminum housing. Two position switch enables selection of one of two antennas to o</u></p>		<p>\$19.95</p>
<p><u>CAT , CX3, Antenna Coax Switch</u></p>		<p>\$ 9.95</p>
<p><u>CAT , DBLBRKT, By combining a pair, two of the single band HF Mobile tuneable tip antennas, and VHF whips shown be</u></p>		<p>\$14.99</p>
<p><u>CAT , DBLCOMBO10, DBLCOMBO 10 METER 3 8 X 24 THREAD BUX Budget Beam Includes matching BALUN UNUN</u></p>		<p>\$54.97</p>
<p><u>CAT , DBLCOMBO15, DBLCOMBO 15 METER 3 8 X 24 THREAD BUX Budget Beam Includes matching BALUN UNUN</u></p>		<p>\$54.97</p>





<u>CAT , DBLCOMBO17, DBLCOMBO 17 METER 3 8 X 24 THREAD BUX Budget Beam Includes matching BALUN UNUN</u>		\$54.97
<u>CAT , DBLCOMBO20, DBLCOMBO 20 METER 3 8 X 24 THREAD BUX Budget Beam Includes matching BALUN UNUN</u>		\$54.97
<u>CAT , DBLCOMBO40, DBLCOMBO 40 METER 3 8 X 24 THREAD BUX Budget Beam Includes matching BALUN UNUN</u>		\$54.97
<u>CAT , DBLCOMBO6, DBLCOMBO 6 METER 3 8 X 24 THREAD BUX Budget Beam Includes matching BALUN UNUN</u>		\$54.97
<u>CAT , DBLCOMBO75, DBLCOMBO 75 METER 3 8 X 24 THREAD BUX Budget Beam Includes matching BALUN UNUN</u>		\$54.97
<u>CAT , DBLSPCL10, DBLSPCL 10 METER 3 8 X 24 THREAD 39.97 BUX Budget Beam</u>		\$39.97
<u>CAT , DBLSPCL15, DBLSPCL 15 METER 3 8 X 24 THREAD 39.97 BUX Budget Beam</u>		\$39.97

CAT , DBLSPCL17, DBLSPCL 17 METER 3 8 X 24 THREAD 39.97 BUX Budget Beam		<p>\$39.97</p>
CAT , DBLSPCL20, DBLSPCL 20 METER 3 8 X 24 THREAD 39.97 BUX Budget Beam		<p>\$39.97</p>
CAT , DBLSPCL40, DBLSPCL 40 METER 3 8 X 24 THREAD 39.97 BUX Budget Beam		<p>\$39.97</p>
CAT , DBLSPCL6, DBLSPCL 6 METER 3 8 X 24 THREAD 39.97 BUX Budget Beam		<p>\$39.97</p>
CAT , DBLSPCL75, DBLSPCL 75 METER 3 8 X 24 THREAD 39.97 BUX Budget Beam		<p>\$39.97</p>
CAT , DU500, HF and VHF UHF Antenna Duplexer		<p>\$34.85</p>







<p><u>CAT , EGG25, 3/4.95 Strong, Large, Ceramic, Insulators for antenna suspension and end insulators and when breaking u</u></p>		<p>\$ 4.95</p>
<p><u>CAT , EYEBOLTX3, Eyebolt with nut, 3 for .99. Machine Thread Zinc Plated</u></p>		<p>\$ 0.99</p>
<p><u>CAT , FGP6M, FiberGlass Vertical Six Meter, Base Station, Ground Plane antenna, FGP6M with all mounting hardware.</u></p>	 <p>BUXCOMM (2005-06)</p>	<p>\$39.95</p>
<p><u>CAT , G5RVB70, G5RV complete with seventy feet of RG8X coax,</u></p>		<p>\$66.95</p>
<p><u>CAT , G5RVPNP, Complete G5RV antenna, All connections are made and insulators installed.. Includes BUX 11 BALUN.</u></p>		<p>\$39.95</p>
<p><u>CAT , GP6M, Vertical, Solid Aluminum, Six Meter, Base Station, Ground Plane antenna GP6M with all mounting hardware</u></p>		<p>\$49.95</p>

<p><u>CAT , HPC223, Hitch Pin Clips are used as keepers on many Cubicle Quad antenna spacers. Keep a few keeper sp</u></p>		<p>\$ 0.99</p>
<p><u>CAT , INSULATOR, One Antenna Insulator</u></p>		<p>\$ 1.10</p>
<p><u>CAT , JPOL2 140 to 150 MHz J-Pole, rugged construction. Sturdy FiberGlass elements</u></p>		<p>\$27.95</p>
<p><u>CAT , JPOL4, BUX COMM, 70cm version 430 to 450 mHz</u></p>		<p>\$24.95</p>
<p><u>CAT , LEGG, Large EGG strain type ceramic, 2 inch insulator. Used as antenna center and end insulators, and for</u></p>		<p>\$ 2.99</p>

<p><u>CAT , MARS7506, MARS 7506</u> <u>Off-Center-Fed antenna</u></p>		<p>\$59.95</p>
<p><u>CAT , SM1, Insulated Antenna</u> <u>Stud Mount with SO239 female</u> <u>connector, accepts PL259.</u> <u>Threaded for standard 3 8 X 24.</u></p>		<p>\$ 1.99</p>
<p><u>CAT , SM1L, Right Angle SM1L</u> <u>Mount, SO239 type</u></p>		<p>\$ 6.95</p>
<p><u>CAT , SM1SW, Replacement,</u> <u>Hardened, Nylon, Heavy duty,</u> <u>Shoulder washer insulators, same</u> <u>as shoulder washers in SM1 S</u></p>		<p>\$ 0.99</p>
<p><u>CAT , SOCI, Antenna center</u> <u>insulator for Windom, G5RV,</u> <u>Dipole, and SWL antenna builders.</u></p>		<p>\$ 5.95</p>
<p><u>CAT , SWLANT, SWL, 68 ft,</u> <u>centerfed antenna complete with</u> <u>RxBalun and all insulators, end and</u> <u>center, coax feed is S</u></p>		<p>\$32.95</p>

<p><u>CAT , UH2401, UHF BASE STATION Antenna. Frequency Range, 430-490 MHz Gain, 6.5dB Power Rating 200 watts, Impedance=50 ohms,</u></p>		<p>\$47.97</p>
<p><u>CAT , UVS200, DUAL BAND, HIGH GAIN, BASE STATION ANTENNA 6.7 db 2 meters, 8.2db 70cm. 5 8 wave, vertical stacked CoLinears</u></p>		<p>\$57.97</p>
<p><u>CAT , VH2201, VHF BASE STATION Antenna. Frequency Range, 136 to 174 MHz Gain, 4.5dB VSWR less than 1.5.1</u></p>		<p>\$47.97</p>
<p><u>CAT , VTUSD2, ULTRASONIC DISTANCE METER WITH LASER</u></p>		<p>\$49.89</p>

<p><u>CAT , AB102, Combo, A202 MultiBand HF antenna and BALUN 101 with insulators. All you add is the coax feedline.</u></p>		<p>\$39.95</p>
<p><u>CAT , AIM60100, ANALOG CURRENT PANEL METER, 100mA DC</u></p>		<p>\$ 9.89</p>
<p><u>CAT , AIM603000, 3A DC ANALOG CURRENT PANEL METER</u></p>		<p>\$ 9.89</p>
<p><u>CAT , AIM6030A, 30A DC, ANALOG CURRENT PANEL METER</u></p>		<p>\$ 9.89</p>
<p><u>CAT , AIM60500, ANALOG CURRENT PANEL METER, 500mA DC</u></p>		<p>\$ 9.89</p>
<p><u>CAT , AVM360, ANALOG MULTIMETER</u></p>		<p>\$24.95</p>

<u>CAT , AVM460, AVM460 ANALOG MULTIMETER</u>		\$17.95
<u>CAT , DCM266L, DIGITAL CLAMP-ON Multi-METER</u>		\$24.89
<u>CAT , DVM300, Pocket Model, 3 .5 DIGITAL MULTIMETER</u>		\$ 9.89
<u>CAT , DVM810, MINI 3 .5 DIGIT DMM 19 RANGES</u>		\$ 8.89
<u>CAT , DVM850BL, 3 .5 DMM 10A, HOLD FUNCTION BACKLIGHT</u>		\$17.89
<u>CAT , MU113, DIGITAL Multi- METER Regular 24.95, BUX Sale price is 7.99 each</u>		\$ 7.99

CAT , SWR2T, QRP, SWR and POWER Meter, 0.5 to 10 watts, Freq. Range 1.7 to 30MHz		\$12.99
CAT , SWR3, SWR WATT METER		\$19.95
CAT , SWR6, VHF and UHF `CrossNeedle` SWR POWER Meter. VHFUHF 140-160 MHz and 440-480 MHz, with 10, 100, 1000 watt scales.		\$69.95
CAT , 65M, This Microphone cable has 5 conductors, all different colors, with a shield around the red audio lead. 6 ft		\$ 4.95
CAT , AL8MIC, Hand Microphone, Alinco 8 pin ScrewOn Mic		\$15.97
CAT , DM2, Kenwood, Extension Earphone - Headset, with lapel microphone 2.5mm and 3.5mm plug.		\$12.95

<u>CAT , DM3, Motorola, Extension Earphone - Headset, with lapel microphone 2.5mm and 3.5mm plug.</u>		\$12.95
<u>CAT , DM4, ADI, Icom, Standard, MAXON, Relm, Extension Earphone - Headset, with lapel microphone 2.5mm and 3.5mm plug.</u>		\$12.95
<u>CAT , DM5, YAESU, Uniden etc. Extension Earphone - Headset, with lapel microphone 2.5mm and 3.5mm plug.</u>		\$12.95
<u>CAT , DM630, HandHeld Radio, HANDMICSPEAKER CONVENIENCE. For ALINCO, ADI, Icom, Standard, Yeasu, and more.</u>		\$14.95
<u>CAT , HAM2, PROFESSIONAL COMMUNICATION HEADSET and MICROPHONE</u>		\$ 8.89
<u>CAT , HAM6, MULTIMEDIA MICROPHONE</u>		\$ 8.89
<u>CAT , MIC1B, DYNAMIC MICROPHONE BLACK</u>		\$19.95

<u>CAT , AD8MIC, Hand Microphone, ADI 8 pin ScrewOn Mic</u>		\$15.97
<u>CAT , IC4MIC, Replacement microphone, wired for Icom 4 pin, screwon, mic jack</u>		\$15.97
<u>CAT , MIC4, Hand Microphone, COBRA Uniden 4 pin Screwon</u>		\$19.95
<u>CAT , MIC4M, Hand Microphone, Midland 4 pin Screw on</u>		\$19.95
<u>CAT , MIC5, Hand Microphone, COBRA Uniden 5 pin Screw on</u>		\$19.95
<u>CAT , MIC5Q, Hand Microphone, COBRA 5 pin DIN</u>		\$19.95
<u>CAT , MIC5QR, Hand Microphone, Realistic 5 pin DIN</u>		\$19.95
<u>CAT , MICSCREWS, MIC SCREWS, both types, Mic Capture screws and Cable Clasp screws.</u>		\$ 0.99

<u>CAT , YA4MIC, Hand Microphone, Yaesu 4 pin ScrewOn Mic</u>		\$15.95
<u>CAT , YA8MIC, Hand Microphone, Yaesu 8 pin ScrewOn Mic</u>		\$15.95
<u>CAT , KW8MIC, Hand Microphone, Kenwood 8 pin ScrewOn Mic</u>		\$15.97
<u>CAT , IC8MIC, 8 pin microphone, wired for Icom transceivers with 8 pin mic jack</u>		\$19.95
<u>CAT , 37240, HIGH INTENSITY BluWhite LED LITE</u>		\$15.89
<u>CAT , 12UHRFC, .12uH RF chokes. Used in RF and Audio circuits to alter RF, and prevent audio squeals and RF feedback.</u>		\$ 0.99
<u>CAT , 5KUPOT, 5 K pot for audio level control in PSK31 and SSTV interface circuits where transceiver input output j</u>		\$ 0.99
<u>CAT , AVW089, 3CHANNEL AUDIO and VIDEO SWITCHER</u>		\$ 6.89







<u>CAT , BCAM, DUMMY Security Camera.</u>		\$15.95
<u>CAT , BLACKBOX, This case is made of durable plastic and is the same enclosure We used these as the case for the early PSK31 and SSTV ISOkits.</u>		\$ 0.99
<u>CAT , BLACKBOX10, This case is made of durable plastic and is the same enclosure We used these as the case for the early PSK31 and SSTV ISOkits.</u>		\$ 8.95
<u>CAT , DB25FPCB, DB25 FEMALE WITH PC BOARD PINS</u>		\$ 0.99
<u>CAT , DB25FSP, DB25 FEMALE WITH SOLDER PINS</u>		\$ 0.99
<u>CAT , DB9CBL, BLACK, 6 ft shielded DB9 female, pins 1 and 9 are NOT connected. Great item to interface serial port</u>		\$ 0.99
<u>CAT , DB9MSP, DB9 MALE WITH SOLDER CUPS</u>		\$ 0.99
<u>CAT , DB9P, DB9 Male with solder cup connections</u>		\$ 0.70








<p><u>CAT , DB9PCBT, DB9 female for printed circuit board mounting. Standard pin spacing, and pins are brass.</u></p>		<p>\$ 0.99</p>
<p><u>CAT , DB9S, 9 pin DB9 female with straight solder pins</u></p>		<p>\$ 0.70</p>
<p><u>CAT , DB9SHEL, Dsub DE9 DB9 shell cover</u></p>		<p>\$ 0.99</p>
<p><u>CAT , DB9SS, BLACK, 6 ft shielded DB9 female, pins 1 and 9 are NOT connected. No connections to pins 1 and 9, but does not affect their use with soundcard interfacing.</u></p>		<p>\$ 0.99</p>
<p><u>CAT , DB9SSX10, 6 ft shielded DB9 female, 10 for 8.95</u></p>		<p>\$ 8.95</p>
<p><u>CAT , DB9SSX20, 6 ft shielded DB9 female, 20 for 14.95</u></p>		<p>\$14.95</p>
<p><u>CAT , DSUB6MF, Dsub Male to Dsub Female is a high quality DB9 male to DB9 female. Gives extra length to that RASCAL</u></p>		<p>\$ 1.99</p>

<u>CAT , FLROD1, 14.9 RED LIGHTNING NEON LIGHT TUBE</u>		\$19.89
<u>CAT , FLROD2, 19.7 BLUE LIQUID NEON LIGHT TUBE</u>		\$19.89
<u>CAT , FLROD3, 9.8 BLACKLIGHT NEON TUBE</u>		\$19.89
<u>CAT , FLROD4B, 7.9 BLUE NEON TUBE</u>		\$19.89
<u>CAT , FLROD4P, 7.9 PINK NEON TUBE</u>		\$19.89
<u>CAT , HAA40B, ELECTRONIC FLASHING LIGHT BLUE</u>		\$ 8.89
<u>CAT , HAA40R, ELECTRONIC FLASHING LIGHT RED</u>		\$ 8.89

<u>CAT , HAA40W, ELECTRONIC FLASHING LIGHT CLEAR</u>		\$ 8.89
<u>CAT , JMPR, Here are the strappingshorting jumpers for our HEDR40. Same standard` spacing as the pins of our stock TNC and KPC jumpers.</u>		\$ 0.99
<u>CAT , KRESE12, PACKAGE OF 610, .25 wt RESISTORS</u>		\$ 7.99
<u>CAT , KTF1000, 1000 CABLE TIES IN PLASTIC CONTAINER</u>		\$ 9.99
<u>CAT , KTFB3, BLACK CABLE TIES, UV Resistant , 100 pcs per Pak</u>		\$ 0.99
<u>CAT , MAGFLSR, Alternating, UltraBright, rapid attention getting, UltraBrite, flashing tiny LED assembly</u>		\$ 1.00
<u>CAT , MAGFLSRX10, Ten, Alternating UltraBright, rapid, attention getting, UltraBrite, flashing tiny LED assembly</u>		\$ 8.90







<u>CAT , MK102, Two 2, BLINKING LEDs KIT, Flash Rate adjustable by two variable pots.</u>		\$ 3.95
<u>CAT , MMH1, Magnetic Mic hanger, attaches to smooth surface with strong, ceramic magnet</u>		\$ 0.79
<u>CAT , POT2K5, 2500 ohm thumbwheel type, vertical Pots</u>		\$ 0.99
<u>CAT , PROBOX, ABS PLASTIC CASE 4` x 2.5` x 1.5` The ideal Project box for the HAM.</u>		\$ 4.95
<u>CAT , REDLED, T 1 and three forths, Red LED 5 for .99</u>		\$ 0.99
<u>CAT , RFC15UH, RF Choke, 1.5 uH, one inch long easily handles 500 mA. 2 for .99</u>		\$ 0.99
<u>CAT , RUBRKNOB3, 1 One and a half inch diameter SimiHard rubber knobs fit shaft.</u>		\$ 1.99






<u>CAT , TT1KPOT, BOURNS 10 turn, 1000 ohm, vertical pot. For precision settings, and EZ access applications.</u>		\$ 0.99
<u>CAT , USB6F, 6 foot, USB CABLE standard AB USB interface cable for printers, and other USB to PC applications.</u>		\$ 1.99
<u>CAT , XMCL1, CANDLE LED LIGHT</u>		\$ 6.89
<u>CAT , ZL500NU, POWER SPOTLIGHT 500,000 CANDELPPOWER</u>		\$12.89
<u>CAT , 12151045, SAVE.. Get both, the VH1215 130 to 174 MHz NMO and the AM1045B, 5 inch, Super HeavyDuty Magnet Mount.</u>		\$27.95
<u>CAT , 15451045, Get both, the VU1545 Dual Band VHF UHF and AM1045B, 5 inch, Magnet Mount</u>		\$29.95

<p><u>CAT , 14440WHP, Dual Band whip antenna for 144 440 MHz</u> <u>3/8" X 24 Thread base.</u></p>	 <p>Model 14440WHP One Antenna to Cover 4 All 19' Starlets Steel Whip with Standard 3/8 x 24 Threads, 17' Sp. SS Whip Great for all band starlets 25.0MHz to 1.5GHz</p> <table border="1"> <thead> <tr> <th>SPECS</th> <th>2 Meter</th> <th>220MHz</th> </tr> </thead> <tbody> <tr> <td>RFQ Freq</td> <td>144.100</td> <td>435.450</td> </tr> <tr> <td>VSWR</td> <td>< 2.1</td> <td>< 2.1</td> </tr> <tr> <td>Gain</td> <td>5dBi</td> <td>2.0dBi</td> </tr> <tr> <td>Power P1</td> <td>150 Watts</td> <td>150 Watts</td> </tr> </tbody> </table> <p>3/8 x 24 Threads to BUK COMB 2000-2005</p>	SPECS	2 Meter	220MHz	RFQ Freq	144.100	435.450	VSWR	< 2.1	< 2.1	Gain	5dBi	2.0dBi	Power P1	150 Watts	150 Watts	<p>\$ 3.95</p>
SPECS	2 Meter	220MHz															
RFQ Freq	144.100	435.450															
VSWR	< 2.1	< 2.1															
Gain	5dBi	2.0dBi															
Power P1	150 Watts	150 Watts															
<p><u>CAT , 1MMANT, Single Mirror Mount antenna. Covers 26 to 29 MHz complete with heavy duty mirror mount, dual coax cables.</u></p>		<p>\$ 9.95</p>															
<p><u>CAT , 422S, BUMPER MOUNT with SO239 input connector, accepts PL259.</u></p>		<p>\$ 9.95</p>															
<p><u>CAT , 442S, Adjustable Bumper Mount with 3 8x24 threaded SM1 and SO239 PL259 input</u></p>		<p>\$16.95</p>															
<p><u>CAT , 70CMMA, A quality singleband mobile antenna is great for Amateur FM 70 CM mobile</u></p>		<p>\$10.95</p>															
<p><u>CAT , 806EF15NMO, 3db gain 806 - 970 MHz, Elevated Feed, 3db gain antenna, with 15 ft coax and connector attached.</u></p>		<p>\$48.50</p>															
<p><u>CAT , 806EF3MM, 3db gain 806-970 MHz Elevated Feed, 3db mobile antenna with three inch Magnet mount, 15 ft coax and connector attached.</u></p>		<p>\$53.95</p>															

<u>CAT , 806EF5MM, 3db gain 806-970 MHz Elevated Feed, 3db mobile antenna with five inch Magnet mount, 15 ft coax and connector attached.</u>		\$55.95
<u>CAT , 806EFA, 3db gain 806 to 970 MHz Elevated Feed Antenna</u>		\$39.70
<u>CAT , 806EFTMNMO, 3db gain 806-970 MHz Elevated Feed, 3db mobile antenna with NMO trunk mount, 15 ft coax and connector attached.</u>		\$53.95
<u>CAT , AM101, Magnetic SO239 Mount 3.5`` strong magnet mount</u>		\$12.99
<u>CAT , AM1043B, 3 inch, NMO base, Magnetic Mount, with coax and connector attached.</u>		\$14.95
<u>CAT , AM1045B, 5 inch, NMO base, Magnetic Mount with coax and PL259 attached.</u>		\$17.95
<u>CAT , AM207B, NMO Hole Mount will fit into a 3 8 hole, or use the adapter included to adapt it to a 3 4 hole. sup</u>		\$ 8.95





<p><u>CAT , AM209, Trunk Lip, NMO Mount, model AM209 is a trunklip mount supplied with 14 ft of RG58 cable, a PL259, and t</u></p>		<p>\$11.95</p>
<p><u>CAT , AM304S, MirrorMount with insulated stud, for 3 8 X 24 thread medium duty mobile antenna mounting.</u></p>		<p>\$ 6.95</p>
<p><u>CAT , AM370RS, Bumper mount includes SM1 SO239 UHF connector to 3 8x24 antenna base.</u></p>	 BUMPER BOLT MOUNT AM-370RS W/SM-1 SO-239 STUD	<p>\$ 7.95</p>
<p><u>CAT , AM550, Attach your handheld antenna to this Clip Mount, connect the cable SMA or BNC to the handheld.</u></p>		<p>\$10.95</p>
<p><u>CAT , AM551, Attach your handheld antenna to this Clip Mount, connect the cable SMA or BNC to the handheld. .</u></p>		<p>\$11.95</p>
<p><u>CAT , AM601L, Heavy Duty three and a half inch ball mount to support that HF mobile antenna.</u></p>		<p>\$11.95</p>










<u>CAT , AM601S, Heavy Duty 31 2 ball mount to support that HF mobile antenna.</u>		\$ 9.95
<u>CAT , AM800, WINDOW CLIP for HT or SCANNER ANTENNA</u>		\$10.95
<u>CAT , AM801B, WINDOW CLIP for HT or SCANNER ANTENNA</u>		\$11.95
<u>CAT , BHF10M, BHF10M 10 METER 3 8 X 24 THREAD 8 feet long 16.95 each</u>		\$16.95
<u>CAT , BHF15M, BHF15M 15 METER 3 8 X 24 THREAD 8 feet long 16.95 each</u>		\$16.95
<u>CAT , BHF17M, BHF17M 17 METER 3 8 X 24 THREAD 8 feet long 16.95 each</u>		\$16.95

<p><u>CAT , BHF20M, BHF20M 20 METER 3 8 X 24 THREAD 8 feet long 16.95 each</u></p>		<p>\$16.95</p>
<p><u>CAT , BHF40M, BHF40M 40 METER 3 8 X 24 THREAD 8 feet long 16.95 each</u></p>		<p>\$16.95</p>
<p><u>CAT , BHF6M, BHF6M 6 METER 3 8 X 24 THREAD 5 feet long 16.95 each</u></p>		<p>\$16.95</p>
<p><u>CAT , BHF75M, BHF75M 75 METER 3 8 X 24 THREAD 8 feet long 16.95 each</u></p>		<p>\$16.95</p>
<p><u>CAT , BUX4MMC, QUAD MAGNET ANTENNA MOUNT,</u></p>		<p>\$49.95</p>

<u>CAT , BUXPED6, Mounting of twoway radios, scanners, Sirrus satellite receivers, and cellular phone mounting</u>		\$19.95
<u>CAT , BUXTRUXHD, HeavyDuty Truck post Rail, or Bumper mount with 3 8x24 thread stud.</u>		\$14.95
<u>CAT , DAM, Dual Antenna Mount includes 2, SM1 Studmounts w 3 8 X 24 Thread.</u>		\$11.95
<u>CAT , DB2, Dual Band mobile antenna for 144 and 430 MHz VSWR Less than, 1.51 Connector, NMO base.</u>		\$14.95
<u>CAT , DB245, Dual Band mobile antenna for 144 and 430 MHz VSWR Less than, 1.5.1 Connector NMO base. With large Magnet mount base.</u>		\$29.95
<u>CAT , DBMM, Economy, 2 mtr and 70cm, Dual Band, Mobile Magnet Mount</u>		\$14.95
<u>CAT , DBMMA, Dual Band Magnet Mount Antenna.</u>		\$12.95
<u>CAT , DBTL270, Dual Band, 144-154 MHz and 440-460 MHz Trunk Lip Mount, Antenna. INCLUDES, BNC female to UHF, PL259</u>		\$14.95

<p><u>CAT , EZ230, The EZ230 enables you to fold your mobile antenna over to a lowprofile, horizontal position.?</u></p>		<p>\$ 9.95</p>
<p><u>CAT , EZ460S, EZ460S enable the user to quickly loosen locking screw, tilt antenna to any position, then tighten loc</u></p>		<p>\$ 8.95</p>
<p><u>CAT , HFM120, Twenty Meter HiPower Mobile Antenna with PL259 base</u></p>		<p>\$29.95</p>
<p><u>CAT , HFM140, Forty Meter, broad-band, HiPower, ruggedized, Mobile Antenna with PL259 base</u></p>		<p>\$32.95</p>
<p><u>CAT , HFM180, Eighty Meter, broad-band, HiPower, ruggedized, Mobile Antenna with PL259 base</u></p>		<p>\$34.95</p>



CAT , HFM206, Six Meter, broad-band, HiPower, ruggedized, Mobile Antenna with three-eighth by 24 base	 A vertical antenna with a long whip and a base. Text on the diagram: HIGH PERFORMANCE HF MOBILE COMMUNICATION ANTENNA, 100 WATT HANDLING LOW VSWR PLUG BASE.	\$29.95
CAT , HFM220, Twenty Meter, broad-band, HiPower, ruggedized, Mobile Antenna with standard three-eighth by 24 thread	 A vertical antenna with a long whip and a base. Text on the diagram: HIGH PERFORMANCE HF MOBILE COMMUNICATION ANTENNA, 100 WATT HANDLING LOW VSWR PLUG BASE.	\$29.95
CAT , HFM240, forty Meter, broad-band, HiPower, ruggedized, Mobile Antenna with three-eighth by 24 standard base.	 A vertical antenna with a long whip and a base. Text on the diagram: HIGH PERFORMANCE HF MOBILE COMMUNICATION ANTENNA, 100 WATT HANDLING LOW VSWR PLUG BASE.	\$29.95
CAT , HFM280, Eighty Meter, broad-band, HiPower, ruggedized, Mobile Antenna with standard three-eighth by 24 thread	 A vertical antenna with a long whip and a base. Text on the diagram: HIGH PERFORMANCE HF MOBILE COMMUNICATION ANTENNA, 100 WATT HANDLING LOW VSWR PLUG BASE.	\$34.95
CAT , HOLE1, 1 inch HOLE PLUG	 A black, cylindrical hole plug with a flange on one end.	\$ 0.99
CAT , HOLE12, half inch HOLE PLUGS	 A black, cylindrical hole plug with a flange on one end, smaller than the HOLE1 plug.	\$ 0.99

<u>CAT , HOLE34, three-quarter inch HOLE PLUG</u>		\$ 0.99
<u>CAT , HOLE38, three-eighth inch HOLE PLUGS</u>		\$ 0.99
<u>CAT , HOLE58, five-eighth inch HOLE PLUGS</u>		\$ 0.99
<u>CAT , HOLE78, seven-eighth inch HOLE PLUGS</u>		\$ 0.99
<u>CAT , HR12DB, Dual Band Rubber Duck</u>		\$17.95
<u>CAT , HR601V, VHF Antenna for HandHelds, 144148 MHz with SMA Male connector.</u>		\$10.95
<u>CAT , HR22, Six section, telescoping rod antenna for handheld transceivers</u>		\$ 7.99
<u>CAT , HR601VU, DualBand, HandHeld Antenna with SMA Male connector.</u>		\$12.95
<u>CAT , HR9, BNC male, HandHeld transceiver Duckie Antenna</u>		\$ 9.95

<p><u>CAT , KD3, SNAPON, KWIKConnect Antenna adapter makes it a Snap to change mobile antennas in seconds.</u></p>		<p>\$ 5.95</p>
<p><u>CAT , KD5, Set of five 5 KwikConnect Antenna adapters with one snapon stud. change bands in a matter of seconds.</u></p>		<p>\$15.95</p>
<p><u>CAT , KN3P, 3 MM ORDER KN3P 2 for 1.49</u></p>		<p>\$ 1.49</p>
<p><u>CAT , KN4P, 4 MM ORDER KN4P 2 for 1.49</u></p>		<p>\$ 1.49</p>
<p><u>CAT , KN5P, 5 MM ORDER KN5P 2 for 1.49</u></p>		<p>\$ 1.49</p>
<p><u>CAT , KN6P, 6mm Radio mounting knob 2 for 1.49</u></p>		<p>\$ 1.49</p>
<p><u>CAT , MA1034, Powerful 3 inch magnet comes with 17 feet RG 58 coax with PL259 connector.</u></p>		<p>\$12.95</p>




<p><u>CAT , MA1035, Super 95 lb. pull strength. powerful 5 inch magnet, with 17 feet RG 58 coax with PL259 connector.</u></p>		<p>\$14.95</p>
<p><u>CAT , MH2M, Chrome, metal michanger. Mounting screws are included. 2 for .99</u></p>		<p>\$ 0.99</p>
<p><u>CAT , MH3B, HARD ABS Mic hanger, attaches to smooth surface with strong, doublesided, durable adhesive included.</u></p>		<p>\$ 0.99</p>
<p><u>CAT , NMO2, NMO mount only. For virgin installation when cable is already in place. No cable, only the NMO2 mount.</u></p>		<p>\$ 4.99</p>
<p><u>CAT , NMO5, NMO Mount CAP. Used to cover the NMO mount when not in use. Comes in basic gloss black cover with built</u></p>		<p>\$ 0.99</p>
<p><u>CAT , NMO6, ANTENNA ADAPTER 3 8 x24 Antenna to NMO Mount. includes Oringtobody, seal to prevent moisture oxidation</u></p>		<p>\$ 8.95</p>






<p><u>CAT , NMO8, ANTENNA ADAPTER SO 239 antenna base to NMO Mount. includes Oringtobody, seal to prevent moisture oxidati</u></p>		<p>\$ 8.95</p>
<p><u>CAT , NMOTHM, NMO, Trailer Hitch Mount with NMO mount for antennas with NMO base.</u></p>		<p>\$24.95</p>
<p><u>CAT , PED10, Additional extension for the BUXPED6, PED10, may be purchased separately for 10 inch Radio pedestal hei</u></p>		<p>\$ 7.95</p>
<p><u>CAT , PED8, Additional extension for the BUXPED6, PED8, may be purchased separately for 8 inch Radio pedestal height</u></p>		<p>\$ 6.95</p>
<p><u>CAT , PM220, 220 265 MHz, 5 8 wave antenna Mobile Antenna without NMO mount</u></p>		<p>\$21.95</p>
<p><u>CAT , QD3, Quick Disconnect Luggage Rack, or Mirror mount, with SO239 input, and standard 3/8 x 24 antenna connectio</u></p>		<p>\$12.95</p>

<u>CAT , REMNTKIT, REMOUNT KIT for all TG Series ThruGlass antennas</u>		\$ 5.97
<u>CAT , S55S, Heavy Duty Spring for Whips up to 102 inches. The ever familiar HAM mobile antenna barrel spring to</u>		\$ 8.95
<u>CAT , SCANT, ThruGlass Scanner antenna. Covers 20 MHz to 1200 MHz.</u>		\$ 9.95
<u>CAT , SH4NMO, NMO mount attached to StakeHole mount with 17 ft coax and PL259 attached.</u>		\$19.95
<u>CAT , SL25, Single three eighth inch hole mount, VHF mobile antenna. 123 to 175 MHz</u>		\$14.70

<p><u>CAT , SM1LX10, Right Angle SM1L Mount, SO239 type, Pak of 10</u></p>		<p>\$66.99</p>
<p><u>CAT , SM1X10, Insulated Antenna Stud Mount with SO239 female connector, 10 for 17.95</u></p>		<p>\$17.95</p>
<p><u>CAT , SS750, This StudMount is a superheavyduty version of our SM1.</u></p>		<p>\$ 9.95</p>
<p><u>CAT , STAKMNT, STAKE MOUNT fits most pickup truck stakeholes, back, front, and either side.</u></p>		<p>\$17.95</p>
<p><u>CAT , STAKMOUNT, Pick-Up Truck, Flat-BAR, STAKE HOLE Mount.</u></p>	<p>This is a new stake bed mount for the serious amateur on the go. The mount is constructed of stainless steel and locates the antenna on either side of the bed. Expandable rubber base locks mount when tightened for secure fit. Great for HF stick and 102" stainless steel whip. Fits most pickup truck models and brands. with SO239 and 3/8 - 24 threaded stud.</p> 	<p>\$17.95</p>
<p><u>CAT , THM1, Trailer Hitch Mount for antennas with 38 X 24 standard antenna base.</u></p>		<p>\$14.95</p>
<p><u>CAT , TIP48, Spare 48 inch stainlesssteel stinger TIPS for</u></p>		<p>\$ 3.95</p>











above antennas. TIP48		
CAT , TIPFERL, Lost the ferrule that holds your whiptip atop your BUXSTIX antenna? Here is the replacement comple		\$ 3.97
CAT , TLM2MTR, Same as TLMPL259, and INCLUDES 2 meter whip antenna		\$ 9.97
CAT , TLM7519, Dual Band, Trunk Lip Mount, Antenna		\$16.98
CAT , TLMBNC, Trunk Lip Mount ABS with steel lip clamp and dual setscrews. BNC Male connector		\$ 6.97
CAT , TLMDBANT, Same as TLMPL259, and INCLUDES DualBand VHF UHF antenna		\$12.97
CAT , TLMPL259, Trunk Lip Mount ABS with steel lip clamp, with PL 259, and dual setscrews.		\$ 7.97









<p><u>CAT , TSTAKMNT, The TBar mount is constructed of stainless steel and locates the antenna directly over the truck bed</u></p>		<p>\$22.99</p>
<p><u>CAT , UHFH239, Ideal for, Campers, RVs, trailers, boats, and fender mounting where small metal ground plane area is</u></p>		<p>\$ 3.95</p>
<p><u>CAT , V7000U, Rascal Interface cable to Yaesu Vertex 7000U Repeater</u></p>		<p>\$24.95</p>
<p><u>CAT , VH1210, Durable, light weight, 5 8 wave, with high gain, two meter mobile antenna. Fits 3 8 x 24 thread base.</u></p>		<p>\$15.95</p>
<p><u>CAT , VH1210MA1034, 5 eighth wave, GAINtype, two meter MOBILE antenna. VH1210 complete with MA1034 MagMount,cable,</u></p>		<p>\$29.95</p>
<p><u>CAT , VH1215, 136 174 MHz, 5 8 wave antenna Mobile Antenna, NMO mount NOT included.</u></p>		<p>\$16.95</p>

<p><u>CAT , VH3200, No Ground VHF Marine Antenna.</u></p>	 <p>VH-3200</p>	<p>\$37.97</p>
<p><u>CAT , VM101, Great for HandHelds and it is ideal for use as a rapid deployment antenna.</u></p>	 <p>VM101 VHF/MINI MAGNET ANTENNA : FREQUENCY RANGE: 140-148MHz : (3dB) : VSWR: LESS THAN 1.5:1 : IMPEDANCE: 50 OHMS : POWER CAPACITY: 25 WATTS : CABLE: 9' RG-176A4/BNC PLUG : LENGTH: 51CM "RARE EARTH MAGNET"</p>	<p>\$12.59</p>
<p><u>CAT , VU1510, Dual Band, Magnet Mount Antenna with PL 259 connector installed on coax, for use on both 2 meters and</u></p>		<p>\$17.95</p>
<p><u>CAT , VU1510B, Same a VU1510, except has BNC connector installed on coax.</u></p>		<p>\$17.95</p>
<p><u>CAT , VU1545, VHF UHF DualBand Mobile Antenna</u></p>		<p>\$17.95</p>








<p><u>CAT , VXMOUNT, EXPANDING MOBILE MOUNTING BRACKET expands to 6.5 inches. Jiffy InOut, uses VelCro type strap.</u></p>		<p>\$ 6.99</p>
<p><u>CAT , AD8SO, ISOkit for ADI 8 pin, screw-on MIC with Ext Spkr RX Audio 6 ft</u></p>		<p>\$16.96</p>
<p><u>CAT , AL8SO, ISOkit for ALINCO 8 pin, screw-on MIC 6 ft</u></p>		<p>\$16.96</p>
<p><u>CAT , HTX100SO, ISOkit for Radio Shack HTX100, 6 ft</u></p>		<p>\$16.96</p>
<p><u>CAT , IC8SO, ISOkit for ICOM 8 pin, screw-on MIC 6 ft</u></p>		<p>\$16.96</p>
<p><u>CAT , KW4SO, ISOkit KENWOOD 4 pin, screw-on MIC 6 ft</u></p>		<p>\$16.96</p>
<p><u>CAT , KW5SO, ISOkit for KENWOOD 5 pin, screw-on MIC 6 ft</u></p>		<p>\$16.96</p>







<u>CAT , KW6SO, ISOkit for KENWOOD 6 pin, screw-on MIC 6 ft</u>		\$16.96
<u>CAT , KW8SO, ISOkit for KENWOOD 8 pin, screw-on MIC 6 ft</u>		\$16.96
<u>CAT , YA4SO, ISOkit for YAESU 4 pin, screw-on MIC 6 ft</u>		\$16.96
<u>CAT , YA8SO, ISOkit for YAESU 8 pin, screw-on MIC 6 ft</u>		\$16.96
<u>CAT , 22, ALINCO and Standard Ltd. HTees to MFJ, PacComm 6 ft</u>		\$19.95
<u>CAT , 26, KENWOOD TR2600 HandHeld Transceivers with 3.5mm and 2.5mm 6 ft</u>		\$19.95
<u>CAT , 100, YAESU FT 990, FT 1000, TenTec Pegasus Jupiter to PK12, PK96, PK900, DSP 232, 6 ft</u>		\$19.95
<u>CAT , 022A, 022A ALINCO DJ F1 and transceivers with similar I O, to AEA PK 232 6 ft</u>		\$19.95








<p>CAT , 026KV, 026KV Kenwood HT`s. Except 2500 to KAM KPC3 VHF port. 6 ft</p>		<p>\$19.95</p>
<p>CAT , 028KV, 028KV ALINCO HT`s to KAM KPC3 VHF port. 6 ft</p>		<p>\$19.95</p>
<p>CAT , 080KH, 080KH Yaesu 8 pin mic jack to KAM HF port, receive audio is from 3.5mm Ext Spkr jack. 6 ft</p>	<p>Kantronics KAM/KAMPlus HF port to YAESU MIC IN</p> 	<p>\$19.95</p>
<p>CAT , 080KV, 080KV YAESU transceivers with 8 pin screw on mic jacks and 3.5mm Ext Spkr jack to KAM VHF port. 6 ft</p>	<p>080-KV KAM VHF port to most YAESU 8 pin radios.</p> 	<p>\$19.95</p>
<p>CAT , 086KH, ALINCO transceivers with 8 pin screw on mic 3.5mm Ext Spkr jack to KAM KAM HF port. 6 ft</p>	<p>086-KH KAM HF port to Kenwood / Alinco 8 pin radios, includes SO2RFB</p> 	<p>\$19.95</p>
<p>CAT , 086KV, ALINCO transceivers with 8 pin screw on mic 3.5mm Ext Spkr jack to KAM KPC3 VHF port. 6 ft</p>	<p>086-KV KAM VHF port to Kenwood / Alinco 8 pin radios.</p> 	<p>\$19.95</p>
<p>CAT , 100A88, AEA PK 88 to TenTec, YAESU, and transceivers with 5 pin DIN I O 6 ft</p>	<p>100-A88 5 pin DIN (IO) and 5 pin Radio.</p> 	<p>\$19.95</p>
<p>CAT , 100K96, MFJ DataRadio 5 pin DIN Jack to KPC9612, 9600 b s port. 6 ft</p>	<p>100-K96 Kantronics KPC 9612, 9600 baud port to MFJ Data Radio</p> 	<p>\$19.95</p>
<p>CAT , 232F5, AEA PK232 Data IO JACK Here it is that `Hardtofind` 6 ft</p>		<p>\$ 0.99</p>
<p>CAT , 232M5, AEA PK232 Data IO PLUG Here it is that `Hardtofind` 6 ft</p>		<p>\$ 0.99</p>

CAT , 5D024, ICOM, HT`s to PK12, PK96, PK900, DSP 232, MFJ, PacComm 6 ft		\$19.95
CAT , 5D024T, Icom W32..etc , Yaesu, Radio Shack, and Kenwood HT`s ,EXCEPT TR2500 ! 6 ft		\$19.95
CAT , 5D5D, YAESU FT900, FT1000, TenTec Pegasus, MFJ8621, Jupiter 5 pin DIN data jack to KAM and KPC VHF port. 6 ft		\$19.95
CAT , 5D5SIL, YAESU transceivers with 5 pin DIN data I O to AEA PK 232 6 ft		\$19.95
CAT , 5D746V, Icom 746 and similar radios with 8 pin DIN ACC 1 and 7 pin DIN ACC 2 to MFJ 5 pin DIN. 6 ft		\$19.95
CAT , 5D757, YAESU FT 757 and transceivers with similar I O?to ?AEA PK 96, PK 900, PK 2232 6 ft		\$19.95
CAT , 5D847HF, YAESU FT 847 HF Data I O jack. see also MFJ 1278 to PK12, PK96, PK900, DSP 232 6 ft		\$19.95
CAT , 5D9KMDIN, ALINCO Azden, Kenwood, Icom, Yaesu, transceivers with 6 pin mini DIN to AEA PK 96 PK900 6 ft		\$19.95









<p><u>CAT , 5DFT2600, YAESU FT 2600 Data I O to AEA PK 900, PK 12, PK 96 6 ft</u></p>		<p>\$19.95</p>
<p><u>CAT , 5DFT600, YAESU, FT 736, FT 600, FT 890, and Late Model FT 900 transceivers with 3.5mm HF Data I O HF jack 6 ft</u></p>		<p>\$19.95</p>
<p><u>CAT , 5DFT890, YAESU FT 600, FT 736, FT 890 and similar Yaesu Data I O AEA with 5 pin DIN ports. 6 ft</u></p>		<p>\$19.95</p>
<p><u>CAT , 5DFT90R, YAESU FT90R, and Yaesu transceivers with RJ 12 Mic and 3.5mm Ext Spkr 6 ft</u></p>		<p>\$19.95</p>
<p><u>CAT , 5DHR2, REGENCY HR 2 A B to MFJ, PacComm, TNC2, AEA PK 900, PK 12, and PK 96. 6 ft</u></p>		<p>\$19.95</p>
<p><u>CAT , 5DI8DH, ICOM transceivers with 8 pin DIN accessory jack to PK 900, PK 2232, PK 96 PK 12 6 ft</u></p>		<p>\$19.95</p>








<p><u>CAT , 5DIC13, ICOM 706 and Icom with 13 pin DIN Data I O to SCS PTC IIe, MFJ, AEA PK 900, PK 12, PK 96 6 ft</u></p>	 <p>IC 706 13 PD</p> <p>TNC2 5 PD</p>	<p>\$14.97</p>
<p><u>CAT , 5DIC2100, ICOM transceivers with RJ45 mic jack to AEA PK 96, PK 900, DSP 2232 6 ft</u></p>	 <p>8 PIN DIN (MALE) CONNECTOR MFJ-1270CQ Tube</p>	<p>\$19.95</p>
<p><u>CAT , 5DIC45, ICOM RJ45 to TNCs with 5 pin DIN Radio Ports, MFJ, SCS, PacComm, some AEA 6 ft</u></p>	 <p>8 PIN DIN (MALE) CONNECTOR MFJ-1270CQ Tube</p>	<p>\$19.95</p>
<p><u>CAT , 5DIC4MX, Icom transceivers with 4 pin screw on mic and 3.5mm external speaker jack, to MFJ, PacComm, and TNCee 6 ft</u></p>	 <p>ICOM 4 pin</p> <p>3.5mm external speaker jack</p>	<p>\$19.95</p>
<p><u>CAT , 5DIC8AF, Icom 8 pin mic with Rx AF at pin 8 to MFJ, PacComm MKII, PK12, PK96, PK900, DSP 232, . 6 ft</u></p>	 <p>8 PIN DIN (MALE) CONNECTOR</p> <p>ICOM 8 pin accessory jack</p>	<p>\$19.95</p>
<p><u>CAT , 5DIC8DH, Icom 746, 756, 8 pin DIN ACC 1 for HF PTT to MFJ PacComm TNCees with 5 pin DIN 5 pin DIN. 6 ft</u></p>	 <p>5 PIN DIN (MALE) CONNECTOR</p> <p>ICOM Radios with 8 pin DIN accessory Jack.</p>	<p>\$19.95</p>
<p><u>CAT , 5DIC8M, Icom, 8 pin screw on mic to MFJ PacComm SCS, 5 pin DIN port 6 ft</u></p>	 <p>8 PIN DIN (MALE) CONNECTOR</p> <p>ICOM Radios with 8 pin DIN accessory Jack.</p>	<p>\$14.97</p>









<p><u>CAT , 5DIC8MX, Icom 8 pin screw on microphone jacks, and 3.5mm 1 8 Ext Spkr and 3.5mm AF Out connector 6 ft</u></p>		<p>\$14.97</p>
<p><u>CAT , 5DJ25S, ALINCO DJ100, DJ 120, DJ 200, DJ 500 to PK 12, PK 96, PK 900 PK 2232 w 5 pin DIN I O jack. 6 ft</u></p>		<p>\$19.95</p>
<p><u>CAT , 5DJST, TNCees with 5 pin DIN Radio port to JST 245, Japanese Radio Corp, transceiver 6 ft</u></p>		<p>\$19.95</p>
<p><u>CAT , 5DK45, TNC with 5 pin DIN radio port to Kenwoods with RJ45 Mic I O 6 ft</u></p>		<p>\$19.95</p>
<p><u>CAT , 5DK45A, KENWOOD transceivers with RJ45 Mic plug, and Rx audio at Mic jack, pin 7, 6 ft</u></p>		<p>\$19.95</p>
<p><u>CAT , 5DK4MX, Kenwood transceivers with 4 pin screw on mic and 3.5mm external speaker jack, to MFJ, PacComm, 6 ft</u></p>		<p>\$19.95</p>








<p><u>CAT , 5DKDK4M, KDK 4 pin mic IN and 3.5mm Ext Spkr to AEA PK 900, PK 12, PK 96, MFJ 6 ft</u></p>		<p>\$19.95</p>
<p><u>CAT , 5DKW13, KENWOOD late model TS 450, 950, 2000, etc. w 13 pin DIN to AEA PK 900, PK96, PK12 6 ft</u></p>		<p>\$19.95</p>
<p><u>CAT , 5DKW4013, Kenwood ?early TS 940, 440 etc 13 pin DIN jack to MFJ, AEA PK12, PK96, PK900, PacComm. 6 ft</u></p>		<p>\$19.95</p>
<p><u>CAT , 5DKW4M, KENWOOD 4 pin mic IN and 3.5mm Ext Spkr to AEA PK 900, PK 12, PK 96, MFJ 6 ft</u></p>		<p>\$19.95</p>
<p><u>CAT , 5DKW4MX, Kenwood transceivers with 4 pin screw on mic and 3.5mm external speaker jack, to MFJ, PacComm, 6 ft</u></p>		<p>\$19.95</p>
<p><u>CAT , 5DKW5MX, Kenwoor TR7600, TR7625 and Kenwood transceivers with 5 pin Screw On mics and 3.5mm Ext Spkr. 6 ft</u></p>		<p>\$19.95</p>
<p><u>CAT , 5DKW6M, Kenwood transceivers with 6 pin screw on microphone to 5 pin DIN TNC. 6 ft</u></p>		<p>\$19.95</p>







<p><u>CAT , 5DKW8M, KENWOOD , Alinco, ADI, SGS2020 and transceivers with similar I O to AEA with 5 pin DIN I O. 6 ft</u></p>		<p>\$19.95</p>
<p><u>CAT , 5DMDIN, ICOM, Kenwood, YAESU and transceivers with 6 pin mini DIN to 5 pin standard DIN 6 ft</u></p>		<p>\$19.95</p>
<p><u>CAT , 5DMID4M, MIDLAND transceivers with 4 pin mic I O and 3.5mm Ext Spkr jack. 6 ft</u></p>		<p>\$19.95</p>
<p><u>CAT , 5DMX, CBL Almost ready, just add your radio or accessory connector. 6 ft</u></p>		<p>\$ 6.95</p>
<p><u>CAT , 5DPCF, 5 pin DIN female PC board mount 180 degree, standard 6 ft</u></p>		<p>\$ 0.97</p>
<p><u>CAT , 5DR135, ALINCO DR 135 to AEA PK 96, MFJ, PacComm, AEA PK 900 WIRED FOR 1200 bauds Operation! 6 ft</u></p>		<p>\$19.95</p>
<p><u>CAT , 5DR605, Alinco, DR 605 transceiver with 2.5mm and 3.5mm 9K6 jacks, 6 ft</u></p>		<p>\$19.95</p>








CAT , 5DRS45, Radio Shack with RJ45 Mic 3.5mm Ext Spkr jack to AEA PK 900, PK 12, PK 96 6 ft	 <p>TNC2. 5 pin DIN port to Radio Shack RJ45 Modular Mic jack.</p>	<p>\$19.95</p>
CAT , 5DTR2500, TR2500, 3500, and 7500 to AEA PK12, PK900, PacComm, MFJ, and TNC2 6 ft	 <p>AEA, PacComm, SGC, etc 5 pin DIN Some TNC2, MFJ.</p>	<p>\$19.95</p>
CAT , 5DTT4MX, TenTec transceivers with 4 pin screw on mic and 3.5mm external speaker jack, to MFJ, PacComm, 6 ft	 <p>TenTec 4 PIN SCREW-ON MIC</p>	<p>\$19.95</p>
CAT , 5DTT5D, TenTEC Pegasus Jupiter to PK12, PK96, PK900, DSP 232 6 ft	 <p>MFJ-127000 Turbo, AEA PK-96, DSP-232, etc. RADICAL GLX, FT-1090, FT-1000mpD etc. 5 Pin Comm 9000 baud TH3Cees and TenTec with 5 pin DIN data jacks.</p>	<p>\$19.95</p>
CAT , 5DTTORION, TenTEC ORION AUX I O to AEA PK 900, PK 12, PK96 and TNC w 5 pin DIN port. 6 ft	 <p>Shield Ground Rx Data AuxLeft TxData FSK PTT 5 PIN DIN I/O (TNC) TenTec Orion (565) AUX I/O CBL ORION_RY</p>	<p>\$19.95</p>
CAT , 5DY227R, MFJ, PacComm, DRSI, and some AEA to YAESU FT 227R 6 ft	 <p>MFJ, PacComm, PK96... YAESU FT-227R</p>	<p>\$19.95</p>
CAT , 5DY45, YAESU FT 2400, 2500 etc with RJ45 Mic to AEA PK 900, PK 12, PK96 and TNC w 5 pin DIN port. 6 ft	 <p>YAESU FT-2400 & 2500 *** Looking into Mic Jack. * Pin 2 Rx audio not available on all models.</p>	<p>\$19.95</p>
CAT , 5DY4MX, YAESU transceivers with 4 pin screw on mic and 3.5mm external speaker jack, to MFJ, PacComm, and 6 ft	 <p>YAESU 4 PIN SCREW-ON MIC</p>	<p>\$19.95</p>







<p>CAT , 5DY5100, YAESU FT5100 and similar YAESU with 3.5mm Data I O to AEA PK-900, PK-12, PK-96, MFJ, and PacComm 5 6 ft</p>		<p>\$19.95</p>
<p>CAT , 5DY890, YAESU FT 600, FT 736, FT 890, FT900 and similar Data I O MFJ PacComm 5 pin DIN ports. 6 ft</p>		<p>\$19.95</p>
<p>CAT , 5DY8M, YAESU transceivers with 8 pin mic jack to AEA PK 96, PK 900, DSP 2232 6 ft</p>		<p>\$19.95</p>
<p>CAT , 5DY8MX, YAESU transceivers with 8 pin screw on mic and 3.5mm Ext Spkr jack. 6 ft</p>		<p>\$19.95</p>
<p>CAT , 5DYVX, YAESU FT 50, FT 40, FT 10, VX 1, VX 5, VX 150 and similar HandHelds to PK12, PK96, PK900 6 ft</p>		<p>\$19.95</p>
<p>CAT , 5PDI207, Icom 207 to MFJ, PacComm 6 ft</p>		<p>\$19.95</p>
<p>CAT , 5PDKW4013, KENWOOD early Kenwood TS 940, 440 etc 13 pin DIN ACC2 jack to AEA PK900, MFJ PacComm 6 ft</p>		<p>\$19.95</p>








<p>CAT , 5PDM, Standard 5 pin DIN Plug, accessory port IO on some transceivers. Also a very popular TNC interface conn 6 ft</p>		<p>\$ 0.99</p>
<p>CAT , A135K9612, Kantronics KPC9612, 9600 baud radio port to Alinco DR135, wired for 9600 bauds 6 ft</p>		<p>\$19.95</p>
<p>CAT , A202, 20 through 10 Meters, HF antenna with end insulators. 6 ft</p>		<p>\$27.95</p>
<p>CAT , A23202, Radio Shack HTX 202, 404 etc, to AEA PK232 6 ft</p>		<p>\$19.95</p>
<p>CAT , A232024T, For PK232 AEA with 5 pin molex SIL radio port to Radio Shack, Yaesu, and HT's with similar I O 6 ft</p>		<p>\$19.95</p>
<p>CAT , A2325D, AEA PK 232 wired with 6 ft cable for TenTec and YAESU transceivers with 5 pin DIN Data I/O 6 ft</p>		<p>\$19.95</p>
<p>CAT , A23275767, YAESU FT 757, FT 767 RCA accessory jacks to AEA PK232 MBX 6 ft</p>		<p>\$19.95</p>
<p>CAT , A232A1359K6, 9600 baud PK232, to Alinco DR135 6 ft</p>		<p>\$19.95</p>







<p><u>CAT , A232AK4M, ALINCO , Kenwood, 4 pin screw on mic to AEA PK 232. 6 ft</u></p>	 <p>AEA PK-232 Radio port, 1 or 2</p> <p>Kenwood transceivers with 4 pin mic, and 3.5mm Ext Splt.</p>	<p>\$19.95</p>
<p><u>CAT , A232AK8M, ALINCO , Kenwood, ADI 8 pin screw on mic to AEA PK 232. 6 ft</u></p>	 <p>AEA PK-232 Radio port, 1 or 2</p> <p>8 pin screw-on: Kenwood, ALINCO, ADI, & SCS SG2020 to AEA PK232</p>	<p>\$19.95</p>
<p><u>CAT , A232AL8M, ALINCO DR 110 to PK 232 Radio port 1 or 2 6 ft</u></p>	 <p>AEA PK-232 Radio port, 1 or 2</p> <p>ALINCO DR 110 to PK 232 Radio port 1 or 2</p>	<p>\$19.95</p>
<p><u>CAT , A232CBL, AEA PK232 with 5 pin molex connector wired to mate PK232 RAD1RAD2. PREWIRED CABLE CONNECTOR. 6 ft</u></p>		<p>\$ 6.95</p>
<p><u>CAT , A232DJ25S, ALINCO DJ100, DJ 120, DJ 200, DJ 500 to PK 232 Radio port 1 or 2 6 ft</u></p>	 <p>AEA PK-232 Radio port, 1 or 2</p> <p>ALINCO DJ100, DJ 120, DJ 200 & DJ 500</p>	<p>\$19.95</p>
<p><u>CAT , A232HF847, YAESU FT 847 HF Data I O jack to AEA PK232, RAD port 1 or 2. 6 ft</u></p>	 <p>AEA PK-232 Radio port, 1 or 2</p> <p>A232 RAD 1 or RAD 2, HF JACK YAESU FT-847 HF jack "Data In/Out"</p>	<p>\$19.95</p>
<p><u>CAT , A232HT, ICOM W32..etc , Yaesu, Radio Shack HT`s to AEA PK 232 6 ft</u></p>	 <p>AEA PK-232 Radio port, 1 or 2</p> <p>To Transceiver (HT)</p>	<p>\$19.95</p>








<p>CAT , A232I2100, ICOM 2100, IC 706, etc and Icom transceivers with RJ 45 Mic I O to AEA PK232 6 ft</p>	 <p>AEA PK-232 Radio port, 1 or 2</p> <p>ICOM 2100, 706, etc.</p> <p>RJ-45 MIC PORT (Panel View)</p>	<p>\$19.95</p>
<p>CAT , A232I746V, ICOM 746 756 etc with 8 pin DIN ACC 1 7 pin ACC 2 accessory jack s to AEA PK232 6 ft</p>	 <p>For VHF operation of the Icom 746 and Icom radios with similar ACC(1) & ACC(2) pins</p> <p>AEA PK-232 (5 PIN DIN MALE) CONNECTOR</p> <p>ICOM Radios with 8 pin DIN accessory AEA/timewave PK232 & PK232 MBX to ICOM 746 & similar.</p>	<p>\$19.95</p>
<p>CAT , A232I8D, ICOM 8 pin DIN accessory jack HF to AEA PK232 6 ft</p>	 <p>AEA PK-232 25 or 26</p> <p>ICOM 8 pin DIN Accessory Jack</p>	<p>\$19.95</p>
<p>CAT , A232I8DH, ICOM 746, 756 and Pro, 8 pin DIN ACC 1 for HF PTT??to AEA PK900, PK 96, PK 12 5 pin DIN 6 ft</p>	 <p>PTT WIRE FOR HF OPERATION FOR ICH46/756 and Icom radios with similar accessory jack (ACC1)</p> <p>AEA PK-232 (5 PIN DIN MALE) CONNECTOR</p> <p>ICOM Radios with 8 pin DIN accessory AEA PK900, PK-2232, and PK96 to ICOM 8 pin DIN accessory Jack.</p>	<p>\$19.95</p>
<p>CAT , A232IC13, ICOM 706 and Icoms with 13 pin DIN Data I O to AEA PK232PK232 MBX 6 ft</p>	 <p>AEA PK-232 Radio port, 1 or 2</p> <p>ICOM 706 13 PD</p>	<p>\$19.95</p>
<p>CAT , A232IC13RY, ICOM SPECIAL Dual I O cable, AEA PK232 RADIO and FSK jacks to Icom 13 pin DIN ACCY w FSK pin. 6 ft</p>	 <p>AEA PK-232 (5 PIN DIN MALE) CONNECTOR</p> <p>ICOM 13 pin DIN (ACCY) with FSK</p> <p>BucK4ABT</p>	<p>\$27.97</p>








<p><u>CAT , A232IC45, ICOM RJ45 to AEA PK 232 for Icom with Rx audio at RJ 45 pin 3 . 6 ft</u></p>		<p>\$19.95</p>
<p><u>CAT , A232IC4M, ICOM 4 pin screw on MIC 3.5mm Ext Spkr jack, to AEA PK 232 6 ft</u></p>		<p>\$19.95</p>
<p><u>CAT , A232IC8D, ICOM transceivers with 8 pin accessory I O to AEA 5 pin SIL connector. 6 ft</u></p>		<p>\$19.95</p>
<p><u>CAT , A232IC8M, ICOM 8 pin screw on MIC 3.5mm Ext Spkr jack, to AEA PK 232 6 ft</u></p>		<p>\$19.95</p>
<p><u>CAT , A232K4013, KENWOOD early model transceivers with 13 pin DIN accessory jack, TS 440, 940 etc. AEA PK 232 6 ft</u></p>		<p>\$19.95</p>
<p><u>CAT , A232K45M, KENWOOD, RJ 45 MIC 3.5mm Spkr to AEA PK 232. 6 ft</u></p>		<p>\$19.95</p>
<p><u>CAT , A232K732, KENWOOD transceivers with RJ45 Mic plug, and Rx audio at Mic jack, pin 7, TM732, TM741, TM742, TM941 6 ft</u></p>		<p>\$19.95</p>








<p><u>CAT , A232KW13, KENWOOD late model transceivers w 13 pin DIN, TS 450, 950, 2000, etc to AEA PK 232 6 ft</u></p>	 <p>AEA PK-232 Radio port, 1 or 2</p> <p>Connectors viewed from wiring side.</p> <p>KENWOOD 13 pin DIN ACCY2</p>	<p>\$19.95</p>
<p><u>CAT , A232KW13RY, KENWOOD SPECIAL Dual I O cable, AEA PK232 RADIO and FSK jack KENWOOD 13 pin DIN w FSK 6 ft</u></p>	 <p>13 pin DIN male AEA PK232 FSK JACK</p> <p>KENWOOD ACCY2 13 pin DIN accessory jack</p> <p>AEA PK232 Packet and Data I/O jack</p>	<p>\$27.97</p>
<p><u>CAT , A232KW6, KENWOOD transceivers with 6 pin, screw on mic jack to PK232 6 ft</u></p>	 <p>AEA PK-232 & PK-232 MIC</p> <p>KENWOOD 6 pin screw on mic jack</p> <p>KENWOOD 6 pin screw on mic jack</p>	<p>\$19.95</p>
<p><u>CAT , A232KW8M, KENWOOD, Alinco, ADI, and SGS 2020 3.5mm Ext Spkr jack, to AEA PK 232 6 ft</u></p>	 <p>AEA PK-232 Radio port, 1 or 2</p> <p>Connectors viewed from wiring side.</p> <p>To 3.5mm Ext Spkr</p> <p>8 pin screw-on: Kenwood, ALINCO, ADI, & SGS SG2020 to AEA PK232</p>	<p>\$19.95</p>
<p><u>CAT , A232MDIN, ICOM, KENWOOD YAESU late model transceivers w 6 pin mini DIN to AEA PK 232 6 ft</u></p>	 <p>AEA PK-232 Radio port, 1 or 2</p> <p>Connectors viewed from wiring side.</p> <p>(6 Pin "Mini-DIN")</p> <p>Pin 1 Transmit Data from KPC-9612 Pin 2 Packet Ground Pin 3 Push-To-Talk (PTT) Pin 4 9600 baud receive Pin 5 1200 baud receive Pin 6 Squelch Ctrl Out</p>	<p>\$19.95</p>
<p><u>CAT , A232NDXLAB, AEA PK232 port 1 2, to Index Laboratories QRP transceiver with 3.5mm microphone jack, and 3.5mm 6 ft</u></p>	 <p>INDEX LABS QRP +</p> <p>AEA PK232 /235MBX</p>	<p>\$19.95</p>









<p>CAT , A232RS252, Radio Shack HTX252 to PK 232 Radio port 1 or 2 6 ft</p>		<p>\$19.95</p>
<p>CAT , A232RS45, AEA PK232 Port 1 or 2, interface cable for Radio Shack HTX242212 RJ45. 6 ft</p>		<p>\$19.95</p>
<p>CAT , A232RYIC8D, ICOM SPECIAL Dual I O cable, AEA PK232 RADIO and FSK jacks to Icom 8 pin DIN ACCY w FSK pin. 6 ft</p>		<p>\$27.97</p>
<p>CAT , A232TTORION, TenTEC ORION AUX I O to AEA PK 900, PK 12, PK96 and TNC w 5 pin DIN port. 6 ft</p>		<p>\$19.95</p>
<p>CAT , A232Y227R, YAESU FT 227R 5 pin DIN accessory I O and 3.5mm Ext Spkr, to AEA PK 232, ports RAD 1 or RAD2. 6 ft</p>		<p>\$19.95</p>
<p>CAT , A232Y2600, YAESU FT 2600 Data I O to AEA PK 232 RADio port 1 or 2 6 ft</p>		<p>\$19.95</p>
<p>CAT , A232Y45, YAESU FT 2400, 2500 etc with RJ45 Mic to AEA PK 232, 5 pin inline jacks. 6 ft</p>		<p>\$19.95</p>









<p><u>CAT , A232Y4M, YAESU 4 pin screw on mic to AEA PK 232 6 ft</u></p>	 <p>Kenwood transceivers with 4 pin mic, and 3.5mm Ext Spkr.</p>	<p>\$19.95</p>
<p><u>CAT , A232Y5100, AEA PK232 to YAESU FT5100 Data I-O 6 ft</u></p>	 <p>{6 Pin "Mini-DIN"}</p>	<p>\$19.95</p>
<p><u>CAT , A232Y736, YAESU FT 736, FT600, FT 890 and YAESU transceivers with similar Data and PTT jacks to AEA PK232 6 ft</u></p>	 <p>FT-600, FT-736, FT-890, and YAESU transceivers</p>	<p>\$19.95</p>
<p><u>CAT , A232Y8MX, YAESU transceivers with 8 pin screw on microphone, to AEA PK 232 6 ft</u></p>	 <p>AEA PK-232 & PK-232 MBX</p>	<p>\$19.95</p>
<p><u>CAT , A232YVX, YAESU FT 50, FT 40, FT 10, VX 1, VX 5 and similar HandHelds to PK232 6 ft</u></p>	 <p>AEA PK-232 Radio port, 1 or 2</p>	<p>\$19.95</p>
<p><u>CAT , A5DA110, ALINCO DR 110 to MFJ or PacComm TNC with 5 pin DIN 6 ft</u></p>	 <p>AEA PK-232 & PK-232 MBX</p>	<p>\$19.95</p>








<p><u>CAT , A87RS45, AEA PK 87 to Radio Shack transceivers with RJ45 Mic and receive AF at 3.5mm Ext Spkr jack. 6 ft</u></p>		<p>\$19.95</p>
<p><u>CAT , A88024, AEA PK88 to Handhelds with 2.5mm MIC and PTT, receive is AF at 3.5mm Jack 6 ft</u></p>		<p>\$19.95</p>
<p><u>CAT , A88A8M, AEA PK 88 to ALINCO transceivers with 8 pin MIC and receive AF at 3.5mm Ext Spkr Jack. 6 ft</u></p>		<p>\$19.95</p>
<p><u>CAT , A88AL6A, AEA PK 88 to ALINCO transceivers with receive AF at mic connector, pin 6. 6 ft</u></p>		<p>\$19.95</p>
<p><u>CAT , A88I8M, AEA PK 88 to Icom transceivers with receive AF at mic connector pin 8. 6 ft</u></p>		<p>\$19.95</p>
<p><u>CAT , A88IC13HF, AEA PK88 to Icom transceivers with 13 pin DIN Accessory jack, wired for HF operation. 6 ft</u></p>		<p>\$19.95</p>
<p><u>CAT , A88IC13VU, AEA PK88 to Icom transceivers with 13 pin DIN Accessory jack, wired for VHF UHF operation. 6 ft</u></p>		<p>\$27.95</p>









<p><u>CAT , A88IC45, AEA PK88 to Icom transceivers with RJ45 Mic and 3.5mm Ext Spkr. 6 ft</u></p>	 <p>AEA PK88 to Icom RJ45 MIC & Ext Spkr</p>	<p>\$19.95</p>
<p><u>CAT , A88KW8M, AEA PK 88 to KENWOOD 8 pin Mic w Ext Spkr AF 6 ft</u></p>	 <p>AEA PK-88 KENWOOD 8 PIN MIC</p>	<p>\$19.95</p>
<p><u>CAT , A88MDIN, AEA PK 88 to transceivers with ISO standard 6 pin mini DIN Data I O jack 6 ft</u></p>	 <p>AEA PK-88 ISO Standard 6 Pin mini DIN Data Jack</p>	<p>\$19.95</p>
<p><u>CAT , A88RS45, AEA PK 88 to Radio Shack RJ45 modular Mic 3.5mm Ext Spkr Audio 6 ft</u></p>	 <p>AEA PK-88 Radio Shack RJ45 Mic Jack</p>	<p>\$19.95</p>
<p><u>CAT , A88Y242500, AEA PK 88 to YAESU FT 2400 FT 2500 transceivers with RJ 45 Microphone jacks. 6 ft</u></p>	 <p>AEA PK-88 YAESU FT 2400 FT 2500</p>	<p>\$19.95</p>
<p><u>CAT , A88YA8M, AEA PK 88 to YAESU transceivers with 8 pin screw on microphone. 6 ft</u></p>	 <p>AEA PK-88 YAESU w/8 pin Mic</p>	<p>\$19.95</p>
<p><u>CAT , A88YVX, AEA PK 88 to Vertex Standard YAESU VX 1, VX 5, VX 150, FT 50, FT 40, FT 10, and similar HandHelds 6 ft</u></p>	 <p>AEA PK-88 YAESU VX 1, VX 5, FT 50 etc.</p>	<p>\$19.95</p>









<p>CAT , DB25FDB25M, Interface cable, from TNC with DB25 female, to older PCees with DB25 male serial port 6 ft</p>	 <p>DB25 TO DB25, DTE TO DCE, MOST COMMONLY USED RS232 SIGNALS</p>	<p>\$19.97</p>
<p>CAT , DB9FDB25M, Adapter, from TNC with DB25 female, to PC with DB9 male 6 ft</p>	 <p>FEMALE DB9 to PC w/9 PIN RS-232 PORT BUX COMM-JaComm (C) 1995-2005</p>	<p>\$19.97</p>
<p>CAT , DJ25S, Hybrid single, 3.5mm I O for some Alinco HTs 6 ft</p>	 <p>ALINCO: DJ-100T, DJ-129T, DJ-200T & DJ-500</p>	<p>\$19.97</p>
<p>CAT , HK21FTHT, YAESU, 209, 709, 727... to Heath HK 21 Pocket Packet . 6 ft</p>	 <p>Heath HK-21 "Pocket-Packet" to YAESU FTs 209/709/727</p>	<p>\$19.95</p>
<p>CAT , HK21ICHT, Icom, Radio Shack HT`s to Heath HK 21 Pocket Packet . 6 ft</p>	 <p>HK21 "Pocket-Packet" to ICOM IC-62AT Hand-held</p>	<p>\$19.95</p>
<p>CAT , HK21MDIN, Transceivers with ISO 9002 standard 6 pin Mini DIN data jack to Heath HK21 Tiny TNC. 6 ft</p>	 <p>HK21 "Pocket-Packet" to ISO standard, 6 pin Mini DIN.</p>	<p>\$19.95</p>
<p>CAT , IC13HVUA, This cable and switchbox can switch to either of the bands of the IC 706 IC 706 MKII G, HF, VHF, 6 ft</p>	 <p>RASCAL GLX to IC706 MKII G w/HF, VHF, UHF.</p>	<p>\$29.95</p>










<p>CAT , IC13HVUB, This cable and switchbox can switch to either of the bands of the IC 706 IC 706 MKII G, HF, VHF, UHF 6 ft</p>		<p>\$29.95</p>
<p>CAT , IC13HVUC, IC 706 MK II G, HF and VHF switched to AEA PK 232, 5 pin, singleinline Radio ports 1 or 2 6 ft</p>		<p>\$29.95</p>
<p>CAT , K7EG, AEA DSP 2232 to IC 910 Main Sub Satellite Up Down link interface cable.</p>		<p>\$27.97</p>
<p>CAT , K9612605, Alinco, DR 605 transceiver with 2.5mm and 3.5mm 9K6 jacks, to Kantronics KPC 9612 Dsub 15 pin 9600 b 6 ft</p>		<p>\$19.95</p>
<p>CAT , K9612TT5D, For 5 pin 9600 baud Radio port to KPC9612 9600 port 6 ft</p>		<p>\$24.95</p>
<p>CAT , K96MDIN, Alinco, Kenwood, YAESU and Azden radios with 6 pin mini DIN, 9600 baud port to Kantronics KPC 9612, 6 ft</p>		<p>\$24.95</p>
<p>CAT , K98XL5D, Kantronics KPC and KAM 98 XL etc to FT 990, FT 1000 Mk V, and TenTec transceivers with 5 pin DIN Data 6 ft</p>		<p>\$19.95</p>
<p>CAT , KAMDX70, ALINCO DX 70 HF transceiver and Kenwood with 8 pin mic jack, and 3.5mm Ext Spkr jack to KAM KAM 8 pin DIN 6 ft</p>		<p>\$19.95</p>








<p>CAT , KD9JST, Kantronics KAM 98 and KAMx1 9 pin Dsub radio port to JST245 Data IO jack. 6 ft</p>		<p>\$19.95</p>
<p>CAT , KDK4MX, KDK Transceivers w4 pin screwon mic Ext Spkr jack 6 ft</p>		<p>\$19.95</p>
<p>CAT , KH70613, Icom 706 transceiver with 13 pin accessory jack to Kantronics KAM. PTT wired for HF operation. 6 ft</p>		<p>\$19.95</p>
<p>CAT , KH757, YAESU FT 757 GTX II to Kantronics KAM 8 pin DIN HF port. 6 ft</p>		<p>\$19.95</p>
<p>CAT , KH8AK8MX, KAM HF 8 pin DIN to ADI, Alinco, SG 2020 and Kenwood 8 pin MIC and 3.5mm Ext Spkr jack 6 ft</p>		<p>\$19.95</p>
<p>CAT , KH8DFT920, KAM and KAM plus to YAESU FT 920 and similar YAESU with RCA I O 6 ft</p>		<p>\$19.95</p>
<p>CAT , KH8DIC13, Icom 13 pin DIN accessory jack to KAM KAM Plus HF port. 6 ft</p>		<p>\$19.95</p>
<p>CAT , KH8DIC8D, Icom 8 pin DIN accessory jack to KAM KAM plus 8 pin DIN HF 6 ft</p>		<p>\$19.95</p>








<p><u>CAT , KH8DKW13, Kenwood 13 pin DIN ACC2, with FSK option added to ?KAM KAM 8 pin DIN HF port. 6 ft</u></p>		<p>\$19.95</p>
<p><u>CAT , KH8DTT5D, TenTec transceivers with 5 pin DIN data I O to KAM KAM 8 pin DIN HF port. 6 ft</u></p>		<p>\$19.95</p>
<p><u>CAT , KH8FT4RY, YAESU 4 pin DIN, FSK RTTY jack to RTTY FSK I O KAM 8 pin DIN HF port RTTY ONLY 6 ft</u></p>		<p>\$27.97</p>
<p><u>CAT , KH8KW13, Kenwood with 13 pin DIN, accessory jack to KAM 8 pin DIN HF 6 ft</u></p>		<p>\$19.95</p>
<p><u>CAT , KH8TS2000RY, Kantronics KAM and KAM Plus 8 pin DIN HF port to Kenwood transceivers with 13 pin DIN accessory 6 ft</u></p>		<p>\$24.87</p>
<p><u>CAT , KH8Y900, KAM and KAM plus to YAESU FT900 and similar YAESU with 3.5mm Stereo and RCA jack IO 6 ft</u></p>		<p>\$19.95</p>
<p><u>CAT , KHIC8D, ICOM transceivers with 8 pin DIN Data I O accessory jack to KAM HF 8 pin DIN 6 ft</u></p>		<p>\$19.95</p>









<p>CAT , KHIC8DRY, ICOM Late Model 781, 746, 756, transceiver 8 pin DIN Data I O accessory jack with FSK RTTY option pin 6 ft</p>	 <p>KHIC8DRY</p> <p>ICOM 8 pin DIN data I/O (LATE MODELS 781, 746, 756)</p> <p>KAM/KAM + HF JACK</p>	<p>\$27.97</p>
<p>CAT , KHK13R850, Kenwood TS 850 and similar Kenwoods with 13 pin DIN, acc2 jack and RCA phono FSK RTTY jack. 6 ft</p>	 <p>KHK13R850</p> <p>KAM/KAM + HF JACK</p> <p>KENWOOD TS-850 13 pin DIN Accessory jack.</p>	<p>\$19.95</p>
<p>CAT , KHKW13, Kenwood with 13 pin DIN, accessory jack to KAM 8 pin DIN HF port 6 ft</p>	 <p>KHKW13</p> <p>KAM/KAM + HF JACK</p> <p>KENWOOD 13 pin DIN ACC2 13 pin DIN Accessory jack.</p>	<p>\$19.95</p>
<p>CAT , KHKW13RY, Kenwood with 13 pin DIN, accessory jack to KAM 8 pin DIN HF port . 6 ft</p>	 <p>KHKW13RY</p> <p>KAM/KAM + HF JACK</p> <p>KENWOOD TS-850 13 pin DIN Accessory jack.</p>	<p>\$27.97</p>
<p>CAT , KHKW4013, Kenwood EARLY MODELS with 13 pin DIN, accessory jack to KAM 8 pin DIN HF port to KW 440 and KW 940 6 ft</p>	 <p>KHKW4013</p> <p>KAM/KAM + HF JACK</p> <p>KENWOOD 13 pin DIN ACC2 13 pin DIN Accessory jack.</p>	<p>\$19.95</p>
<p>CAT , KHMDIN, ISO standard 6 pin mini DIN data jackto KAM KAM 8 pin DIN HF port. 6 ft</p>	 <p>KHMDIN</p> <p>KAM/KAM + HF JACK</p>	<p>\$19.95</p>
<p>CAT , KHOMNI, TenTec OMNI, YAESU FT 757 767 Patch Jacks to Kantronics KAM 8 pin DIN HF port. 6 ft</p>	 <p>KAM/KAM + HF JACK</p> <p>To Ten Tec OMNI, YAESU FT 757 & 767 and transceivers with similar I/O</p>	<p>\$19.95</p>
<p>CAT , KHTTORION, TenTec ORION AUX I O to KAM KAM 8 pin DIN HF port. 6 ft</p>	 <p>KAM/KAM + HF JACK</p> <p>To Ten Tec ORION AUX I/O</p>	<p>\$19.95</p>









<p>CAT , KHY1000, YAESU FT 1000D FT 1000MP 990 5 pin DIN to Kantronics KAM 8 pin DIN HF port. 6 ft</p>		<p>\$19.95</p>
<p>CAT , KHY847HF, YAESU FT 847 HF Packet DATA jack to KAM and KAM 8 pin DIN HF port. 6 ft</p>		<p>\$19.95</p>
<p>CAT , KN96MDIN, Kenwood, Yaesu, Icom, Azden, 9600 baud capable radios to KPC 9612, 9600 port to. 6 ft</p>		<p>\$19.97</p>
<p>CAT , KV024, Icom W32..etc , Yaesu, Radio Shack HT's not all to KAM KPC3 VHF port. 6 ft</p>		<p>\$19.95</p>
<p>CAT , KV024T, Icom W32..etc , Yaesu, Radio Shack HT's to KAM , KPC3 VHF port. 6 ft</p>		<p>\$24.95</p>
<p>CAT , KV2535, Icom, Yaesu, Radio Shack HT's not all to KAM KPC3 VHF port. Insure that your radio is compatible. 6 ft</p>		<p>\$19.95</p>
<p>CAT , KV70613, Icom 706 transceiver with 13 pin accessory jack to Kantronics KAM DE9 1200 baud VHF port. PTT wired for VHF 6 ft</p>		<p>\$19.95</p>
<p>CAT , KV70645, ICOM 706, 718, and 2000 RJ45 MIC jack with Receive audio at pin 3, to Kantronic 1200 b s port. 6 ft</p>		<p>\$19.95</p>

<p><u>CAT , KV746V, Icom 746 and similar radios with 8 pin DIN ACC 1 and 7 pin DIN ACC 2 to Kantronic VHF jack. 6 ft</u></p>	 <p>5 PIN DIN (MALE) CONNECTOR ICOM Radios with 8 pin DIN accessory Kantronics KAM VHF, & KPC3, to ICOM 746 & similar.</p>	<p>\$19.95</p>
<p><u>CAT , KV75767, YAESU FT 757 FT 767 RCA accessory jacks to Kantronic VHF DE9 . 6 ft</u></p>	 <p>Kantronics 1200 B/S port</p>	<p>\$19.95</p>
<p><u>CAT , KV847, YAESU FT 847 HF Packet DATA jack to KAM98 and KAMxL Dsub 9 pin DE9 HF 6 ft</u></p>	 <p>KAM98 or XL JACK and KAMxPC VHF ports YAESU FT-847 HF Jack "Data In/Out"</p>	<p>\$19.95</p>
<p><u>CAT , KV98AL45, Kantronics KPC and KAM , KAM 98 etc to ALINCO radios with RJ45 `modular` Mic I O 6 ft</u></p>	 <p>KAM 98 VHF ACTIVE PORT and Kantronics KPC and KAM - VHF port Alinco with RJ45 Mic IO</p>	<p>\$19.95</p>
<p><u>CAT , KV98FT45, Kantronics KPC and KAM , KAM 98 etc to YAESU radios with RJ45 `modular` Mic I O 6 ft</u></p>	 <p>KAM 98 VHF ACTIVE PORT and Kantronics KPC and KAM - VHF port YAESU RJ45 Mic IO</p>	<p>\$19.95</p>
<p><u>CAT , KV98IC45, Kantronics KPC and KAM , KAM 98 etc to ICOM radios with RJ45 `modular` Mic I O 6 ft</u></p>	 <p>KAM 98 VHF ACTIVE PORT and Kantronics KPC and KAM - VHF port Icom with RJ45 Mic IO</p>	<p>\$19.95</p>
<p><u>CAT , KV98KW45, Kantronics KPC and KAM , KAM 98 etc to Kenwood radios with RJ45 `modular` Mic I O 6 ft</u></p>	 <p>KAM 98 VHF ACTIVE PORT and Kantronics KPC and KAM - VHF port KENWOOD RJ45 Mic IO</p>	<p>\$19.95</p>
<p><u>CAT , KV98RS45, Kantronics KPC and KAM , KAM 98 etc to Radio Shack radios with RJ45 `modular` Mic I O 6 ft</u></p>	 <p>KAM 98 VHF ACTIVE PORT Radio Shack with RJ45 Mic IO</p>	<p>\$19.95</p>
<p><u>CAT , KVAK8MX, Alinco, ADL, Kenwood transceivers with 8 pin screw on mic and 3.5mm external speaker jack, to Kantronic DB9 VHF port 6 ft</u></p>	 <p>SIX "6" FEET</p>	<p>\$19.95</p>








<p><u>CAT , KVAL110, ALINCO DR 110, Kenwood, ADI, with 8 pin screw on mic and 3.5mm Ext Spkr jack. 6 ft</u></p>		<p>\$19.95</p>
<p><u>CAT , KVAL135, ALINCO DR 135 to Kantronics 1200 baud port. 6 ft</u></p>	 <p>ALINCO DR-135, to KANTRONICS 1200 b/s port.</p>	<p>\$19.95</p>
<p><u>CAT , KVAL45, Alinco, RJ45 Kantronic 1200 baud port. 6 ft</u></p>	 <p>Kantronics 1200 B/S port ALINCO RJ-45</p>	<p>\$19.95</p>
<p><u>CAT , KVAL6A, ALINCO 8 pin microphone I O except ALINCO DR 110 to Kantronic 1200 baud port. 6 ft</u></p>		<p>\$19.95</p>
<p><u>CAT , KVAZ8M, AZDEN 8 pin Mic to Kantronics 1200 baud port. 6 ft</u></p>		<p>\$19.95</p>
<p><u>CAT , KVAZ8MX, Azden transceivers with 8 pin screw on mic and 3.5mm external speaker jack, to Kantronic Dsub 9 pin VHF port 6 ft</u></p>		<p>\$19.95</p>
<p><u>CAT , KVDJ25S, ALINCO DJ100, DJ 120, DJ 200, DJ 500 to KAM, KPC, TinyTrak TNCees with DB9 I O jacks. 6 ft</u></p>	 <p>ALINCO DJ-100T, DJ-120T, DJ-200T & DJ-500</p>	<p>\$19.95</p>








<p>CAT , KVFT736, YAESU FT 736, FT600, FT 890 and YAESU transceivers with similar Data I O jacks to Kantronics KPC3 and KAM VHF port 6 ft</p>	 <p>FT-600, FT-736, FT-890, and YAESU transceivers</p>	<p>\$19.95</p>
<p>CAT , KVFT8800, YAESU FT8800, 6 pin mini DIN data jack to Kantronics KPC3. See special menu setup for 1200 bps 6 ft</p>	 <p>1200bps If you have trouble getting your FT-8800R to respond correctly during packet operation, check to be certain that you do not have Menu #26 (PKT.SPD) set to the wrong data rate, and/or Menu #27 (PKT.RXD) set to the wrong operating band.</p>	<p>\$19.95</p>
<p>CAT , KVFT90R, YAESU FT-90R, and Yaesu transceivers with RJ 12 Mic and 3.5mm Ext Spkr to Kantronics DE9 Radio port 6 ft</p>	 <p>FT-90R and SIMILAR YAESU</p> <p>KANTRONICS DE9 & VHF RADIO PORT</p>	<p>\$19.95</p>
<p>CAT , KVIC13, Icom 13 pin DIN accessory jack to KAM Plus KAM vhf port VHF 6 ft</p>	 <p>Receive Audio from Radio Transmit Audio to Radio * 3.5mm Ext Spkr (PTT pin 12) Ground/Signal Push-To-Talk (PTT) KAM/PC 13-pin DIN (KAM/PC 12, 13-pin DIN port) ICOM 13-pin DIN (ICOM 13-pin DIN port)</p>	<p>\$19.95</p>
<p>CAT , KVIC13HF, ICOM 13 pin DIN, accessory jack Interface for KAM, KPC 6 ft</p>	 <p>Receive Audio from Radio Transmit Audio to Radio Ground/Signal Push-To-Talk (PTT) KAM/PC 13-pin DIN (KAM/PC 12, 13-pin DIN port) ICOM 13-pin DIN (ICOM 13-pin DIN port)</p>	<p>\$19.95</p>
<p>CAT , KVIC13VU, Packet cable is for IC 706 Mk II G and IC 718 VHF and UHF operation. 6 ft</p>	 <p>Receive Audio from Radio Transmit Audio to Radio Ground/Signal Push-To-Talk (PTT) KAM/PC 13-pin DIN (KAM/PC 12, 13-pin DIN port) ICOM 13-pin DIN (ICOM 13-pin DIN port)</p>	<p>\$19.95</p>
<p>CAT , KVIC45, Icom RJ45 IC2100, 2200, 706, 8000 with receive AF at 3.5mm Ext Spkr, to Kantronic VHF Radio port. 6 ft</p>	 <p>Receive Audio from Radio Transmit Audio to Radio Ground/Signal Push-To-Talk (PTT) KAM/PC 13-pin DIN (KAM/PC 12, 13-pin DIN port) ICOM 13-pin DIN (ICOM 13-pin DIN port)</p>	<p>\$19.95</p>









<p><u>CAT , KVIC4MX, Icom</u> <u>transceivers with 4 pin screw on</u> <u>mic and 3.5mm external speaker</u> <u>jack, to Kantronic Dsub 9 pin VHF</u> <u>6 ft</u></p>		<p>\$19.95</p>
<p><u>CAT , KVIC8AF, Icom</u> <u>transceivers with 8 pin mic jack</u> <u>with Rx AF at pin 8 to Kantronics</u> <u>1200 baud port. 6 ft</u></p>		<p>\$19.95</p>
<p><u>CAT , KVIC8D, ICOM</u> <u>transceivers with 8 pin DIN Data I</u> <u>O jack to KAM or KPC 1200 baud</u> <u>VHF port</u></p>		<p>\$19.95</p>
<p><u>CAT , KVIC8M, Icom, 8 pin screw</u> <u>on mic to Kantronic 1200 baud</u> <u>port. 6 ft</u></p>		<p>\$19.95</p>
<p><u>CAT , KVIC8MX, Icom</u> <u>transceivers with 8 pin screw on</u> <u>mic 3.5mm Ext Spkr jack, to KAM</u> <u>KAM , KPC3 VHF port. 6 ft</u></p>		<p>\$19.95</p>
<p><u>CAT , KVKDK4M, KDK 4 pin</u> <u>mic jack to Kantronics KPC 3 6 ft</u></p>		<p>\$19.95</p>
<p><u>CAT , KVKW13, Kenwood with</u> <u>13 pin DIN, accessory jack to</u> <u>KAM or KPC 1200 b s VHF port</u> <u>Dsub 9 6 ft</u></p>		<p>\$19.95</p>
<p><u>CAT , KVKW13SR, Kenwood TS</u> <u>2000 13 pin DIN, NOTE ! that</u> <u>receive audio is extracted from</u> <u>SUB receiver pin 1, to KAM, 6 ft</u></p>		<p>\$19.95</p>








<p>CAT , KVKW45, Kenwood RJ45 microphone jack to Kantronic 1200 baud port 6 ft</p>		<p>\$19.95</p>
<p>CAT , KVKW4MX, Kenwood transceivers with 4 pin screw on mic and 3.5mm external speaker jack, to Kantronic Dsub 9 pin 6 ft</p>		<p>\$19.95</p>
<p>CAT , KVKW5MX, Kantronics 9 pin Dsub radio port to Kenwood transceivers with 5 pin Screw On MIC and 3.5mm Ext Spkr 6 ft</p>		<p>\$19.95</p>
<p>CAT , KVKW6M, Kenwood 6 pin screw on mic jack to KANTRONICS KAM, KAM, KPC 9612, KPC3, 1200 baud port. 6 ft</p>		<p>\$19.95</p>
<p>CAT , KVKW8M, Alinco, Kenwood, ADI, 8 pin screw on mic to Kantronic 1200 baud port 6 ft</p>		<p>\$19.95</p>
<p>CAT , KVMDIN, KAM VHF, KPC 1200 baud, and the TinyTRAK, to Radios with 6 pin mini DIN data jack. 6 ft</p>		<p>\$19.95</p>
<p>CAT , KVMID4P, MIDLAND 4 pin microphone I O to Kantronic KPC 3 KAM vhf port. 6 ft</p>		<p>\$19.95</p>
<p>CAT , KVNDXLAB, Index Laboratories QRP transceiver with 3.5mm microphone jack, and 3.5mm AF Out connector, to KPC3 6 ft</p>		<p>\$19.95</p>








<p>CAT , KVORION, TenTec ORION AUX I O to KAM KAM DB9 VHF port . 6 ft</p>	 <p>KAM & KAM+ to ORION AUX I/O.</p>	<p>\$19.95</p>
<p>CAT , KQRS252, Radio Shack HTX 252 Mic 3.5mm Ext Spkr jack to ?Kantronics 1200 baud port. 6 ft</p>	 <p>KQRS252 to Kantronics 1200 baud port.</p>	<p>\$19.95</p>
<p>CAT , KQRS45, Radio Shack HTX 212, 242 w RJ45 Mic 3.5mm Ext Spkr jack to?Kantronics 1200 baud port. 6 ft</p>	 <p>KQRS45 to Kantronics 1200 baud port.</p>	<p>\$19.95</p>
<p>CAT , KVTR2500, Kantronics DB 9 radio port to Kenwood TR 2500 HandHeld transceiver. 6 ft</p>	 <p>KVTR2500 to Kenwood TR 2500.</p>	<p>\$19.95</p>
<p>CAT , KVT4MX, TenTec transceivers with 4 pin screw on mic and 3.5mm external speaker jack, to Kantronic Dsub 9 pin 6 ft</p>	 <p>KVT4MX to Kantronic Dsub 9 pin.</p>	<p>\$19.95</p>
<p>CAT , KVXT, This is our cable model KVXT which is used to make the TinyTrak 6 ft</p>		<p>\$ 6.95</p>
<p>CAT , KVV227R, Kantronics 9 pin Dsub radio port to YAESU FT 227R transceivers with 5 pin DIN accessory I O and 3.5mm 6 ft</p>	 <p>KVV227R to YAESU FT 227R.</p>	<p>\$19.95</p>
<p>CAT , KVV2600, YAESU FT 2600 to Kantronics 1200 baud port DB9 KPC KPC3 KAM etc . 6 ft</p>	 <p>KVV2600 to Kantronics 1200 baud port.</p>	<p>\$19.95</p>







<p><u>CAT , KVV45, YAESU FT 2400, 2500 etc with RJ45 Mic to Kantronics VHF 1200 baud DE9 port. 6 ft</u></p>		<p>\$19.95</p>
<p><u>CAT , KVV4MX, YAESU transceivers with 4 pin screw on mic and 3.5mm external speaker jack, to Kantronic Dsub 9 pin VHF 6 ft</u></p>		<p>\$19.95</p>
<p><u>CAT , KVV5100, YAESU FT5100 and similar YAESU with 3.5mm Data I O to Kantronic KPC3, KPC9612, KAM98, KAMxl, KAMplus 6 ft</u></p>		<p>\$19.95</p>
<p><u>CAT , KVV8M, YAESU, 8 pin screw on mic to Kantronic 1200 baud port. 6 ft</u></p>		<p>\$19.95</p>
<p><u>CAT , KVV8MX, YAESU transceivers with 8 pin screw on mic and 3.5mm external speaker jack, to Kantronic Dsub 9 pin VHF 6 ft</u></p>		<p>\$19.95</p>
<p><u>CAT , KVVVX, YAESU FT 50, FT 40, FT 10, VX 1, VX 5 and similar HandHelds to KAM KPC3 VHF port. 6 ft</u></p>		<p>\$19.95</p>
<p><u>CAT , KW13DXP38, HAL DXP-38 to KENWOOD TS-2000 6 ft</u></p>		<p>\$27.95</p>

<p>CAT , KW13RY, Kenwood Transceivers with 13 pin DIN accy jack with RTTYFSK pin 6 ft</p>		<p>\$19.95</p>
<p>CAT , KW13RYR, Kenwood TS850 and KW Transceivers with 13 pin DIN accy and FSK Jack 6 ft</p>		<p>\$19.95</p>
<p>CAT , KW4013, Early KENWOOD HF Transceivers with 13 pin DIN accessory jack TS 930, 940, 440 6 ft</p>		<p>\$19.95</p>
<p>CAT , KW45, KENWOOD HF and VHF Transceivers with RJ45 MODULAR mic 6 ft</p>		<p>\$19.95</p>
<p>CAT , KW4M, KENWOOD HF Transceivers w4 pin screwon mic Ext Spkr jack 6 ft</p>		<p>\$19.95</p>
<p>CAT , KW4MIC, Hand Microphone, Kenwood 4 pin ScrewOn Mic 6 ft</p>		<p>\$15.97</p>
<p>CAT , KW5MX, Kenwood TR 7600, TR 7625 and Kenwoods with 5 pin ScrewOn Mic and 3.5mm Ext Spkr jack. 6 ft</p>		<p>\$19.95</p>

<p><u>CAT , KW6M, KENWOOD HF Transceivers with 6 pin screwon mic Ext Spkr jack 6 ft</u></p>		<p>\$19.95</p>
<p><u>CAT , KW8M, KENWOOD Transceivers with 8 pin ScrewOn mic and Ext Spkr I O 6 ft</u></p>		<p>\$19.95</p>
<p><u>CAT , KXL5D, KAMxl to transceivers with 5 pin DIN accessory jacks 6 ft</u></p>		<p>\$19.95</p>
<p><u>CAT , KXLD9TT5D, TenTec transceivers with 5 pin DIN data I O?to KAM xL DE9 HF port. 6 ft</u></p>		<p>\$19.95</p>
<p><u>CAT , KXLD9TT5DCW, TenTec transceivers with 5 pin DIN data I O to KAM xL DE9 HF port with CW key plug. 6 ft</u></p>		<p>\$19.95</p>
<p><u>CAT , KXLIC13RYCW, KAMxl to Icom transceivers with 13 pin DIN accessory jacks. 6 ft</u></p>		<p>\$24.97</p>
<p><u>CAT , KXLIC8FH, KAMxl to Icom transceivers with 8 pin DIN accessory jacks 6 ft</u></p>		<p>\$24.97</p>
<p><u>CAT , KXLK45A, KENWOOD transceivers with RJ45 Mic plug, and Rx audio at Mic jack, pin 7, 6 ft</u></p>		<p>\$19.95</p>

<p>CAT , KXLKW13RYCW, KAMxL to Kenwood transceivers with 13 pin DIN accessory jacks 6 ft</p>		<p>\$24.97</p>
<p>CAT , KXLMDIN, KAM xL to transceivers with the ISO standard 6 pin Mini DIN IO 6 ft</p>		<p>\$24.97</p>
<p>CAT , KXLORION, KAM XL to ORION and TenTec 565. Includes FSKRTTY, and CW. 6 ft</p>		<p>\$24.97</p>
<p>CAT , MID4MX, Midland Transceivers w4 pin screwon mic Ext Spkr jack 6 ft</p>		<p>\$19.99</p>
<p>CAT , OMNI, For TenTec transceivers with PTT, Tx IN, Rx IN RCA jacks 6 ft</p>		<p>\$19.95</p>
<p>CAT , OMNILM, For Late Model OMNI TenTec transceivers with FSK, PTT, Tx IN, Rx IN RCA jacks 6 ft</p>		<p>\$19.95</p>
<p>CAT , PICOI8M, Icom Transceivers with receive audio at pin 8 of the mic jack to PacComm PicoPacket TNC</p>		<p>\$19.95</p>

<p><u>CAT , PICOIC45X, Icom Transceivers with RJ45 microphone jack to PacComm PicoPacket TNC</u></p>		<p>\$19.95</p>
<p><u>CAT , PICOMDIN, Transceivers with 6 pin mini DIN ISO standard to PacComm PicoPacket TNC</u></p>		<p>\$19.95</p>
<p><u>CAT , PK96AL135, ALINCO DR 135 to AEA PK 96, and AEA PK 900 WIRED FOR 9600 bauds Operation! 6 ft</u></p>		<p>\$19.95</p>
<p><u>CAT , THK2TTDC, KENWOOD THK2 to TinyTrak 3. DC external power input. 6 ft</u></p>		<p>\$25.97</p>
<p><u>CAT , TT3024DC, TinyTrak tinks with fused, DC power to DB9 I O and interface 6 ft</u></p>		<p>\$25.95</p>
<p><u>CAT , TT3ADALKWDC, TinyTrak tinks with fused, DC power to DB9 I O and interface 6 ft</u></p>		<p>\$25.95</p>
<p><u>CAT , TT3HTX252DC, TinyTrak tinks with fused, DC power 6 ft</u></p>		<p>\$25.95</p>








<p><u>CAT , TT3IC45DC, TinyTrak3 to Icom transceivers with RJ 45 Mic IO 6 ft</u></p>	 <p>TinyTrak3 to Icom 2 pin transceivers with RJ45 Mic IO</p>	<p>\$25.95</p>
<p><u>CAT , TT3IC8MDC, TinyTrak tinks with fused, DC power 6 ft</u></p>	 <p>Icom transceivers with 8 pin DIN Mic IO</p>	<p>\$25.95</p>
<p><u>CAT , TT3KW45DC, TinyTrak 3 to Kenwood TM 261 and transceivers with RJ45 Tx and Rx I O with fused power connection. 6 ft</u></p>	 <p>Kenwood TM261 and 10VDC with RJ45 MIC JACK</p>	<p>\$25.95</p>
<p><u>CAT , TT3KW4MXDC, Kenwoods with 4 pin Mic and Rx AF OUT at Ext Spkr jack. DC external power input. 6 ft</u></p>	 <p>Kenwood TR 7400 MIC JACK</p>	<p>\$25.95</p>
<p><u>CAT , TT3MDINDC, TinyTrak tinks with fused, DC power 6 ft</u></p>	 <p>TinyTrak3 with power input at pin 6 (V)</p>	<p>\$25.95</p>
<p><u>CAT , TT3TR2500DC, TinyTrak 3 to Kenwood TR 2500, with fused, external power connection. 6 ft</u></p>	 <p>Kenwood TR-2500</p>	<p>\$25.95</p>








<p><u>CAT , Y8M, YAESU transceivers with 8 pin screwon mic input. 6 ft</u></p>		<p>\$19.95</p>
<p><u>CAT , 104PWRCBL, Monster power cable, number 10 RED and Black wire, 4 feet long. Heavyduty, polarized, connectors a</u></p>		<p>\$ 6.95</p>
<p><u>CAT , 3OUTMOV, Power line Surge and Spike Suppressor, with three Outlets, and all three are MOV protected.</u></p>		<p>\$ 3.95</p>
<p><u>CAT , 3OUTMOVX10, Ten, Power line Surge and Spike Suppressors, with three Outlets, and all three are MOV protected.</u></p>		<p>\$29.95</p>
<p><u>CAT , AG13, Button Batteries, Equivalent to 357A, L1154, LR44, PX76A, AG13, and more. 4 for .99</u></p>		<p>\$ 0.99</p>
<p><u>CAT , AGC10, 10 Amp fuse 5 per Pak</u></p>		<p>\$ 0.99</p>

<u>CAT , AGC15, 15 Amp fuse 5 per Pak</u>		\$ 0.99
<u>CAT , AGC20, 20 Amp fuse 5 per Pak</u>		\$ 0.99
<u>CAT , AGC25, 25 Amp fuse 5 per Pak</u>		\$ 0.99
<u>CAT , AGC5, 5 Amp fuse 5 per Pak</u>		\$ 0.99
<u>CAT , AGU30, AGU FUSES</u> <u>These are the BIG ones !</u>		\$ 0.99
<u>CAT , AGU40, AGU FUSES</u> <u>These are the BIG ones !</u>		\$ 0.99

<p><u>CAT , AGU50, AGU FUSES</u> <u>These are the BIG ones !</u></p>		<p>\$ 0.99</p>
<p><u>CAT , AGU60, AGU FUSES</u> <u>These are the BIG ones !</u></p>		<p>\$ 0.99</p>
<p><u>CAT , AGU80, AGU FUSES</u> <u>These are the BIG ones !</u></p>		<p>\$ 0.99</p>
<p><u>CAT , AGUBFFH, AGU FUSE</u> <u>HOLDER with mounting bracket</u> <u>built onto base for easy mounting.</u></p>		<p>\$ 9.95</p>
<p><u>CAT , ATC15, 15 Ampere, ATC</u> <u>Blade Fuses 4 for .99</u></p>		<p>\$ 0.99</p>

<u>CAT , ATC25, 25 Ampere, ATC Blade Fuses 4 for .99</u>		\$ 0.99
<u>CAT , ATC3, 3 Ampere, ATC Blade Fuses 4 for .99</u>		\$ 0.99
<u>CAT , ATC35, 35 Ampere, ATC Blade Fuses 4 for .99</u>		\$ 0.99
<u>CAT , ATC40, 40 Ampere, ATC Blade Fuses 4 for .99</u>		\$ 0.99
<u>CAT , ATC5, 5 Ampere, ATC Blade Fuses 4 for .99</u>		\$ 0.99
<u>CAT , BH321B, BATTERY HOLDER FOR 2 x AA CELL with SnapTerminals</u>		\$ 0.69

<u>CAT , BH331A, BATTERY HOLDER FOR 3 x AA CELLS WITH LEADS</u>		\$ 0.69
<u>CAT , BH9V, BATTERY HOLDER FOR 1 x 9V CELL</u>		\$ 0.69
<u>CAT , CB10, Power cable for ICOM 2000 and transceivers with similar POWER input connector</u>		\$16.97
<u>CAT , CB2, CB2 is two wire, 2 socket, with inline fuse holder. Dimple keyed to preserve polarity.</u>		\$ 2.95
<u>CAT , CB2CMT, Chassi mount mate to CB2 or CB2P. Solder plug pin post, and keyed with dimple to preserve polarity</u>		\$ 0.99
<u>CAT , CB2P, CB2P Same as CB2, except has cigarette lighter plug</u>		\$ 3.95
<u>CAT , CB4, CB4 is three wire, 3 socket, with inline fuse holder. One side is point keyed to preserve polarity.</u>		\$ 2.95

<u>CAT , CB4P, CB4P is same as CB4, except has added cigarette lighter plug.</u>		\$ 2.95
<u>CAT , CB5, CB5 is three wire, 3 pin socket, white three pinsocket connector with inline fuse holder.</u>		\$ 2.95
<u>CAT , CB5P, CB5P is three wire, 3 pin socket, white three pinsocket connector with inline fuse holder, and cigarette</u>		\$ 3.95
<u>CAT , CB6, CB6 is two wire, 3 pin socket, white three pinsocket connector with inline fuse holder.</u>		\$ 2.95
<u>CAT , CB6P, CB5P is two wire, 3 pin socket, white three pinsocket connector with cigarette lighter plug.</u>		\$ 3.95
<u>CAT , CB8, For Kenwood TS450, 2000 etc, Icom 706 etc. ALINCO DX70, RCI2970, and transceivers with similar POWER input</u>		\$14.97
<u>CAT , CB9, Power cable for Uniden HR2510 and transceivers with similar POWER input connector.</u>		\$16.97








<u>CAT , CIGCLIP, Field Day, or for the RV, here is a cigarette lighter receptacle with battery clips attached. Power a</u>		\$ 1.95
<u>CAT , CR2032C, 5 Pcs, LITHIUM three volt 3.0V230mAh</u>		\$ 2.89
<u>CAT , DCJ121, DC POWER JACK, 2.1 MM. 2 for 99 cents</u>		\$ 0.99
<u>CAT , DCJ123, DC POWER JACK, 2.5 MM. 2 for 99 cents</u>		\$ 0.99
<u>CAT , FH20AGC, AGC `standard` FUSE Holder with number 12 wire</u>		\$ 1.97
<u>CAT , FHAGU8, Large AGU fuse holder, and 20 inches of 8 wire</u>		\$ 4.97









<p><u>CAT , HDAFH, Heavy Duty automotive, ATC blade type FuseHolder</u></p>		<p>\$ 1.99</p>
<p><u>CAT , HDAFH10, Heavy Duty automotive, ATC blade type FuseHolder with weather proof cover. 10 for 16.95</u></p>		<p>\$16.95</p>
<p><u>CAT , IC1, T type MALE and FEMALE, DC Input connector for late model ICOM, Radio Shack, ALINCO and similar power i</u></p>		<p>\$ 4.95</p>
<p><u>CAT , IC2000, ICOM POWER CABLE, and connectors.</u></p>		<p>\$14.95</p>
<p><u>CAT , OOPSCONN, These connectors are sold `as is` and we are not responsible..</u></p>		<p>\$ 0.99</p>
<p><u>CAT , PLUGC3, 12V TWIN CAR CIGARETTE LIGHTER SOCKET WITH LED INDICATOR TO SHOW POWER READY.</u></p>		<p>\$ 6.95</p>
<p><u>CAT , PSSMV11U, This travel charger offers a convenient way of recharging your mobile phone battery, MP3 player, PDA</u></p>		<p>\$16.89</p>







<u>CAT , PWRJAK, Heavy-Duty Power Input Jack. Same size as the power input jack on most Packet Radio TNCees and Kanthro</u>		\$ 0.99
<u>CAT , PWRJAK2, Power Connector, Cable and Jack combo.</u>		\$ 1.95
<u>CAT , PWRJAK3, Same size and type as the power input jack on most MFJ etc TNC and Kantronic KPCKAM. Mounting hardwar</u>		\$ 0.99
<u>CAT , RG317, This Curly power cord has the three (3) most popular power plug adapters that fit most Radar Detectors.</u>	<p>WITH 1.3mm, 2.1mm, 2.5mm ENDS</p> <p>Instructions:</p> <ol style="list-style-type: none"> 1. Select the plug that fits securely into external power jack of your unit. (Refer to Plug Compatibility above.) 2. Determine the TIP polarity required and insert plug (matching + or - side to TIP output). Ensure that you have made the correct polarity connection. Powering the unit with the incorrect polarity could result in permanent damage to unit. 3. Insert plug into external power jack of your unit. 4. Plug cord into cigarette lighter jack. Turn unit on. Note: If unit does not turn on, immediately disconnect cord. Check TIP polarity connection and fuse located in cigarette lighter plug (unscrew end). If necessary, replace with 2A fuse. 5. Unplug unit after use. BUXCOMM Corp. is not responsible for damage due to product misuse. 	\$ 8.95
<u>CAT , SOCB8, HAM Transceiver, DC connector only, Less cable fuse holder.</u>		\$ 4.97
<u>CAT , SOCB8X10, DC connector only, for many Kenwood, Alinco, Icom, and YAESU transceivers.</u>	<p>(C) BUX COMM KW2K 1995-2004</p> 	\$34.89
<u>CAT , WPFH, Water Proof Fuse Holder, Ideal for Boats, and harbor power.</u>		\$ 2.97
<u>CAT , 20, Various handheld transceivers with 2.5mm and 3.5mm I O jacks</u>		\$19.95
<u>CAT , 2020, SGC model SG2020 This interface extracts receive audio from Mic pin 6</u>	<p>8-PIN MICROPHONE</p>  <p>Ext Spkr</p>	\$19.95

<p><u>CAT , 150552, DB9 Switchbox, Ideal For RASCAL GLX to To PC serial comport with DB9 connectors.</u></p>		<p>\$ 9.95</p>
<p><u>CAT , 1000D, YAESU FT1000D Transceiver PSK31 Interface cable 6 ft</u></p>		<p>\$19.95</p>
<p><u>CAT , 1000MP, YAESU FT1000MP Transceiver PSK31 Interface cable 6 ft</u></p>		<p>\$19.95</p>
<p><u>CAT , 2004CD, 2006 CD ROM for the Amateur Radio Operator, Price includes shipping.</u></p>		<p>\$ 6.95</p>
<p><u>CAT , 40DBPAD, Use this 40 db attenuator between RASCAL out, and sound card MIC IN 6 ft</u></p>		<p>\$ 7.97</p>
<p><u>CAT , 5D4RCA, Five 5 pin DIN to 4 RCA male plugs. 3 ft</u></p>		<p>\$19.95</p>








<p><u>CAT , 5D6MF, Six 6 ft, 5 pin DIN, male to female RASCAL Extender cable. 6 ft</u></p>		<p>\$ 4.95</p>
<p><u>CAT , 5D75767, YAESU FT 757 FT 767 RCA accessory jacks to 5 pin DIN TNC. 6 ft</u></p>		<p>\$19.95</p>
<p><u>CAT , 5DRADIUS, Motorola RADIUS TNC2, 6 ft</u></p>		<p>\$19.95</p>
<p><u>CAT , 5PD, TenTec with 5 pin DIN data I O accessory jack PEGASUS, Jupiter, 538 6 ft</u></p>		<p>\$19.95</p>
<p><u>CAT , 746V, Icom IC746, uses both 8 pin DIN and 7 Pin DIN for VHF and UHF operation 6 ft</u></p>		<p>\$19.95</p>
<p><u>CAT , 847HF, YAESU FT 847 3.5mm HF Data I O HF jack 6 ft</u></p>		<p>\$19.97</p>









<p><u>CAT , AK8M, 8 pin ScrewOn RASCAL to RADIO cable 6 ft</u></p>		<p>\$19.95</p>
<p><u>CAT , AL135, Alinco DR135 and Radios with similar I O 6 ft</u></p>		<p>\$19.95</p>
<p><u>CAT , AL45, Alinco Radios with RJ45 Mic I O 6 ft</u></p>		<p>\$19.95</p>
<p><u>CAT , AL6A, 8 pin ScrewOn connector with RxAF at pin 6 6 ft</u></p>		<p>\$19.95</p>
<p><u>CAT , AL8M, Alinco 8 pin screw on mic Ext Spkr I O 6 ft</u></p>		<p>\$19.95</p>
<p><u>CAT , AZMX, RASCAL GLX or 5 pin DIN TNC to AZDEN radios with 8 pin ScrewOn mic and Ext Spkr jack 6 ft</u></p>		<p>\$19.95</p>
<p><u>CAT , C2020, Sound Card Input - Output cable to interface RASCAL GLX to HAM Radio Transceiver 6 ft</u></p>		<p>\$19.95</p>

<u>CAT , CADK8MX, Sound Card Input - Output cable to interface RASCAL GLX to HAM Radio Transceiver 6 ft</u>		\$19.95							
<u>CAT , CAL120T, Sound Card Input - Output cable to interface RASCAL GLX to HAM Radio Transceiver 6 ft</u>		\$19.95							
<u>CAT , CAL135, Sound Card Input - Output cable to interface RASCAL GLX to HAM Radio Transceiver 6 ft</u>		\$19.95							
<u>CAT , CAZ8MX, Sound Card Input - Output cable to interface RASCAL GLX to HAM Radio Transceiver 6 ft</u>		\$19.95							
<u>CAT , CBL083, This six ft cable uses the same 240 degree, 6 pin DIN connector as CA083. The DIN PLUG is wired with 6 ft</u>		\$ 4.95							
<u>CAT , CBLMDIN, If your transceiver has this Data I O jack 6 pin Mini DIN, then consider using the CBL MDIN RASCAL GLX 6 ft</u>	 <table><tr><th>PIN #/NAME</th></tr><tr><td>① DATA IN</td></tr><tr><td>② GND</td></tr><tr><td>③ PTT</td></tr><tr><td>④ DATA OUT</td></tr><tr><td>⑤ AF OUT</td></tr><tr><td>⑥ SQ</td></tr></table>	PIN #/NAME	① DATA IN	② GND	③ PTT	④ DATA OUT	⑤ AF OUT	⑥ SQ	\$19.95
PIN #/NAME									
① DATA IN									
② GND									
③ PTT									
④ DATA OUT									
⑤ AF OUT									
⑥ SQ									
<u>CAT , CMDIN, Sound Card Input - Output cable to interface RASCAL GLX to HAM Radio Transceiver 6 ft</u>		\$19.95							
<u>CAT , CW, RASCAL to transceiver cable for hardkeyed CW operating 6 ft</u>		\$19.95							








<p><u>CAT , FT2500, YAESU FT 2500M</u> <u>2400 Yaesu transceivers with</u> <u>similar I O 6 ft</u></p>	<p>CBL FT2500+</p>  <p>YAESU FT-2500 *** Looking into Mic Jack.</p> <p>5 PIN DIN (MALE) CONNECTOR</p>	<p>\$19.95</p>
<p><u>CAT , FT2600, YAESU FT 2600</u> <u>Dsub DE9 to RASCAL 5 pin DIN</u> <u>6 ft</u></p>	<p>CBL 2600+</p>  <p>Be sure the FT-2600 is configured for 1200 bauds Packet operation.</p>	<p>\$19.95</p>
<p><u>CAT , FT4RY, YAESU</u> <u>transceivers with 4 pin DIN RTTY</u> <u>jacks 6 ft</u></p>	<p>CBL FT4FSK+</p>  <p>4 pin DIN (Male) Solder Side View (RTTY)</p>	<p>\$19.95</p>
<p><u>CAT , FT600, YAESU FT 736, FT</u> <u>600, FT 890, Late Model FT 900.</u> <u>3.5mm HF Data I O HF jack 6 ft</u></p>	 <p>FT-600, FT-736, FT-890, and YAESU transceivers with similar data I/O & PTT jacks.</p>	<p>\$19.95</p>
<p><u>CAT , FT847HF, YAESU FT847</u> <u>3.5mm HF Data IO HF jack 6 ft</u></p>	<p>CBL FT847HF</p>  <p>YAESU FT-847 HF jack "Data In/Out"</p>	<p>\$19.95</p>
<p><u>CAT , FT900, YAESU FT900 and</u> <u>Yaesu transceivers with similar IO</u> <u>6 ft</u></p>	 <p>FT-600, FT-736, FT-890, and YAESU transceivers with similar data I/O & PTT jacks. To MFJ, PacComm, and AEA, PK-12, PK-96, PK-900, and PK-2232.</p>	<p>\$19.95</p>








<u>CAT , GLXBU, RASCAL GLXBU</u> <u>RASCAL with both serial and USB</u> <u>control</u>		\$59.95
<u>CAT , GLXU, RASCAL GLXU</u> <u>RASCAL with both serial and USB</u> <u>control. Choose COLOR, Black or</u> <u>White at PURCHASE screen.</u>		\$59.95
<u>CAT , GLXW, RASCAL GLX</u> <u>Wired and Tested, BUX White</u> <u>Knight, soundcard to transceiver</u> <u>interface.</u>		\$39.95
<u>CAT , GLXWU, RASCAL</u> <u>GLXWU RASCAL with both</u> <u>Serial and USB control.</u>		\$59.95
<u>CAT , HTX10, Radio Shack</u> <u>HTX10 6 ft</u>		\$19.95
<u>CAT , HTX100, Radio Shack</u> <u>Model HTX100 6 ft</u>		\$19.95
<u>CAT , HTX242, Radio Shack</u> <u>Model HTX212, and HTX242 with</u> <u>RS 45 mic I O 6 ft</u>		\$19.95

<p>CAT , HTX252, Radio Shack HTX252 6 ft</p>	<p>CBL RS252</p> 	<p>\$19.95</p>
<p>CAT , HTX252X235, Radio Shack HTX252, to AMI2 EchoLink interface box.</p>	<p>CBL RS252</p> 	<p>\$19.95</p>
<p>CAT , I8MX, ICOM HF, VHF,UHF?Transceivers w8 pin ScrewOn MIC Ext Spkr jack. 6 ft</p>		<p>\$19.95</p>
<p>CAT , I8PDRY, RASCAL to Late model Icom Transceiver that use both the 8 pin DIN and 7 pin DIN, of the 746, 756 PRO 6 ft</p>	<p>CBL IC8PDRY+</p> 	<p>\$19.95</p>
<p>CAT , IC13HVURY, Icom, 706 MK II G to RASCAL GLX enables HF, VHF, UHF, PSK, SSTV, Packet, RTTY FSK..etc 6 ft</p>	<p>Transmit AFSK</p> 	<p>\$29.95</p>
<p>CAT , IC13RY, ICOM Transceivers with 13 pin DIN accessory jack w FSK pin. Wired for 1606 meter HF use. 6 ft</p>	<p>Transmit AFSK</p> 	<p>\$19.99</p>
<p>CAT , IC13VU, ICOM Transceivers with 13 pin DIN accessory jack wired for VHFUHF operation 6 ft</p>	<p>CBL IC13"VU"</p> 	<p>\$19.95</p>

<p><u>CAT , IC45, ICOM HF, VHF, and UHF transceivers with RJ45 Modular Mic jacks 6 ft</u></p>	 <p>CBL IC45+</p> <p>5 PIN DIN MALE CONNECTOR</p>	<p>\$19.95</p>
<p><u>CAT , IC4M, ICOM HFVHF Transceivers with 4 pin screw on mic and 3.5mm Ext Spkr 6 ft</u></p>	 <p>CBL IC4M+</p> <p>ICOM 4 PIN MIC MODELS</p>	<p>\$19.95</p>
<p><u>CAT , IC8AF, ICOM transceivers with 8 pin mics with receive AF at pin 8 AEA PK 232 6 ft</u></p>	 <p>CBL IC8MAF+</p>	<p>\$19.95</p>
<p><u>CAT , IC8M, ICOM HF, VHF, UHF Transceivers w 8 pin Screw On MIC Ext Spkr jack. 6 ft</u></p>	 <p>5 PIN DIN TO TNC</p> <p>8 PIN MICROPHONE PLUG</p>	<p>\$19.95</p>
<p><u>CAT , IC8MX, ICOM HF, VHF, UHF Transceivers w 8 pin Screw On MIC Ext Spkr jack. 6 ft</u></p>	 <p>6 FT</p> <p>8 PIN DIN MALE</p> <p>8 PIN MICROPHONE PLUG</p>	<p>\$19.95</p>
<p><u>CAT , IC8MXKH, Icom transceivers with 8 pin screw on mic 3.5mm Ext Spkr jack to KAM KAM HF port. 6 ft</u></p>	 <p>8 PIN DIN TO TNC</p> <p>8 PIN MICROPHONE PLUG</p>	<p>\$19.95</p>
<p><u>CAT , IC8PD, ICOM HF , VHF, UHF Transceivers with 8 pin DIN accessory jack 6 ft</u></p>	 <p>CBL IC8PDV+</p> <p>ICOM 8 pin DIN data I/O</p>	<p>\$19.95</p>
<p><u>CAT , IRS45, RASCAL MIC Switch for transceivers without an accessory jack. 6 ft</u></p>		<p>\$29.95</p>

<p><u>CAT , IRS8, RASCAL MIC</u> Switch for transceivers without an accessory jack. 6 ft</p>		<p>\$29.95</p>
<p><u>CAT , ISO, This PCB is the same PCB I use to construct the original PSK31 and SSTV sound card ISO RASCAL.</u></p>		<p>\$ 0.95</p>
<p><u>CAT , ISO5PD, Alternate ISO-KIT? wired to 5 pin DIN Jack enables using the RASCAL? GLK cables</u></p>		<p>\$19.99</p>
<p><u>CAT , ISOKIT, The original 1998 PSK31 RASCAL. Sound Card Interface KIT.</u></p>		<p>\$16.95</p>
<p><u>CAT , ISOL8R, For the Sound Card LINE OUT, to reduce Transmit audio Noise and HUM</u></p>		<p>\$ 9.97</p>
<p><u>CAT , ISOL8RX2, One for SoundCard INPUT and one for SoundCard OUTPUT, for complete isolation</u></p>		<p>\$17.97</p>
<p><u>CAT , ISOPCB, This PCB is the same PCB I use to construct my PSK31 and SSTV sound card interface RASCAL.</u></p>		<p>\$ 0.95</p>
<p><u>CAT , ISOPCBX10, This PCB is the same PCB I use to construct the original PSK31 and SSTV sound card ISO RASCAL.</u></p>		<p>\$ 9.00</p>

<p><u>CAT , ISOPCBX20, This PCB is the same PCB I use to construct the original PSK31 and SSTV sound card ISO RASCAL.</u></p>	 <p>ISOKit includes all parts and cables. Package includes one (1) FREE ASCII to Transceiver Cable. Select RASCAL ISOKit and CBL from listing below (this page) while supply lasts.</p> <p>ISOKit List: ISO KIT \$19.95 RASCAL ISOKIT \$29.95</p>	<p>\$16.95</p>
<p><u>CAT , JST245, Kantronics DE9 to Japanese Radio Corp, model JST245</u></p>		<p>\$19.95</p>
<p><u>CAT , KRS4, RASCAL to MIC switch for Kenwood with 4 pin Screw On mic, and 3.5mm Ext Spkr jack.</u></p>		<p>\$29.95</p>
<p><u>CAT , KRS8, RASCAL MIC Switch for transceivers without an accessory jack.</u></p>		<p>\$29.95</p>
<p><u>CAT , MDIN, The ISO 9001 standard accessory port, 6 pin Mini DIN now employed with many transceivers as the data inp</u></p>		<p>\$19.95</p>
<p><u>CAT , MDIN480, Sound Card Input Output 3.5mm to 6 pin Mini DIN jack on KENWOOD TS 480</u></p>		<p>\$19.95</p>
<p><u>CAT , MX7S, RASCAL to Mizuho MX7S</u></p>		<p>\$19.95</p>

<p>CAT , NDXLAB, Index Laboratories QRP transceiver with 3.5mm microphone jack, and 3.5mm AF Out connector to TNCEes w</p>		<p>\$19.95</p>
<p>CAT , ORION, TenTec Orion transceivers with AUX I/O, 8 pin DIN jack.</p>		<p>\$19.95</p>
<p>CAT , QRP, INDEX LABS QRP</p>		<p>\$19.95</p>
<p>CAT , R5DMX, RASCAL GLX and Cable and Plug to RASCAL end, other end is open and preped for solder connection to radi</p>		<p>\$39.95</p>
<p>CAT , RASCAL25X, RASCAL GLX EXTENDER KIT</p>		<p>\$ 9.95</p>
<p>CAT , RCI6, RCI radios w 6 pin screwon MIC and 3.5mm ext spkr jacks</p>		<p>\$19.95</p>
<p>CAT , RRADIUS, RRADIUS RASCAL to Motorola Radius RJ45 Mic I/O</p>		<p>\$39.95</p>






CAT , RXK, RASCAL TO PC SoundCard EXTENDER KIT		\$ 4.99
CAT , SBE34, SIDEBAND ENGINEERS model SBE 34		\$19.95
CAT , SOCHOKEX10, NOISESUPPRESSOR, Snaptogether, Ferrite Choke... and RFI is history.		\$27.95
CAT , THF6, KENWOOD HandHeld Transceivers with 3.5mm and 2.5mm stereo I O		\$19.95
CAT , TPINK, Be sure to indicate your FREE cable model number in the CBL MODEL space on the form when you CHECK-OUT.		\$27.95
CAT , TR7, Drake 4 pin Mic with 3.5mm Ext Spkr jack		\$19.95
CAT , TT25, TenTec transceivers with 1 4 inch Mic and Ext Spkr jacks		\$19.95

<u>CAT , TT4M, TenTec transceivers w4 pin screwon mic 1 4 Ext Spkr IO</u>		\$19.95
<u>CAT , UDEN5M, UNIDEN and some HR2510 with 5 pin ScrewOn Mic and Ext Spkr jack.</u>		\$19.95
<u>CAT , USB2SC, ADD A SERIAL comport to your PC or laptop without removing it from the case</u>		\$23.95
<u>CAT , YRS4, TNC/MIC Switches for transceivers that do not have an accessory jack.</u>		\$29.95
<u>CAT , YRS8, RASCAL MIC Switch for transceivers without an accessory jack.</u>		\$29.95
<u>CAT , YX, YAESU hand held transceivers with 4 circuit, 3.5mm?I O jack.</u>		\$19.95
<u>CAT , 75767, For Collins, TenTec and Yaesu radios with RCA jacks</u>		\$19.95

<p><u>CAT , R1000D, R1000D YAESU FT-1000& 34D& 34 Transceiver PSK31 Interface cable. & 34NOTE& 34 Receive AF is at & 3</u></p>		<p>\$39.95</p>
<p><u>CAT , R1000MP, R1000MP YAESU FT-1000& 34MP& 34 & Mark V Field, Transceiver PSK31 Interface cable & 34NOTE& 34 Rece</u></p>		<p>\$39.95</p>
<p><u>CAT , R20, R20 RASCAL GLX and FREE Cable ICOM,</u></p>		<p>\$39.95</p>
<p><u>CAT , R2020, R2020 SGC model SG-2020</u></p>		<p>\$39.95</p>
<p><u>CAT , R5PD, R5PD Ten-Tec with 5 pin DIN data I/O accessory jack</u></p>		<p>\$39.95</p>






<p><u>CAT , R75767, R75767 YAESU, Collins and transceivers with Patch IN, Patch OUT, and PTT RCA jacks</u></p>		<p>\$39.95</p>
<p><u>CAT , R847HF, R847HF YAESU FT-847 3.5mm HF Data I/O HF jack</u></p>		<p>\$39.95</p>
<p><u>CAT , RAK8M, RAK8M Alinco and Kenwood with ScrewOn 8 pin mics with 3.5mm Ext Spkr</u></p>		<p>\$39.95</p>
<p><u>CAT , RAL135, RAL135 RASCAL GLX for Alinco DR-135 DataRadio</u></p>		<p>\$39.95</p>
<p><u>CAT , RAL45, RAL45 RASCAL for ALINCO DR-140, DR-605, and ALINCOs with modular RJ45 Mic Jacks.</u></p>		<p>\$39.95</p>






<p><u>CAT , RAL6A, RAL6A RASCAL GLX for Alinco 8 pin screw-on mic with receive at pin 6 of Mic I/O.</u></p>		<p>\$39.95</p>
<p><u>CAT , RAL8M, RAL8M For ALINCO, ADI, and KENWOOD Transceivers with 8 pin Screw-On mic & Ext Spkr Jack</u></p>		<p>\$39.95</p>
<p><u>CAT , RAL8MX, RAK8M for ALINCO transceivers with 8 pin Mic and Ext Spkr jack</u></p>		<p>\$39.95</p>
<p><u>CAT , RAZMX, RAZMX RASCAL for AZDEN transceivers with 8 pin screw-on mic and 3.5mm Ext Spkr plug</u></p>		<p>\$39.95</p>
<p><u>CAT , RCW, RCW RASCAL to transceivers with 0.25inch CW jack for hard-keyed CW operating</u></p>		<p>\$39.95</p>

<u>CAT , RDJ25S, RDJ25S RASCAL for DJ-120, DJ-160/460, DJ-100, DJ-120 DJ-200 DJ-500, DJ-C1T, C4T, C5T,</u>		<p>\$39.95</p>
<u>CAT , RFT2500, RFT2500 YAESU FT-2500M 2400 & Yaesu transceivers with similar I/O</u>		<p>\$39.95</p>
<u>CAT , RFT2600, RFT2600 YAESU FT-2600 & Yaesu transceivers with DB9f I/O</u>		<p>\$39.95</p>
<u>CAT , RFT2800, RFT2800 YAESU FT-2800 & Yaesu transceivers with RJ 12 Mic & 3.5mm Ext Spkr</u>		<p>\$39.95</p>
<u>CAT , RFT4RY, RFT4RY YAESU transceivers with 4 pin DIN RTTY jacks</u>		<p>\$39.95</p>

<p>CAT , RFT600, RFT600 YAESU FT-736, FT-600, FT-890, & Late Model FT-900. 3.5mm HF Data I/O HF jack PTT is via RCA</p>		<p>\$39.95</p>
<p>CAT , RFT900E, RFT900E Early model YAESU FT-900 and Yaesu transceivers with similar I/O</p>		<p>\$39.95</p>
<p>CAT , RFT90R, RFT90R YAESU FT-90R,</p>		<p>\$39.95</p>
<p>CAT , RFT990, RFT990 YAESU FT-990 and Yaesu transceivers with similar I/O For FSK/RTTY operation, Use cable RFT4RY</p>		<p>\$39.95</p>
<p>CAT , RHTX10, RHTX10 Radio Shack HTX-10</p>		<p>\$39.95</p>

<u>CAT , RHTX100, RHTX100 Radio Shack Model HTX-100</u>		\$39.95
<u>CAT , RHTX242, RHTX242 Radio Shack Model HTX-212, and HTX-242 or RS 45</u>		\$39.95
<u>CAT , RHTX252, RHTX252 Radio Shack HTX-252</u>		\$39.95
<u>CAT , RIC13RY, RIC13RY ICOM Transceivers with 13 pin DIN accessory jack w/ FSK pin. Wired for 160-6 meter (HF) us</u>		\$39.95
<u>CAT , RIC13VU, RIC13VU ICOM Transceivers with 13 pin DIN accessory jack</u>		\$39.95

<u>CAT , RIC45, RIC45 ICOM HF, VHF, and UHF transceivers with RJ-45 Modular Mic jacks</u>		\$39.95
<u>CAT , RIC4M, RIC4M ICOM HF-VHF Transceivers with 4 pin screw-on mic & Ext Spkr</u>		\$39.95
<u>CAT , RIC4MX, CAT RIC4MX ICOM HF-VHF Transceivers with 4 pin screw-on mic & Ext Spkr</u>		\$39.95
<u>CAT , RIC8MX, RIC8MX ICOM HF, VHF,/UHF Transceivers w/8 pin Screw-On MIC & Ext Spkr jack. Icom transceivers with 8</u>		\$39.95
<u>CAT , RIC8PD, RIC8PD ICOM HF-, Transceivers with 8 pin DIN accessory jack</u>		\$39.95

<p><u>CAT , RJST245, RJST245 Japnese Radio Corp, model & 34JST-245& 34</u></p>		<p>\$39.95</p>
<p><u>CAT , RKDK4MX, RKDK4MX KDK Transceivers w/4 pin screw-on mic & Ext Spkr jack</u></p>		<p>\$39.95</p>
<p><u>CAT , RKW13RY, RKW13RY Kenwood Transceivers with 13 pin DIN accy jack. w/ FSK & 34pin.& 34</u></p>		<p>\$39.95</p>
<p><u>CAT , RKW13RYR, RKW13RYR Kenwood TS-850 and KW Transceivers with 13 pin DIN accy and & 34FSK RCA Jack& 34</u></p>		<p>\$39.95</p>
<p><u>CAT , RKW4013, RKW4013 Early KENWOOD HF Transceivers with 13 pin DIN accessory jack TS-940, 440..</u></p>		<p>\$39.95</p>


<p><u>CAT , RKW45, RKW45</u> <u>KENWOOD HF and VHF</u> <u>Transceivers with (RJ45)</u> <u>MODULAR mic</u></p>		<p>\$39.95</p>
<p><u>CAT , RKW4M, RKW4M</u> <u>KENWOOD HF Transceivers w/4</u> <u>pin screw-on mic & Ext Spkr jack</u></p>		<p>\$39.95</p>
<p><u>CAT , RKW5MX, RKW5MX</u> <u>Kenwood TR 7600, TR 7625 and</u> <u>Kenwoods with with 5 pin Screw-</u> <u>On Mic and 3.5mm Ext Spkr jack.</u></p>		<p>\$39.95</p>
<p><u>CAT , RKW6M, RKW6M</u> <u>KENWOOD HF Transceivers with</u> <u>6 pin screw-on mic & Ext Spkr</u> <u>jack</u></p>		<p>\$39.95</p>
<p><u>CAT , RKW8M, RKW8M</u> <u>KENWOOD Transceivers with 8</u> <u>pin Screw-On mic & Ext Spkr I/O</u></p>		<p>\$39.95</p>

<u>CAT , RMDIN, RMDIN RASCAL GLX and FREE Cable MDIN.</u>	 <table><tr><th>PIN #/NAME</th></tr><tr><td>① DATA IN</td></tr><tr><td>② GND</td></tr><tr><td>③ PTT</td></tr><tr><td>④ DATA OUT</td></tr><tr><td>⑤ AF OUT</td></tr><tr><td>⑥ SQ</td></tr></table>	PIN #/NAME	① DATA IN	② GND	③ PTT	④ DATA OUT	⑤ AF OUT	⑥ SQ	\$39.95
PIN #/NAME									
① DATA IN									
② GND									
③ PTT									
④ DATA OUT									
⑤ AF OUT									
⑥ SQ									
<u>CAT , RMID4MX, RMID4MX Midland Transceivers w/4 pin screw-on mic & Ext Spkr jack</u>		\$39.95							
<u>CAT , ROMNI, ROMNI For Ten- Tec transceivers with; PTT, Tx IN, Rx IN RCA jacks:</u>		\$39.95							
<u>CAT , RORION, RORION Ten- Tec ORION (565)</u>		\$39.95							
<u>CAT , RORP, RORP INDEX LABS QRP+</u>		\$39.95							
<u>CAT , RRCI6, RRCI6 RCI 5054 and RCI radios with 6 pin screw-on MIC</u>		\$39.95							






<p><u>CAT , RSBE34, RSBE34 SIDEBAND ENGINEERS model SBE 34</u></p>		<p>\$39.95</p>
<p><u>CAT , RTHF6, RTHF6 KENWOOD HandHeld Transceivers with 3.5mm & 2.5mm & 34stereo& 34 I/O</u></p>		<p>\$39.95</p>
<p><u>CAT , RTR7, RTR7 DRAKE 4 pin screw-on mic with 3.5mm (1/8& 34) Ext Spkr jack</u></p>		<p>\$39.95</p>
<p><u>CAT , RTT25, RTT25 DRAKE TR-4, TR-4C, TR-4CW, and TR-6 radios.</u></p>		<p>\$39.95</p>
<p><u>CAT , RTT4M, RTT4M Ten-Tec transceivers w/4 pin screw-on mic & 1/4& 34 Ext Spkr I/O</u></p>		<p>\$39.95</p>

<p><u>CAT , RUNIDEN5MX, RUNIDEN5MX UNIDEN and some HR2510 with 5 pin Screw-On Mic and Ext Spkr jack.</u></p>		<p>\$39.95</p>
<p><u>CAT , RY4M, RY4M YAESU transceivers with 4 pin (screw-on) mic input</u></p>		<p>\$39.95</p>
<p><u>CAT , RY8M, RY8M YAESU transceivers with 8 pin (screw-on) mic input.</u></p>		<p>\$39.95</p>
<p><u>CAT , RYX, RYX YAESU hand-held transceivers with 4 circuit, 3.5mm I/O jack.</u></p>		<p>\$39.95</p>
<p><u>CAT , IC4SO, ISO Kit with ICOM 4 pin, screw-on MIC I-0</u></p>		<p>\$16.96</p>

<u>CAT , R1000DK, R1000DK YAESU FT-1000& 34D& 34 Transceiver PSK31 Interface cable.</u>				\$29.95
<u>CAT , R1000MPK, R1000MPK YAESU FT-1000& 34MP& 34 & Mark V Field, Transceiver PSK31 Interface cable</u>				\$29.95
<u>CAT , R2020K, R2020K SGC model SG-2020</u>				\$29.95
<u>CAT , R20K, R20K RASCAL GLX and FREE CableICOM,</u>				\$29.95
<u>CAT , R5PDK, R5PDK Ten-Tec with 5 pin DIN data I/O accessory jack</u>				\$29.95

<u>CAT , R75767K, R75767K YAESU, Collins and transceivers with Patch IN, Patch OUT, and PTT RCA jacks</u>		\$29.95
<u>CAT , R847HFK, R847HFK For Yaesu FT-847 & 34HF& 34 Data Jack</u>		\$29.95
<u>CAT , RAK8MK, RAK8MK For ALINCO, ADI, and KENWOOD Transceivers with 8 pin Screw-On mic & Ext Spkr Jack</u>		\$29.95
<u>CAT , RAL135K, RAL135K RASCAL GLX for Alinco DR-135 DataRadio</u>		\$29.95
<u>CAT , RAL45K, RAL45K RASCAL GLX for Alinco DR-135 DataRadio</u>		\$29.95

<u>CAT , RAL6AK, RAL6AK RASCAL GLX for Alinco 8 pin screw-on mic with receive at pin 6 of Mic I/O.</u>				\$29.95
<u>CAT , RAL8MK, RAL8MK For ALINCO, ADI, and KENWOOD Transceivers with 8 pin Screw-On mic & Ext Spkr Jack</u>				\$29.95
<u>CAT , RAZMXK, RAZMXK RASCAL for AZDEN transceivers with 8 pin screw-on mic and 3.5mm Ext Spkr plug</u>				\$29.95
<u>CAT , RCWK, RCWK RASCAL to transceivers with 0.25inch CW jack for hard-keyed CW operating</u>				\$29.95
<u>CAT , RDJ25SK, RDJ25SK RASCAL for DJ-120, DJ-160/460, DJ-100, DJ-120 DJ-200 DJ-500, DJ-C1T, C4T, C5T,</u>				\$29.95

<u>CAT , RFT2500K, RFT2500K YAESU FT-2500M 2400 & Yaesu transceivers with similar I/O YAESU FT-2500, 2500M, 2400, et</u>				\$29.95
<u>CAT , RFT2600K, RFT2600K YAESU FT-2600 & Yaesu transceivers with DB9f I/O YAESU FT-2600, 2600M, etc</u>				\$29.95
<u>CAT , RFT2800K, RFT2800K YAESU FT-2800 & Yaesu transceivers with RJ 12 Mic & 3.5mm Ext Spkr YAESU FT-2800,</u> <u>28</u>				\$29.95
<u>CAT , RFT4RYK, RFT4RYK YAESU transceivers with 4 pin DIN RTTY jacks</u>				\$29.95
<u>CAT , RFT600K, RFT600K YAESU FT-736, FT-600, FT-890, & Late Model FT-900.</u>				\$29.95

<u>CAT , RFT900EK, RFT900EK</u> <u>Early model YAESU FT-900 and</u> <u>Yaesu transceivers with similar I/O</u> <u>For LATE model FT-900,</u>				\$29.95
<u>CAT , RFT90RK, RFT90RK</u> <u>YAESU FT-90R, and Yaesu</u> <u>transceivers with RJ 12 Mic &</u> <u>3.5mm Ext Spkr See special instruc</u>				\$29.95
<u>CAT , RFT990K, RFT990K</u> <u>YAESU FT-990 and Yaesu</u> <u>transceivers with similar I/O For</u> <u>FSK/RTTY operation, Use cable</u> <u>RF</u>				\$29.95
<u>CAT , RHTX100K, RHTX100K</u> <u>Radio Shack Model HTX-100</u>				\$29.95
<u>CAT , RHTX10K, RHTX10K</u> <u>Radio Shack HTX-10</u>				\$29.95






<u>CAT , RHTX242K, RHTX242K</u> <u>Radio Shack Model HTX-212, and</u> <u>HTX-242 or RS 45</u>				\$29.95
<u>CAT , RHTX252K, RHTX252K</u> <u>Radio Shack HTX-252</u>				\$29.95
<u>CAT , RIC13RYK, RIC13RYK</u> <u>ICOM Transceivers with 13 pin</u> <u>DIN accessory jack w/ FSK pin.</u> <u>Wired for 160-6 meter (HF</u>				\$29.95
<u>CAT , RIC13VUK, RIC13VUK</u> <u>ICOM Transceivers with 13 pin</u> <u>DIN accessory jack wired for</u> <u>VHF/UHF operation</u>				\$29.95
<u>CAT , RIC45K, RIC45K ICOM</u> <u>HF, VHF, and UHF transceivers</u> <u>with RJ-45 Modular Mic jacks</u>				\$29.95

<u>CAT , RIC4MK, RIC4MK ICOM HF-VHF Transceivers with 4 pin screw-on mic & Ext Spkr jack.</u>		\$29.95
<u>CAT , RIC8MXK, RIC8MXK ICOM HF, VHF,/UHF Transceivers w/8 pin Screw-On MIC & Ext Spkr jack.</u>		\$29.95
<u>CAT , RIC8PDK, RIC8PDK ICOM HF-, Transceivers with 8 pin DIN accessory jack</u>		\$29.95
<u>CAT , RJST245K, RJST245K Japnese Radio Corp, model & 34JST-245& 34</u>		\$29.95
<u>CAT , RKDK4MXK, RKDK4MXK KDK Transceivers w/4 pin screw-on mic & Ext Spkr jack</u>		\$29.95

<u>CAT , RKW13RYK, RKW13RYK Kenwood Transceivers with 13 pin DIN accy jack. w/ FSK & 34pin.& 34</u>				\$29.95
<u>CAT , RKW13RYRK, RKW13RYRK Kenwood TS-850 and KW Transceivers with 13 pin DIN accy and & 34FSK RCA Jack</u>				\$29.95
<u>CAT , RKW4013K, RKW4013K Early KENWOOD HF Transceivers with 13 pin DIN accessory jack TS-940, 440..</u>				\$39.95
<u>CAT , RKW45K, RKW45K KENWOOD HF and VHF Transceivers with (RJ45) MODULAR mic</u>				\$29.95
<u>CAT , RKW4MK, RKW4MK KENWOOD HF Transceivers w/4 pin screw-on mic & Ext Spkr jack</u>				\$29.95

CAT , RKW5MXK, RKW5MXK Kenwood TR 7600, TR 7625 and Kenwoods with with 5 pin Screw- On Mic and 3.5mm Ext Spkr jack				\$29.95
CAT , RKW6MK, RKW6MK KENWOOD HF Transceivers with 6 pin screw-on mic & Ext Spkr jack				\$29.95
CAT , RKW8MK, RKW8MK KENWOOD Transceivers with 8 pin Screw-On mic & Ext Spkr I/O				\$29.95
CAT , RMDINK, RMDINK The data input-output jack 6 pin Mini DIN is now in use on most				\$29.95
CAT , RMID4MXK, RMID4MXK Midland Transceivers w/4 pin screw-on mic & Ext Spkr jack				\$29.95

<u>CAT , ROMNIK, ROMNIK For Ten-Tec transceivers with; PTT, Tx IN, Rx IN RCA jacks:</u>			\$29.95
<u>CAT , RORIONK, RORIONK Ten-Tec ORION (565)</u>			\$29.95
<u>CAT , RORPK, RORPK INDEX LABS QRP+</u>			\$29.95
<u>CAT , RRCI6K, RRCI6K RCI 5054 and RCI radios with 6 pin screw-on MIC</u>			\$29.95
<u>CAT , RSBE34K, RSBE34K SIDEBAND ENGINEERS model SBE 34</u>			\$29.95

<u>CAT , RTHF6K, RTHF6K KENWOOD HandHeld Transceivers with 3.5mm & 2.5mm & 34stereo& 34 I/O</u>		\$29.95
<u>CAT , RTR7K, RTR7K DRAKE 4 pin screw-on mic with 3.5mm (1/8& 34) Ext Spkr jack</u>		\$29.95
<u>CAT , RTT25K, RTT25K DRAKE TR-4, TR-4C, TR-4CW, and TR-6 radios.</u>		\$29.95
<u>CAT , RTT4MK, RTT4MK Ten-Tec transceivers w/4 pin screw-on mic & 1/4& 34 Ext Spkr I/O</u>		\$29.95
<u>CAT , RUNIDEN5MXK, RUNIDEN5MXK UNIDEN and some HR2510 with 5 pin Screw-On Mic and Ext Spkr jack.</u>		\$29.95

<u>CAT , RY4MK, RY4MK YAESU transceivers with 4 pin (screw-on) mic input</u>		\$29.95
<u>CAT , RY8MK, RY8MK YAESU transceivers with 8 pin (screw-on) mic input.</u>		\$29.95
<u>CAT , RYXK, RYXK YAESU hand-held transceivers with 4 circuit, 3.5mm I/O jack.</u>		\$29.95
<u>CAT , 2613, Automotive type Radio antenna connector.</u>		\$ 0.99
<u>CAT , 7059, BNC Male to UHF Male.</u>		\$ 2.99
<u>CAT , 7060, Best known as the adapter used to connect the mobile PL259 to the handheld antenna port.</u>		\$ 2.99
<u>CAT , 7061, BNC FEMALE to FEMALE, BNC barrel. Used to join 2, male BNC</u>		\$ 0.99

<u>CAT , 7074, BNC Female to UHF Female</u>		\$ 2.40
<u>CAT , 7077, BNC, Female</u>		\$ 1.95
<u>CAT , 7080, BNC, Female, Female, Female TEE . Ultralowloss</u>		\$ 1.95
<u>CAT , 7312, Fits RG213, RG8, connector for repeater sites and antenna that require type N fittings.</u>		\$ 2.99
<u>CAT , 7317, N Female 4 hole Chassis Mount</u>		\$ 2.99
<u>CAT , 7321, N Male to N Male</u>		\$ 2.99
<u>CAT , 7323, N FEMALE to N FEMALE N DoubleFemale</u>		\$ 2.99
<u>CAT , 7330, N Male to UHF FEMALE Adapter</u>		\$ 2.99



<u>CAT , 7335, N Female to UHF Female</u>		\$ 4.99
<u>CAT , 7337, Right Angle, Type N Male to N Female</u>		\$ 3.99
<u>CAT , 7339, Type N TEE, N Male to double N Female</u>		\$ 4.99
<u>CAT , 7506, PL259 type male RF coax UHF connector. For RG8, 9913, and similar coax types</u>		\$ 0.99
<u>CAT , 7511, Chassi mounted coax connector is attached using 4 screws. For HF 1 to 30 MHz .</u>		\$ 0.99
<u>CAT , 7512, The Single Hole SO239 chassi mounted coax connector is supplied with mounting hardware.</u>		\$ 0.99
<u>CAT , 7514, VHF UHF ideal when coupling SO239 connectors backtoback, inline meters to SO239</u>		\$ 1.49

<p><u>CAT , 7516, Aa secondary lightning protector for your expensive transceiver. Remember, there is no substitute for a</u></p>		<p>\$ 3.95</p>
<p><u>CAT , 7517, PL258 type barrel connectors are often called double female. Ultralowloss</u></p>		<p>\$ 0.99</p>
<p><u>CAT , 7519, BNC female to UHF PL259 male adapter, to connect the BNC male antenna to SO239 female UHF</u></p>		<p>\$ 2.20</p>
<p><u>CAT , 7521, N Female to UHF MALE Adapter</u></p>		<p>\$ 2.99</p>
<p><u>CAT , 7525, Rightangle VHF UHF connector for sharp 90 degree coax turns, or where transceiver space is limited.</u></p>		<p>\$ 2.29</p>
<p><u>CAT , 7526, UHF type coaxial, Female, Male, Female TEE to cophase those beams, or for power dividers</u></p>		<p>\$ 2.29</p>
<p><u>CAT , 7527, UHF type, coaxial, Female, Female, Female TEE cophase those beams, quads, or build power dividers</u></p>		<p>\$ 2.45</p>

<u>CAT , 7604, Mini UHF FEmale Bulkhead connector 7604</u>	 <p>Panel Mount Jack</p> <p>Mini UHF 7604</p>	\$ 1.99
<u>CAT , 7609, Mini UHF male to TNC female</u>		\$ 2.99
<u>CAT , 7610, Mini UHF male to Standard SO239 type female.</u>		\$ 2.99
<u>CAT , 7614, Mini UHF Female to UHF Male Adapter</u>		\$ 2.99
<u>CAT , 7615, Right angle Mini UHF Male to FEMALE</u>		\$ 2.99
<u>CAT , 7617, Mini UHF Male to Double Female F M F</u>		\$ 2.99
<u>CAT , 7702, This adapter is most often used to connect UHF PL259 male to scanner antenna jack.</u>		\$ 1.99
<u>CAT , 7816, Double MALE, SMA connector, joins two female SMA ends</u>		\$ 2.99

<u>CAT , 7817, SMA Double Female, barrell.</u>		\$ 2.99
<u>CAT , 7819, SMA Male to BNC Male.</u>		\$ 2.99
<u>CAT , 7820, SMA male to BNC female. Adapter for handheld antennas to new handheld radios</u>		\$ 2.99
<u>CAT , 7821, SMA Male to Mini UHF Male.</u>		\$ 2.99
<u>CAT , 7822, SMA Male to Mini UHF Female</u>		\$ 2.99
<u>CAT , 7823, SMA male to TYPE N male</u>		\$ 2.99
<u>CAT , 7827, SMA male to UHF PL259 MALE.</u>		\$ 2.99
<u>CAT , 7828, SMA male to UHF SO239 female.</u>		\$ 2.99

<u>CAT , 7829, SMA Female to BNC Male.</u>		\$ 2.99
<u>CAT , 7830, SMA female to BNC female</u>		\$ 2.99
<u>CAT , 7832, SMA Female to Mini UHF Female.</u>		\$ 2.99
<u>CAT , 7837, SMA female to UHF male adapter</u>		\$ 2.99
<u>CAT , 7839, SMA female to UHF female SO239 , adapter</u>		\$ 2.99
<u>CAT , 8450, BNC 4 hole chassis mount UG290U</u>		\$ 2.20
<u>CAT , 8460, BNC Single hole female chassis mount</u>		\$ 1.20
<u>CAT , 75181, VHFUHF DOUBLE FEMALE BULKHEAD feedthru CONNECTORS</u>		\$ 1.79

<u>CAT , 75182, 2 INCH, UHF DOUBLE FEMALE, ALL THREAD, BULKHEAD CONNECTORS</u>		\$ 2.95
<u>CAT , 75183, VHFUHFVHFUHF DOUBLE FEMALE BULKHEAD feedthru CONNECTORS</u>		\$ 3.69
<u>CAT , 75184, 4 INCH, UHF DOUBLE FEMALE, ALL THREAD, BULKHEAD CONNECTORS</u>		\$ 2.95
<u>CAT , 75186, 6 INCH, UHF DOUBLE FEMALE, ALL THREAD, BULKHEAD CONNECTORS</u>		\$ 4.95
<u>CAT , 75188, 8 INCH, UHF DOUBLE FEMALE, ALL THREAD, BULKHEAD CONNECTORS</u>		\$ 8.95
<u>CAT , 751810, 10 INCH, UHF DOUBLE FEMALE, ALL THREAD, BULKHEAD CONNECTORS</u>		\$10.95
<u>CAT , 751812, 12 INCH, UHF DOUBLE FEMALE, ALL THREAD, BULKHEAD CONNECTORS</u>		\$12.95
<u>CAT , 2613X10, Automotive type Radio antenna connector. 10 9.60</u>		\$ 9.60
<u>CAT , 7001A, BNC MALE Crimp Type for RG58 U coax</u>		\$ 0.99

<u>CAT , 7001AX10, BNC MALE Crimp Type for RG58 U coax 10 9.60</u>		\$ 9.60
<u>CAT , 7001B, BNC MALE Crimp Type for RG59 U coax</u>		\$ 0.99
<u>CAT , 7001BX10, 10, BNC MALE Crimp Type for RG59 U coax</u>		\$ 9.60
<u>CAT , 7001C, BNC MALE Crimp Type for RG-8X coax</u>		\$ 0.99
<u>CAT , 7001CX10, Ten, BNC MALE Crimp Type for RG-8X coax</u>		\$ 9.60
<u>CAT , 7003B, BNC MALE for RG59 U coax, for Crimp and Molding.</u>		\$ 0.99
<u>CAT , 7003BX10, 10, BNC MALE for RG59 U coax, for Crimp and Molding.</u>		\$ 9.60
<u>CAT , 7006A, BNC MALE for RG58 U coax, CLAMP type.</u>		\$ 1.10

<u>CAT , 7006AX10, 10, BNC MALE for RG58 U coax, CLAMP type.</u>		\$ 9.90
<u>CAT , 7006C, BNC MALE for RG8X coax, CLAMP type.</u>		\$ 1.25
<u>CAT , 7006CX10, 10, BNC MALE for RG8X coax, CLAMP type.</u>		\$11.50
<u>CAT , 7022A, BNC FEMALE? for RG58 U coax, CLAMP type.</u>		\$ 0.99
<u>CAT , 7022AX10, BNC FEMALE for RG58 U coax, CLAMP type. 10 for 9.60</u>		\$ 9.60
<u>CAT , 7022B, BNC FEMALE for RG59 U coax, CLAMP type.</u>		\$ 0.99
<u>CAT , 7022BX10, BNC FEMALE for RG59 U coax, CLAMP type. 10 9.60</u>		\$ 9.60
<u>CAT , 7059X10, BNC Male to UHF Male. 10 27.60</u>		\$27.60

<u>CAT , 7060X10, Best known as the adapter used to connect the mobile PL259 to the handheld antenna port.</u>		\$27.60
<u>CAT , 7061X10, BNC FEMALE to FEMALE, BNC barrel. Used to join 2, male BNC 10 9.60</u>		\$ 9.60
<u>CAT , 7074X10, BNC Female to UHF Female 10 22.60</u>		\$22.60
<u>CAT , 7077X10, BNC, Female</u>		\$19.00
<u>CAT , 7304A, Fits RG-58, RG-58-U, RG-58-AU etc. The connector for repeater sites and antenna that require type N fit</u>		\$ 2.99
<u>CAT , 7304AX10, 10 pcs Fits RG-58, RG-58-U, RG-58-AU etc... The connector for repeater sites and antenna that requi</u>		\$27.60
<u>CAT , 7304B, Fits RG8X, RG-59, RG-59-U, RG-6, and RG62U etc?</u>		\$ 2.99
<u>CAT , 7304BX10, 10 each, 7304B Fits RG8X, RG-59, RG-59-U, RG-6, and RG62U etc...</u>		\$27.60
<u>CAT , 7304C, Fits RG213, RG8, etc.connector for repeater sites and antenna that require type N fittings.</u>		\$ 2.99

<u>CAT , 7304CX10, 10 pcs, Fits RG213, RG8, connector for repeater sites and antenna that require type N fittings.</u>		\$27.60
<u>CAT , 7312X10, Fits RG213, RG8, connector for repeater sites and antenna that require type N fittings. 10 27.6</u>		\$27.60
<u>CAT , 7317X10, N Female 4 hole Chassis Mount</u>		\$27.60
<u>CAT , 7321X10, N Male to N Male 10 27.60</u>		\$27.60
<u>CAT , 7323X10, N FEMALE to N FEMALE N DoubleFemale 10 27.60</u>		\$27.60
<u>CAT , 7330X10, N Male to UHF FEMALE Adapter 10 27.60</u>		\$27.60
<u>CAT , 7337X10, Right Angle, Type N Male to N Female 10 36.90</u>		\$36.90
<u>CAT , 7339X10, Type N TEE, N Male to double N Female 10 45.60</u>		\$45.60

<u>CAT , 7401B, TNC MALE Crimp Type for RG59 U coax</u>		\$ 2.99
<u>CAT , 7401BX10, TNC MALE Crimp Type for RG59 U coax 10 17.60</u>		\$17.60
<u>CAT , 7416B, TNC female, Four hole panel mount. RG59 coax may be crimp attached before mounting.</u>		\$ 2.99
<u>CAT , 7416BX10, TNC female, Four hole panel mount. RG59 coax may be crimp attached before mounting. 10 27.60</u>		\$27.60
<u>CAT , 7504A, UHF MALE TWISTON, WITH BUILTIN ADAPTER. 7504A for RG58</u>		\$ 0.99
<u>CAT , 7504AX10, 10, UHF MALE TWISTON, WITH BUILTIN ADAPTER. 7504A for RG58 and similar coax.</u>		\$ 9.60

<u>CAT , 7504B, UHF MALE TWISTON, WITH BUILTIN ADAPTER. 7504B for RG59 and RG8X</u>		\$ 0.99
<u>CAT , 7504BX10, UHF MALE TWISTON, WITH BUILTIN ADAPTER. 7504B for RG59 and Mini 8 Coax. 10 9.60</u>		\$ 9.60
<u>CAT , 7506AG, SILVER body and sleeve, GOLD center-pin, and TEFLON insulation, PL-259 UHF connector for RG-8 coaxial</u>		\$ 1.29
<u>CAT , 7506AGX10, SILVER body and sleeve, GOLD center-pin, and TEFLON insulation, PL-259 UHF connector for RG-8 coaxi</u>		\$12.50
<u>CAT , 7506AU, Highest quality, PL259 GOLD PLATED CONNECTOR with Teflon? insulator for F, RG8U, 9913, and RG213 coax</u>		\$ 1.39
<u>CAT , 7506AUX10, Highest quality, PL259 GOLD PLATED CONNECTOR with Teflon? insulator for F, RG8U, 9913, and RG213 c</u>		\$13.50
<u>CAT , 7506X10, PL259 type male RF coax UHF connector. For RG8, 9913, and similar coax types</u>		\$ 9.25
<u>CAT , 7507A, Reducer Insert for 7506 7507A for RG58</u>		\$ 0.28

<u>CAT , 7507AX10, Reducer Insert for 7506 7507A for RG58 10 for 2.50</u>		\$ 2.50
<u>CAT , 7507B, Reducer Insert for 7506 7507B for Mini 8 and RG59</u>		\$ 0.28
<u>CAT , 7507BX10, Reducer Insert for 7506 7507B for Mini 8 and RG59 10 for 2.50</u>		\$ 2.50
<u>CAT , 7511STG, Silver flashed, with Teflon insulator, chassi mounted connector. For HF, VHF and UHF.</u>		\$ 1.29
<u>CAT , 7511STGX10, Silver flashed, with Teflon insulator, chassi mounted connector. For HF, VHF and UHF.</u>		\$12.50
<u>CAT , 7511X10, Chassi mounted coax connector is attached using 4 screws. For HF 1 to 30 MHz .</u>		\$ 9.50
<u>CAT , 7512X10, The Single Hole SO239 chassi mounted coax connector, supplied with mounting hardware. 10 12.50</u>		\$12.50
<u>CAT , 7514X10, VHF UHF ideal when coupling SO239 connectors backtoback, inline meters to SO239, 10 12.99</u>		\$12.99

<u>CAT , 7516X10, An ounce of prevention is worth a pound of cure. This lightning protector provides that ounce of prev</u>		\$42.60
<u>CAT , 7517X10, PL258 type barrel connectors are often called double female. Ultralowloss 10 9.60</u>		\$ 9.60
<u>CAT , 751810X10, 10 INCH, UHF DOUBLE FEMALE, ALL THREAD, BULKHEAD CONNECTORS 10 99.50</u>		\$99.50
<u>CAT , 751812X10, 12 INCH, UHF DOUBLE FEMALE, ALL THREAD, BULKHEAD CONNECTORS 10 114.50</u>		\$114.50
<u>CAT , 75181X10, VHFUHF DOUBLE FEMALE BULKHEAD feedthru CONNECTORS</u>		\$15.50
<u>CAT , 75182X10, 2 INCH, UHF DOUBLE FEMALE, ALL THREAD, BULKHEAD CONNECTORS 10 24.99</u>		\$24.99
<u>CAT , 75183X10, VHFUHF DOUBLE FEMALE BULKHEAD feedthru CONNECTORS</u>		\$32.50
<u>CAT , 75184X10, 4 INCH, UHF DOUBLE FEMALE, ALL THREAD, BULKHEAD CONNECTORS 10 34.99</u>		\$34.99
<u>CAT , 75186X10, 6 INCH, UHF DOUBLE FEMALE, ALL THREAD, BULKHEAD CONNECTORS 10 44.99</u>		\$44.99
<u>CAT , 75188X10, 8 INCH, UHF DOUBLE FEMALE, ALL THREAD, BULKHEAD CONNECTORS 10 82.50</u>		\$82.50

<u>CAT , HDM1NUT, Heavy Duty 1 Inch Nuts for our allthread, bulkhead connectors. 2 .99</u>		\$ 0.99
<u>CAT , HDM1NUTX10, Heavy Duty 1 Inch Nuts for our allthread, bulkhead connectors. 10 for 3.99</u>		\$ 3.99
<u>CAT , 7519X10, BNC female to UHF PL259 male adapter to connect BNC male antenna to SO239</u>		\$20.60
<u>CAT , 7521X10, N Female to UHF MALE Adapter 10 27.60</u>		\$27.60
<u>CAT , 7525X10, Rightangle VHF UHF connector for sharp 90 degree coax turns, where space is limited. 10 20.99</u>		\$20.99
<u>CAT , 7526X10, UHF type coaxial, Female, Male, Female TEE cophase those beams, and power dividers 10 20.99</u>		\$20.99
<u>CAT , 7527X10, UHF type, coaxial, Female, Female, Female TEE cophase those beams, 10 20.99</u>		\$22.99
<u>CAT , 7601A, Mini UHF Male Crimp type connector for RG 58 U</u>		\$ 1.99

<u>CAT , 7601D, Mini UHF Male Crimp type connector for RG8X</u>	 <p>RG58A/U Crimp Type</p> <p>7601A BUX COMM (C)</p>	\$ 1.99
<u>CAT , 7602A, Mini UHF Male Crimp type connector for RG58</u>	 <p>7601D</p> <p>BUX COMM (C)</p>	\$ 1.99
<u>CAT , 7603A, Mini UHF FEmale Crimp type connector for RG58</u>	 <p>Female RG58A/U, Crimp Type</p> <p>7603</p>	\$ 1.99
<u>CAT , 7603D, Mini UHF FEmale Crimp type connector for RG8X</u>	 <p>Female RG58A/U, Crimp Type</p> <p>7603</p>	\$ 1.99
<u>CAT , 7610X10, Mini UHF male to Standard SO239 type female 10</u> <u>27.60</u>		\$27.60
<u>CAT , 7702X10, This adapter is most often used to connect UHF PL259 male to scanner antenna jack. 10</u>		\$17.90
<u>CAT , 7801A, SMA MALE to coax 7801 A for RG58 U</u>		\$ 1.99
<u>CAT , 7801AX10, SMA MALE to coax 7801 A for RG58 U</u>		\$17.60
<u>CAT , 7801B, SMA MALE to coax 7801 B for RG174 U</u>		\$ 1.99










<u>CAT , 7801BX10, SMA MALE to coax 7801 B for RG174 U 10 17.60</u>		\$17.60
<u>CAT , 7809A, SMA FEMALE 7809 A for RG58 U</u>		\$ 1.99
<u>CAT , 7809AX10, SMA FEMALE 7809 A for RG58 U 10 17.60</u>		\$17.60
<u>CAT , 7809B, SMA FEMALE 7809 B for RG174 U</u>		\$ 1.99
<u>CAT , 7809BX10, SMA FEMALE 7809 B for RG174 U 10 17.60</u>		\$17.60
<u>CAT , 7816X10, Double MALE, SMA connector, joins two female SMA ends</u>		\$27.70
<u>CAT , 7817X10, 10, SMA, Double FEMALE, barrells.</u>		\$27.70
<u>CAT , 7819X10, SMA Male to BNC Male. 10 27.60</u>		\$27.60
<u>CAT , 7820X10, SMA male to BNC female. Adapter for handheld antennas to new handheld radios 10 27.60</u>		\$27.60










<u>CAT , 7821X10, SMA Male to Mini UHF Male. 10 27.60</u>		\$27.60
<u>CAT , 7822X10, SMA Male to Mini UHF Female. 10 27.60</u>		\$27.60
<u>CAT , 7823X10, SMA male to TYPE N male</u>		\$27.60
<u>CAT , 7827X10, SMA male to UHF PL259 MALE. 10 27.60</u>		\$27.60
<u>CAT , 7828X10, SMA male to UHF SO239 female. 10 27.60</u>		\$27.60
<u>CAT , 7829X10, SMA Female to BNC Male. 10 27.60</u>		\$27.60
<u>CAT , 7830X10, SMA female to BNC female. 10 27.60</u>		\$27.60
<u>CAT , 7832X10, SMA Female to Mini UHF Female. 10 27.60</u>		\$27.60









<u>CAT , 7837X10, 10 each, 7837, SMA Female to UHF Male adapter</u>		\$27.60
<u>CAT , 7839X10, SMA female to UHF female SO239 , adapter 10 for 27.60</u>		\$27.60
<u>CAT , 8450X10, BNC 4 hole chassis mount UG290U</u>		\$20.60
<u>CAT , 8460X10, BNC Single hole chassis mount.</u>		\$11.00
<u>CAT , AT7070, SMA female to BNC female</u>		\$ 3.90
<u>CAT , FBARL, TYPE `F` BARREL Used to join `F` type TV coax cable connectors. 2.99</u>		\$ 0.99
<u>CAT , 8X12PLPL, 50 Ohm impedance,</u>		\$ 7.99
<u>CAT , 8X18PLPL, 50 Ohm impedance,</u>		\$ 8.99
<u>CAT , 8X3PLPL, 50 Ohm impedance,</u>		\$ 3.99
<u>CAT , 8X6PLPL, 50 Ohm impedance,</u>		\$ 4.99

CAT , 8X9PLPL, 50 Ohm impedance, .		\$ 5.99
CAT , JMPR12, 12 ft coaxial cable jumper made of Belden RG58U cable and Amphenol PL259 connectors installed on each		\$ 3.95
CAT , JMPR12X10, TEN, 12 ft coaxial cable jumpers made of Belden RG58U cable and Amphenol PL259 connectors installed		\$29.95
CAT , 10KUPOT, 10 K pot for audio level control in PSK31 and SSTV interface circuits where transceiver input output		\$ 0.99
CAT , 10KWKNOB, 10K pot with On Off switch. . Comes complete with knob and mounting hardware.		\$ 0.99
CAT , 1N4746Z, 18 Volt Zener Diode used in the MFJ1270BC CR1 and MFJ1278 as the protection diode. Keep several on h		\$ 0.99
CAT , 2200U63V, 2 for .99 cents. 1000 MicroFarad at 50 W V D C bypass or filter for 5 volt wallwart supply		\$ 0.99
CAT , 2N3904S, 2N3904 NPN Transistor with short, formed leads for Printed Circuit Board installation. 2 for .99		\$ 0.99

<p><u>CAT , 2N5033, 2N5033 used in opto isolator circuits as darlington addon to support relay switching radios that draw</u></p>		<p>\$ 0.99</p>
<p><u>CAT , 2N7000, NChannel Enhancement Mode Field Effect Transistors. These devices are used in sound card interfaces.</u></p>	<p>TO-92 2N7000</p> <p>D=Drain G=Gate S=Source</p>  <p>(C) 1998-2004 BUX COMM Corp.</p>	<p>\$ 0.99</p>
<p><u>CAT , 2RGLED, Flat wide LEDs 2 Red and 2 Green`</u></p>		<p>\$ 0.99</p>
<p><u>CAT , 470POT, We sold out last fall, so we went looking. Found a few thousand more 14 in. miniature, 470 ohm PC mou</u></p>		<p>\$ 0.99</p>
<p><u>CAT , 470U16V, 2 for .99 cents. 1000 MicroFarad at 50 W V D C filter for up to 12 V wallwart supply filter</u></p>		<p>\$ 0.99</p>
<p><u>CAT , 4N25, OptoIsolator, used in many PSK31 and SSTV interfaces for auto, PTT circuits. 3 for.99</u></p>		<p>\$ 0.99</p>
<p><u>CAT , 4N25X20, OptoIsolator for use in PSK31 and SSTV auto PTT interfaces.</u></p>	 	<p>\$ 4.99</p>

<u>CAT , 4N25X3, OptoIsolator for use in PSK31 and SSTV auto PTT interfaces.</u>		\$ 0.99
<u>CAT , 4N26X20, OptoIsolator for use in PSK31 and SSTV auto PTT interfaces.</u>		\$ 4.99
<u>CAT , 4N26X3, OptoIsolator for use in PSK31 and SSTV auto PTT interfaces.</u>		\$ 0.99
<u>CAT , 4N27X20, OptoIsolator for use in PSK31 and SSTV auto PTT interfaces.</u>		\$ 4.99
<u>CAT , 4N27X3, OptoIsolator for use in PSK31 and SSTV auto PTT interfaces.</u>		\$ 0.99
<u>CAT , 4N28X20, OptoIsolator for use in PSK31 and SSTV auto PTT interfaces.</u>		\$ 4.99
<u>CAT , 4N28X3, OptoIsolator for use in PSK31 and SSTV auto PTT interfaces.</u>		\$ 0.99
<u>CAT , 4N29X20, OptoIsolator for use in PSK31 and SSTV auto PTT interfaces.</u>		\$ 4.99
<u>CAT , 4N29X3, OptoIsolator for use in PSK31 and SSTV auto PTT interfaces. Darlington</u>		\$ 0.99

<u>CAT , 4N30X20, OptoIsolator for use in PSK31 and SSTV auto PTT interfaces.</u>		\$ 4.99
<u>CAT , 4N30X3, OptoIsolator for use in PSK31 and SSTV auto PTT interfaces. 4N30 and 4N31</u>		\$ 0.99
<u>CAT , 4N33, OptoIsolator, used in many PSK31 and SSTV interfaces to isolate the sound card from transceiver PTT circ</u>		\$ 0.99
<u>CAT , 4N33X20, OptoIsolator for use in PSK31 and SSTV auto PTT interfaces.</u>		\$ 4.99
<u>CAT , 4N33X3, OptoIsolator for use in PSK31 and SSTV auto PTT interfaces. 4N32 and 4N33</u>		\$ 0.99
<u>CAT , 4N35X20, OptoIsolator for use in PSK31 and SSTV auto PTT interfaces.</u>		\$ 4.99
<u>CAT , 4N35X3, OptoIsolator for use in PSK31 and SSTV auto PTT interfaces</u>		\$ 0.99
<u>CAT , 4N36X20, OptoIsolator for use in PSK31 and SSTV auto PTT interfaces.</u>		\$ 4.99
<u>CAT , 4N36X3, OptoIsolator for use in PSK31 and SSTV auto PTT interfaces.</u>		\$ 0.99

CAT , 4N37, OptoIsolator, used in many PSK31 and SSTV interfaces to isolate the sound card from transceiver PTT circ		\$ 0.99
CAT , 4N37X20, OptoIsolator for use in PSK31 and SSTV auto PTT interfaces.		\$ 4.99
CAT , 4N37X3, OptoIsolator for use in PSK31 and SSTV auto PTT interfaces.		\$ 0.99
CAT , 5419P4, 460 512 MHz. 6.5 Watts at 7.5 Volts		\$ 4.95
CAT , CNX35X20, OptoIsolator for use in PSK31 and SSTV auto PTT interfaces.		\$ 4.99
CAT , CNX35X3, OptoIsolator for use in PSK31 and SSTV auto PTT interfaces.		\$ 0.99
CAT , MP2222, Same as metal 2N2222, except Motorola Plastic MP 2222. 4 for .99		\$ 0.99
CAT , MRF515, MRF 515 is an RF power transistor used in hundreds of Amateur Radio QRP projects, and used in many dri		\$ 0.99








<p><u>CAT , MRF515X20, MRF 515 is an RF power transistor used in hundreds of Amateur Radio QRP projects, and used in many</u></p>		<p>\$17.97</p>
<p><u>CAT , SRF103, SRF 103 ratings RF Power transistor. 2 for .99</u></p>		<p>\$ 0.99</p>
<p><u>CAT , TDA7240A, When heatsinked, this 7 pin audio amplifier can deliver a whopping 7 to 10 watts of audio.</u></p>	 <p>www BUXCOMM com</p> <p>TDA7240A 20W Bridge Amplifier IC</p>	<p>\$ 0.99</p>
<p><u>CAT , TDA7240AX10, When heatsinked, this 7 pin audio amplifier can deliver a whopping 7 to 10 watts of audio. 10 for \$9.00</u></p>	 <p>www BUXCOMM com</p> <p>TDA7240A 20W Bridge Amplifier IC</p>	<p>\$ 9.00</p>
<p><u>CAT , UM9401, UM9401MA47266 PIN Diode, used in VHF UHF transceiver TxRx switching circuits.</u></p>		<p>\$ 0.99</p>






<p><u>CAT , XR2212, 16 channel, frequency control in many GE, Ericsson DELTA, RANGR, PHOENIX and similar twoway radios.</u></p>		<p>\$19.95</p>
<p><u>CAT , XR2212X10, 16 channel, frequency control in many GE, Ericsson DELTA, RANGR, PHOENIX and similar twoway radios</u></p>		<p>\$149.00</p>
<p><u>CAT , 5VDCSPDT, 5 volt DC, SPDT, 325 ohm coil.</u></p>		<p>\$ 1.99</p>
<p><u>CAT , DIP8SW, Eight switch, DIP` Eight switches in a row. 8 switch Dual Inline Package. Same type DIP switch used</u></p>		<p>\$ 0.99</p>
<p><u>CAT , DPDTPOPO, 4 for 99 cents, PushON, and Push again for OFF, Double Pole, Double Throw May be used as a ``manual`</u></p>		<p>\$ 0.99</p>
<p><u>CAT , GRNSW, Your choice, GREEN or YELLOW SPST, Push-ON or Push-OFF toggle switches.</u></p>		<p>\$ 1.95</p>

<p><u>CAT , MINIPOPO, PushON, and Push again for OFF, Double Pole, Double Throw miniswitches provide an ideal way to manua</u></p>		<p>\$ 0.99</p>
<p><u>CAT , REDLITSW, Illuminated switch, similar to switch used on Astron power supplies. Contacts 12 amps at 120 VAC.</u></p>		<p>\$ 1.99</p>
<p><u>CAT , SPSTSLSW, Single Pole, Single Throw, Slide Switch. 2 for .99</u></p>		<p>\$ 0.99</p>
<p><u>CAT , SW10K, Volume Control, On-Off Switch. Original replacement for GE - Ericsson HandHeld transceivers model MPI.</u></p>		<p>\$ 1.95</p>
<p><u>CAT , SW5, Use this box if you have only one serial comport, use the SW5 to switch between the RASCAL and other devices</u></p>		<p>\$19.95</p>
<p><u>CAT , SW513, Single Pole, Double Throw, OnOn or OnOff switch.</u></p>		<p>\$ 0.69</p>
<p><u>CAT , SW516, 16 position HEXidecimal switch, use as a channel selector on the 16 channel GE RANGR and DELTA radio mo</u></p>		<p>\$ 0.99</p>
<p><u>CAT , SW523, DPDT Double Pole, Double Throw, Mini BallBat switch.</u></p>		<p>\$ 0.89</p>

<u>CAT , SW551, S.P.S.T. ON-OFF toggle switch.</u>		\$ 1.49
<u>CAT , SW552, DPST toggle switch, Standard-size toggle switch rated 5 Amps</u>		\$ 1.49
<u>CAT , SW553, S.P.S.T. toggle switch with 1& 3/4 long, flatted RED plastic toggle handle.</u>		\$ 1.99
<u>CAT , SW555, Rated 10 Amps at 125 Vac. Standard 15/32& 3/4 threaded bushing. Screw terminals.</u>		\$ 1.99
<u>CAT , SW558, D.P.D.T. toggle switch. Standard threaded bushing mount. Rated 16 Amps/ 250 Vac, 10 Amps at 72 V DC,</u>		\$ 1.99
<u>CAT , SW559, DPDT toggle switch, threaded bushing. Solder terminals.</u>		\$ 1.99
<u>CAT , YELSW, YELLOW SPST, Push-ON or Push-OFF toggle switches.</u>		\$ 1.95

<u>CAT , BITIP5, Spare soldering tip for above High Q soldering station. BITIP5</u>		\$ 1.89
<u>CAT , DESOLDER, DESOLDERING BRAID, Solder Wick</u>		\$ 0.99
<u>CAT , LBSOLDER, One pound, .022 Diameter, 6040 ROSIN CORE SOLDER</u>		\$ 7.95
<u>CAT , MK105, 1000 Hz 1 kHz SIGNAL GENERATOR kit is great for tune up, signal injection, linear setup, and ALC testin</u>		\$11.50
<u>CAT , P1SOLDR, One pound, .062 Diameter, 63-37 ROSIN CORE SOLDER</u>		\$ 8.49
<u>CAT , SOLDER, 110 Inches of 6040, Rosin Core, Electronics Solder</u>		\$ 0.99
<u>CAT , T5S, INSULATION TAPE 6 x 5m, 6 rolls PVC</u>		\$ 1.99

<p><u>CAT , TIPTIN, Longer solder iron tip life and better heat transfer to the solder-tip.</u></p>	 <p>DELTA TIP TINNER MORE TIP LIFE-BETTER HEAT NO.50-63371 1 oz.</p>	<p>\$ 5.95</p>
<p><u>CAT , TOOLMATE, Stainless Steel, Multipurpose set of HandTools in one compact package. Perfect companion for Field</u></p>		<p>\$ 9.89</p>
<p><u>CAT , VT100, MICRO FLUSHCUTTING NIPPERS</u></p>		<p>\$ 2.89</p>
<p><u>CAT , VT106, HEAVY DUTY DIAGONAL CUTTER</u></p>		<p>\$ 2.99</p>
<p><u>CAT , VT5021, UNIVERSAL STRIPPER, Cutter, and Pliers, for AWG 10,12, 14, 16, 18, 20, 22 wire.</u></p>		<p>\$ 9.89</p>
<p><u>CAT , VTCF2N1, 2IN1 POCKET SCREWDRIVER</u></p>		<p>\$ 0.88</p>
<p><u>CAT , VTCOAX, STRIPPER FOR COAX CABLE</u></p>		<p>\$10.89</p>

<u>CAT , VTCOAX3, COAX STRIPPER with 3 blades</u>	 <p>The image shows a black handheld coaxial cable stripper. Below the main image is a diagram of the stripping process, showing a cable with an 8mm outer diameter being stripped back by 4mm to reveal the inner conductor. The brand name 'BUX COMM' is visible on the tool.</p>	\$11.89
<u>CAT , VTCOAXF, COAX CABLE STRIPPER and CUTTER</u>	 <p>The image shows a heavy-duty metal tool used for stripping and cutting coaxial cables. The brand name 'BUX COMM' is visible on the side.</p>	\$ 9.89
<u>CAT , VTD1, POWERFUL DESOLDERING PUMP</u>	 <p>The image shows a blue desoldering pump. On the left is the product in its retail packaging, and on the right is the pump itself, which has a blue handle and a yellow nozzle. The brand name 'BUX COMM' is visible on the pump.</p>	\$ 4.89
<u>CAT , VTGT8, GRIPPING TOOLS 8 pcs</u>	 <p>The image shows a black gripping tool with orange and black jaws. To the right is a retail box containing eight pieces of the tool. The brand name 'BUX COMM' is visible on the tool.</p>	\$ 2.89
<u>CAT , VTHD23BU, HighSpeed, RECHARGEABLE DRILL WITH 34 ACCESSORIES</u>	 <p>The image shows a blue and black rechargeable drill. Surrounding the drill are various accessories, including a set of 34 drill bits in a black case, a battery pack, a charger, and a power cord. The brand name 'BUX COMM' is visible on the drill and the bit case.</p>	\$19.89
<u>CAT , VTDEX8, HEX KEY WRENCH SET 8 PCS</u>	 <p>The image shows a set of eight hex key wrenches of various sizes, all in black. The brand name 'BUX COMM' is visible on one of the wrenches.</p>	\$ 1.79
<u>CAT , VTK3, BOX CUTTER</u>	 <p>The image shows a red and black box cutter. The brand name 'BUX COMM (C)' is visible on the side.</p>	\$ 0.99

<p><u>CAT , VTLAMP2WU, LAMP WITH MAGNIFYING GLASS</u></p>		<p>\$47.89</p>
<p><u>CAT , VTM468P, PROFESSIONAL CRIMPING TOOL FOR MODULAR CONNECTORS RJ11, RJ12, RJ45</u></p>		<p>\$22.89</p>
<p><u>CAT , VTMG6, HEAD MAGNIFYING GLASS WITH LIGHT</u></p>		<p>\$ 8.89</p>
<p><u>CAT , VTMPPLC, COMPACT MULTIPURPOSE TOOLS</u></p>		<p>\$ 8.50</p>
<p><u>CAT , VTPT, 6PC PLASTIC TUNING WAND AND HEX NONMETALLIC Tune Alignment SET</u></p>		<p>\$ 4.89</p>
<p><u>CAT , VTSET19, 34PC TOOL SET</u></p>		<p>\$12.89</p>

<u>CAT , VTSS5, TEMPERATURE CONTROLLED SOLDERING STATION</u>		\$24.90
<u>CAT , VTSSC40NU, DELUXE SOLDERING STATION WITH LCD & CERAMIC HEATER 48W 150 - 450</u>		\$69.90
<u>CAT , VTTS, 25PC TOOLSET</u>		\$ 9.89
<u>CAT , 10014, Standard Size AWG 14, 41 strand, Antenna wire, manufactured specifically for.BUXCOMM 41 strands of t</u>		\$19.95
<u>CAT , 20014, Standard size 14, stranded copper wire covered with PolyVinyl insulation is most often used when build</u>		\$38.95
<u>CAT , 30014, Medium size 14, stranded copper wire covered with PolyVinyl insulation is most often used when buildin</u>		\$57.95
<u>CAT , 40014, Medium size 14, stranded copper wire covered with PolyVinyl insulation is most often used when buildin</u>		\$76.95

<p><u>CAT , 50014, Number 14 guage antenna wire, consisting of 41 strands of individual tinned copper wires which makeup t</u></p>		<p>\$95.95</p>
<p><u>CAT , 100014, This Sky-Blue Number 14 TW/AWG with 41 strands of tinned copper wire, is special made for BUX COMM.</u></p>		<p>\$159.95</p>
<p><u>CAT , 204114, Ten feet, RED and BLACK, number 14 wire, with 41 strands of copper per lead, with AGC FUSEHOLDER & 20</u></p>		<p>\$ 3.97</p>
<p><u>CAT , 450LADR, 100 feet of 450 Ohm ladder line is polycoated, open wire LadderLine. It is much easier to handle than</u></p>		<p>\$19.95</p>
<p><u>CAT , 450LADR200, 200 feet of 450 Ohm ladder line is polycoated, open wire LadderLine. It is much easier to handle t</u></p>		<p>\$39.50</p>
<p><u>CAT , 450LADR300, 300 feet of 450 Ohm ladder line is polycoated, open wire LadderLine. It is much easier to handle t</u></p>		<p>\$59.50</p>
<p><u>CAT , 450LADR50, 50 feet of 450 Ohm ladder line is polycoated, copperclad, number 18 solid wire, LadderLine.</u></p>		<p>\$11.95</p>
<p><u>CAT , 58100PLPL, Made from high quality, low-loss, RG-58 coax cable with PL-259 connectors installed.</u></p>		<p>\$18.95</p>

<u>CAT , 5825PLPL, Made from high quality, low-loss, RG-58 coax cable with PL-259 connectors installed.</u>		\$ 6.95
<u>CAT , 5850PLPL, Made from high quality, low-loss, RG-58 coax cable with PL-259 connectors installed.</u>		\$12.95
<u>CAT , 5875PLPL, Made from high quality, low-loss, RG-58 coax cable with PL-259 connectors installed.</u>		\$16.95
<u>CAT , 8U6PLPL, Six ft RG-8U, High Quality, 50 Ohm impedance, Coax jumper.</u>		\$ 6.95
<u>CAT , 9HST, Heat shrink tubing is a great way to manage wires in your Radio, transceiver, PC, auto, etc.</u>		\$ 1.44
<u>CAT , BR10210 AWG 10 RED & BLACK Power Zip-Cord, 10 ft</u>		\$ 7.50
<u>CAT , BR102100 AWG 10 RED & BLACK Power Zip-Cord, 100 ft</u>		\$74.25
<u>CAT , BR10250 AWG 10 RED & BLACK Power Zip-Cord, 50 ft</u>		\$37.05
<u>CAT , BR12210 AWG 12 RED & BLACK Power Zip-Cord, 10 ft</u>		\$ 3.99
<u>CAT , BR122100 AWG 12 RED & BLACK Power Zip-Cord, 100 ft</u>		\$38.90
<u>CAT , BR12250 AWG 12 RED & BLACK Power Zip-Cord, 50 ft</u>		\$19.75

<u>CAT , BR14210 AWG 14 RED & BLACK Power Zip-Cord, 10 ft</u>		\$ 3.50
<u>CAT , BR142100 AWG 14 RED & BLACK Power Zip-Cord, 100 ft</u>		\$34.10
<u>CAT , BR14250 AWG 14 RED & BLACK Power Zip-Cord, 50 ft</u>		\$17.20
<u>CAT , RG213PL100, 100 feet RG213, ULTRA Low-Loss, Base-Station Coaxial Cable, with PL 259 attached at each end.</u>		\$69.95
<u>CAT , RG213PL50, 50 feet RG213, ULTRA Low-Loss, Base-Station Coaxial Cable, with PL 259 attached at each end.</u>		\$49.95
<u>CAT , RG8PL1C, 100 feet of RG8U LowLoss BaseStation Coaxial Cable with `GOLD plated` and TEFLON insulated, PL259 att</u>		\$59.97
<u>CAT , RG8PL1L, 50 feet of RG8U LowLoss BaseStation Coaxial Cable with `GOLD plated` and TEFLON insulated, PL259 att</u>		\$39.95
<u>CAT , RG8X100PLPL, Made from high quality, lowloss, coax cable with PL259 connectors installed at each end.</u>		\$37.95
<u>CAT , RG8X50PLPL, Made from high quality, lowloss, MINI8 RG8X Gray coax cable with PL259 connectors installed at each</u>		\$24.95

<p><u>CAT , ROTR100, 100 feet 8 conductor, rotor cable, two 16 and six 20 stranded tinned copper wires, UV resistant, PE</u></p>		<p>\$37.50</p>
<p><u>CAT , ROTR200, 200 feet 8 conductor, rotor cable, two 16 and six 20 stranded tinned copper wires, UV resistant, PE</u></p>		<p>\$75.00</p>
<p><u>CAT , ROTR300, 300 feet 8 conductor, rotor cable, two 16 and six 20 stranded tinned copper wires, UV resistant, PE</u></p>		<p>\$111.95</p>
<p><u>CAT , ROTR50, 50 feet, 8 conductor, rotor cable, two 16 and six 20 stranded tinned copper wires, UV resistant, PE</u></p>		<p>\$19.50</p>

**115 Luenburg Drive
Evington, VA 24550**

ORDER FORM #51906

Orders 0 to 1 pounds, \$5.50 added to total.
 Orders 1 to 2 pounds, \$7.50 added to total.
 Orders 2 to 5 pounds, \$9.50 added to total.
 Orders 5 to 11 pounds, \$11.50 added to total.
 Orders 11 to 15 pounds, \$15.90 added to total.
 Orders 15 to 40 pounds, \$27.90 added to total.
 Orders 40 to 50 pounds, \$37.50 added to total.